

Certificate of Analysis

Sample: 2004CNS0393.2010

Strain: N/A
Batch #: INSG200303S5S;
Sample Received: 04/03/2020; Report Created: 04/13/2020

CBN/CBG 5mg Soft Gels with Chamomile and Valerian INSG200303S5S

Ingestible, Capsule, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Safety

Pass Pesticides	Pass Microbials	Pass Mycotoxins
Not Tested Solvents	Pass Metals	Pass Foreign Matter

Cannabinoids

ND Total THC	ND Total CBD	Pass 0.257 aw Water Activity	NR PH
-----------------	-----------------	------------------------------------	----------

Analyte	LOQ mg/unit	Mass mg/unit	Mass mg/g
CBDV	0.2450	<LOQ	<LOQ
THCV	0.2450	<LOQ	<LOQ
CBD	0.7000	<LOQ	<LOQ
CBG	0.2450	0.8985	2.5670
CBDa	0.7000	<LOQ	<LOQ
CBGa	0.2450	<LOQ	<LOQ
CBN	0.2450	4.0299	11.5140
Δ9-THC	0.7000	<LOQ	<LOQ
Δ8-THC	0.2450	<LOQ	<LOQ
CBC	0.2450	<LOQ	<LOQ
THCa	0.7000	<LOQ	<LOQ
CBCa	0.2450	<LOQ	<LOQ
Total		4.9284	14.0810

1 Unit = , 0.35g
Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC. Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
Notes: Unit = 1 softgel

Terpenes


 Pine	 Cinnamon	 Orange
--	--	--

Analyte	LOQ mg/g	Mass mg/g	Mass %
α-Pinene	0.100	0.664	0.0664
β-Caryophyllene	0.100	0.318	0.0318
β-Pinene	0.100	0.166	0.0166
δ-Limonene	0.100	0.106	0.0106
3-Carene	0.100	<0.100	<0.0100
α-Bisabolol	0.100	ND	ND
α-Humulene	0.100	<0.100	<0.0100
α-Terpinene	0.100	<0.100	<0.0100
β-Myrcene	0.100	ND	ND
Camphene	0.100	<0.100	<0.0100
Caryophyllene Oxide	0.100	<0.100	<0.0100
cis-Nerolidol	0.100	<0.100	<0.0100
Eucalyptol	0.100	<0.100	<0.0100
γ-Terpinene	0.100	<0.100	<0.0100
Guaiol	0.100	<0.100	<0.0100
Linalool	0.100	<0.100	<0.0100
Ocimene	0.100	<0.100	<0.0100
p-Cymene	0.100	<0.100	<0.0100
Terpinolene	0.100	ND	ND
trans-Nerolidol	0.100	<0.100	<0.0100
trans-Ocimene	0.100	<0.100	<0.0100
Total		1.254	0.1254

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable, NR = Not Reported, NT = Not Tested
Notes:

2952 Meade Ave
Las Vegas, NV
(702) 304-7878
<http://www.canalysislab.com>




Trevor Low
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866





Certificate of Analysis

Powered by Confident Cannabis
2 of 2

Sample: 2004CNS0393.2010

Strain: N/A
Batch #: INSG200303S5S;
Sample Received: 04/03/2020; Report Created: 04/13/2020

CBN/CBG 5mg Soft Gels with Chamomile and Valerian INSG200303S5S

Ingestible, Capsule, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Pesticides Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Abamectin	0.010	0.200	ND	Pass
Acequinocyl	0.010	4.000	ND	Pass
Beta-Cyfluthrin	0.050	2.000	ND	Pass
Bifenazate	0.010	0.400	ND	Pass
Bifenthrin	0.010	0.100	ND	Pass
Cypermethrin	0.010	1.000	ND	Pass
Daminozide	0.020	0.800	ND	Pass
Dimethomorph	0.010	2.000	ND	Pass
Etoxazole	0.010	0.400	ND	Pass
Fenhexamid	0.010	1.000	ND	Pass
Flonicamid	0.010	1.000	ND	Pass
Fludioxonil	0.010	0.500	ND	Pass
Imidacloprid	0.010	0.500	ND	Pass
Myclobutanil	0.010	0.400	ND	Pass
Pacllobutrazol	0.010	0.400	ND	Pass
Piperonyl Butoxide	0.010	3.000	ND	Pass
Pyrethrins	0.010	2.000	ND	Pass
Quintozene	0.050	0.800	ND	Pass
Spinetoram	0.010	1.000	ND	Pass
Spinosad	0.010	1.000	ND	Pass
Spirotetramat	0.010	1.000	ND	Pass
Thiamethoxam	0.010	0.400	ND	Pass
Trifloxystrobin	0.010	1.000	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable, NR = Not Reported, NT = Not Tested
Notes:

Microbials Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Shiga toxin-producing E. coli	ND in 1g	ND	Pass
Salmonella	ND in 1g	ND	Pass
Aerobic Bacteria	100000	ND	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	ND	Pass

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Counts over 20,000 are estimates for Bile-Tolerant Gram-Negative Bacteria and Total coliforms. Counts over 40,000 are estimates for Yeast & Mold. ND = Not Detectable, NR = Not Reported, NT = Not Tested
Notes:

Residual Solvents Not Tested

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Notes:

Heavy Metals Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Arsenic	250.000	2000.000	<LOQ	Pass
Cadmium	250.000	820.000	<LOQ	Pass
Lead	250.000	1200.000	<LOQ	Pass
Mercury	25.000	400.000	<LOQ	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable, NR = Not Reported, NT = Not Tested
Notes:

Mycotoxins Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	10.00	20.00	ND	Pass
Ochratoxin A	10.00	20.00	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable, NR = Not Reported, NT = Not Tested
Notes:

2952 Meade Ave
Las Vegas, NV
(702) 304-7878
<http://www.canalysislab.com>



Accreditation #101469

Trevor Low
Trevor Low
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by Canalysis Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Canalysis Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Canalysis Laboratories.