

HighPoint SSD62xx Compatibility List

2023/2/10

This document was designed to serve as general reference for compatibility between the HighPoint SSD62xx and specific motherboards/SSD's described herein.

The motherboards included in this document are recommended for HighPoint SSD62xx x8 PCIE 3.0 configurations. Specific motherboards may have special requirements or restrictions. Please refer to the motherboard's PCIe Expansion slot settings.

Note: *Bifurcation is not required. HighPoint SSD series NVMe RAID controllers can be used with "Non-Bifurcation" motherboards.*

Motherboard Compatibility List

Note: The recommended PCIe slot we filled in are based on the description of the motherboard manual.

Manufacture	Product Name	Chipset	Recommended PCIe slot #	Data RAID support	Boot RAID support
ASUS	PRIME X299-DELUXE	Intel X299	PCIEX16_1, PCIEX16_3, PCIEX16_4	✓	✓
ASUS	ROG STRIX X299-E	Intel X299	PCIEX16/X8_1, PCIEX16/X8_2, PCIEX8/X1_3	✓	✓
ASUS	TUF X299 MARK 1	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX16_3	✓	✓
ASUS	PRIME X299-A	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX16_3	✓	✓
ASUS	TUF X299 MARK 2	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX16_3	✓	✓
ASUS	WS X299 SAGE	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX16_3, PCIEX16_4, PCIEX16_5, PCIEX16_6, PCIEX16_7	✓	✓
ASUS	PRIME Z390 SERIES	Intel Z390	PCIEX16_1, PCIEX16_2, PCIEX16_3	✓	✓
ASUS	ROG ZENITH EXTREME	AMD X399	PCIEx16_1, PCIEX8_2, PCIEX16_3 PCIEX8/X4_4	✓	✓
ASUS	PRIME X399-A	AMD X399	PCIEx16_1, PCIEX16_2, PCIEX16_3, PCIEX16_4	✓	✓
ASUS	ROG STRIX X399-E GAMING	AMD X399	PCIEx16_1, PCIEX8_2 PCIEX16_3, PCIEX8_4	✓	✓
ASUS	PRIME X570-P	AMD X570	PCIEx16_1	✓	✓
ASUS	PRIME X570-PRO	AMD X570	PCIEx16_1, PCIEX16_2	✓	✓
ASUS	Pro WS X570-ACE	AMD X570	PCIEx16_1, PCIEX16_2, PCIEX16_3	✓	✓
ASUS	ROG Crosshair VIII Formula	AMD X570	PCIEx16_1, PCIEX16_2	✓	✓
ASUS	ROG Crosshair VIII Hero (WI-FI)	AMD X570	PCIEx16_1, PCIEX16_2	✓	✓
ASUS	ROG Crosshair VIII Impact	AMD X570	PCIEx16_1	✓	✓
ASUS	ROG Strix X570-E Gaming	AMD X570	PCIEx16_1, PCIEX16_2	✓	✓
ASUS	ROG Strix X570-F Gaming	AMD X570	PCIEx16_1, PCIEX16_2	✓	✓
ASUS	ROG Strix X570-I Gaming	AMD X570	PCIEx16	✓	✓
ASUS	TUF GAMING X570-PLUS	AMD X570	PCIEx16_1	✓	✓
ASUS	TUF GAMING X570-PLUS (WI-FI)	AMD X570	PCIEx16_1	✓	✓
ASUS	PRIME TRX40-PRO	AMD TRX40	PCIEX16_1, PCIEX16_2, PCIEX16_3	✓	✓
ASUS	PRIME TRX40-PRO S	AMD TRX40	PCIEX16_1, PCIEX16_2, PCIEX16_3	✓	✓
ASUS	ROG Strix TRX40-E Gaming	AMD TRX40	PCIEX16_1, PCIEX16_2, PCIEX16_3	✓	✓
ASUS	ROG STRIX TRX40-XE GAMING	AMD TRX40	PCIEX16_1, PCIEX16_2, PCIEX16_3	✓	✓
ASUS	ROG MAXIMUS XIII HERO	Intel Z590	PCIEX16_1	✓	✓
ASUS	ROG MAXIMUS Z690 HERO	Intel Z690	PCIEX16(G5)_1	✓	✓
GIGABYTE	X299 AORUS Gaming 9	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX8	✓	✓
GIGABYTE	X299 AORUS Gaming 7	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX8	✓	✓
GIGABYTE	X299 AORUS Gaming 3	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX8	✓	✓
GIGABYTE	X299 UD4	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX8	✓	✓
GIGABYTE	GA-X299 DESIGNARE EX	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX8	✓	✓
GIGABYTE	GA-Z390 AORUS XTREME	Intel Z390	PCIEX16, PCIEX8	✓	✓
GIGABYTE	X399 AORUS PRO	AMD X399	PCIEx16_1, PCIEX16_2 PCIEX8_1, PCIEX8_2	✓	✓
GIGABYTE	X399 AORUS XTREME	AMD X399	PCIEx16_1, PCIEX16_2 PCIEX8_1, PCIEX8_2	✓	✓
GIGABYTE	X399 DESIGNARE EX	AMD X399	PCIEx16_1, PCIEX16_2 PCIEX8_1, PCIEX8_2	✓	✓
GIGABYTE	X399 AORUS Gaming 7	AMD X399	PCIEx16_1, PCIEX16_2 PCIEX8_1, PCIEX8_2	✓	✓
GIGABYTE	X570 AORUS MASTER	AMD X570	PCIEX16, PCIEX8	✓	✓
GIGABYTE	X570 AORUS ELITE WIFI	AMD X570	PCIEX16	✓	✓
GIGABYTE	X570 AORUS XTREME	AMD X570	PCIEX16, PCIEX8	✓	✓
GIGABYTE	X570 AORUS PRO WIFI	AMD X570	PCIEX16, PCIEX8	✓	✓
GIGABYTE	X570 I AORUS PRO WIFI	AMD X570	PCIEX16	✓	✓
GIGABYTE	X570 GAMING X	AMD X570	PCIEX16	✓	✓
GIGABYTE	X570 UD	AMD X570	PCIEX16	✓	✓
ASRock	Fatal1ty X299 Gaming K6	Intel X299	PCIEX1, PCIEX3, PCIEX5	✓	✓

ASRock	Fatal1ty X299 Professional Gaming i9	Intel X299	PCIE1, PCIE2, PCIE3, PCIE5	√	√
ASRock	X299 Killer SLI/ac	Intel X299	PCIE1, PCIE3, PCIE5	√	√
ASRock	X299 Taiichi	Intel X299	PCIE1, PCIE2, PCIE3, PCIE5	√	√
ASRock	X99 WS	Intel X99	PCIE1, PCIE2, PCIE3 PCIE4, PCIE6	√	√
ASRock	ROMED8-2T	System on Chip	PCIE1, PCIE2, PCIE3, PCIE4, PCIE5, PCIE6, PCIE7	√	√
MSI	X299 GAMING M7 ACK	Intel X299	PCI_E1, PCI_E4, PCI_E6	√	×
MSI	X299 GAMING PRO CARBON AC	Intel X299	PCI_E1, PCI_E4, PCI_E6	√	×
MSI	X299 GAMING PRO CARBON	Intel X299	PCI_E1, PCI_E4, PCI_E6	√	×
MSI	X299 TOMAHAWK ARCTIC	Intel X299	PCI_E1, PCI_E4, PCI_E6	√	×
MSI	X299 TOMAHAWK AC	Intel X299	PCI_E1, PCI_E4, PCI_E6	√	×
MSI	X299 TOMAHAWK	Intel X299	PCI_E1, PCI_E4, PCI_E6	√	×
MSI	X299 SLI PLUS	Intel X299	PCI_E1, PCI_E4, PCI_E6	√	×
MSI	X299 RAIDER	Intel X299	PCI_E1, PCI_E3, PCI_E5	√	×
Supermicro	X11DPL-i	Intel C621	CPU1 SLOT2 PCI-E 3.0X8 CPU1 SLOT4 PCI-E 3.0X8 CPU1 SLOT5 PCI-E 3.0X16 CPU1 SLOT6 PCI-E 3.0X8 CPU2 SLOT3 PCI-E 3.0X16	√	√
Supermicro	X11Dpi-N	Intel C621	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT2 PCI-E 3.0X16 CPU1 SLOT3 PCI-E 3.0X8 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16 CPU2 SLOT6 PCI-E 3.0X16	√	√
Supermicro	X11Dpi-NT	Intel C622	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT2 PCI-E 3.0X16 CPU1 SLOT3 PCI-E 3.0X8 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16 CPU2 SLOT6 PCI-E 3.0X16	√	√
Supermicro	X11Dai-N	Intel C621	CPU1 SLOT1 PCI-E 3.0X16 CPU1 SLOT2 PCI-E 3.0X16 CPU2 SLOT3 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X8 CPU2 SLOT5 PCI-E 3.0X16 CPU2 SLOT6 PCI-E 3.0X8	√	√
Supermicro	X11DPX-T	Intel C621	JPCIE1(CPU1 SLOT1 PCI-E 3.0X8) JPCIE2(CPU1 SLOT2 PCI-E 3.0X16) JPCIE3(CPU1 SLOT3 PCI-E 3.0X8) JPCIE4(CPU1 SLOT4 PCI-E 3.0X16) JPCIE5(CPU2 SLOT5 PCI-E 3.0X8) JPCIE6(CPU2 SLOT6 PCI-E 3.0X16) JPCIE7(CPU1 SLOT7 PCI-E 3.0X8) JPCIE8(CPU2 SLOT8 PCI-E 3.0X16)	√	√
Supermicro	X11DPH-TQ	Intel C627	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT3 PCI-E 3.0X8 CPU1 SLOT6 PCI-E 3.0X8 CPU1 SLOT7 PCI-E 3.0X8 CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16	√	√
Supermicro	X11DPH-I	Intel C621	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT3 PCI-E 3.0X8 CPU1 SLOT6 PCI-E 3.0X8 CPU1 SLOT7 PCI-E 3.0X8 CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16	√	√
Supermicro	X11DPH-T	Intel C622	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT3 PCI-E 3.0X8 CPU1 SLOT6 PCI-E 3.0X8	√	√

			CPU1 SLOT7 PCI-E 3.0X8 CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16		
Supermicro	X11DAC	Intel C621	CPU1 SLOT1 PCI-E 3.0X16 CPU1 SLOT2 PCI-E 3.0X8 CPU2 SLOT3 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X8 CPU2 SLOT5 PCI-E 3.0X16 CPU2 SLOT6 PCI-E 3.0X8	√	√
Supermicro	X11Spi-TF	Intel C622	CPU SLOT2 PCI-E 3.0X8 CPU SLOT3 PCI-3 3.0X8 CPU SLOT4 PCI-E 3.0X16 CPU SLOT6 PCI-E 3.0X16	√	√
Supermicro	X11SPM-TPF	Intel C622	CPU1 SLOT4 PCI-E 3.0X16 CPU1 SLOT6 PCI-E 3.0X16 CPU1 SLOT7 PCI-E 3.0X16	√	√
Supermicro	X12DPi-N6	Intel C621A	CPU1 SLOT2 PCI-E 4.0 x16 CPU1 SLOT3 PCI-E 4.0 x16 CPU2 SLOT4 PCI-E 4.0 x16 CPU2 SLOT5 PCI-E 4.0 x16	√	√
Supermicro	X12DPi-NT6	Intel C621A	CPU1 SLOT2 PCI-E 4.0 x16 CPU1 SLOT3 PCI-E 4.0 x16 CPU2 SLOT4 PCI-E 4.0 x16 CPU2 SLOT5 PCI-E 4.0 x16	√	√
Supermicro	X12DPL-i6	Intel C621A	CPU2 SLOT1 PCI-E 4.0 x16 CPU1 SLOT2 PCI-E 4.0 x16 CPU1 SLOT3 PCI-E 4.0 x16 CPU1 SLOT4 PCI-E 4.0 x16	√	√
Supermicro	X12DPL-NT6	Intel C621A	CPU2 SLOT1 PCI-E 4.0 x16 CPU1 SLOT2 PCI-E 4.0 x16 CPU1 SLOT3 PCI-E 4.0 x16 CPU1 SLOT4 PCI-E 4.0 x16	√	√
Supermicro	H11Dsi-NT	System on Chip	CPU2 SLOT1 PCI-E 3.0 X8 CPU1 SLOT2 PCI-E 3.0 X16 CPU1 SLOT3 PCI-E 3.0 X8 CPU1 SLOT4 PCI-E 3.0 X16 CPU1 SLOT5 PCI-E 3.0 X8	√	√
Supermicro	H11Dsi	System on Chip	CPU2 SLOT1 PCI-E 3.0 X8 CPU1 SLOT2 PCI-E 3.0 X16 CPU1 SLOT3 PCI-E 3.0 X8 CPU1 SLOT4 PCI-E 3.0 X16 CPU1 SLOT5 PCI-E 3.0 X8	√	√
Supermicro	H11SSL-NC	System on Chip	CPU SLOT1 PCI-E 3.0 X8 CPU SLOT2 PCI-E 3.0 X16 CPU SLOT3 PCI-E 3.0 X8 CPU SLOT4 PCI-E 3.0 X16 CPU SLOT5 PCI-E 3.0 X8 CPU SLOT6 PCI-E 3.0 X16	√	√
Supermicro	H11SSL-i	System on Chip	CPU SLOT1 PCI-E 3.0 X8 CPU SLOT2 PCI-E 3.0 X16 CPU SLOT3 PCI-E 3.0 X8 CPU SLOT4 PCI-E 3.0 X16 CPU SLOT5 PCI-E 3.0 X8 CPU SLOT6 PCI-E 3.0 X16	√	√
Supermicro	H11SSL-C	System on Chip	CPU SLOT1 PCI-E 3.0 X8 CPU SLOT2 PCI-E 3.0 X16 CPU SLOT3 PCI-E 3.0 X8 CPU SLOT4 PCI-E 3.0 X16 CPU SLOT5 PCI-E 3.0 X8 CPU SLOT6 PCI-E 3.0 X16	√	√
Supermicro	H12SSL-i	System on Chip	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16	√	√
Supermicro	H12SSL-NT	System on Chip	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16	√	√

			CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16		
Supermicro	H12SSL-C	System on Chip	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16	✓	✓
Supermicro	H12SSL-CT	System on Chip	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16	✓	✓

SSD Compatibility List

Manufacture	Model/Series	Form Factor	Capacity	Remark
PCIe Gen4 NVMe				
Seagate	FireCuda520 SSD	M.2 2280	500GB,1T,2T	There are compatibility issues on the SuperMicro X11DPH-T motherboard, not recommended for use on SuperMicro X11DPH-T
Sabrent	Rocket NVMe 4.0	M.2 2280	500GB,1T,2T	There are compatibility issues on the SuperMicro X11DPH-T motherboard, not recommended for use on SuperMicro X11DPH-T
Seagate	FireCuda530 SSD	M.2 2280	500GB,1T,2T,4T	
Samsung	980 PRO	M.2 2280	250GB, 500GB, 1T, 2T	
Samsung	PM9A3	M.2 22110	960GB, 1.92T, 3.84T	Only supports SSD6204
KIOXIA	XG8	M.2 2280	512GB, 1024GB, 2048GB, 4096GB	
PCIe Gen3 NVMe				
Samsung	970 EVO Plus	M.2 2280	250G, 500G, 1T, 2T	
Samsung	970 EVO	M.2 2280	250G, 500G, 1T, 2T	
Samsung	970 PRO	M.2 2280	512G, 1T	
KIOXIA	KXG5AZNV256G KXG5AZNV512G KXG5AZNV1T02	M.2 2280	256GB 512GB 1TB	There are compatibility issues on the ASUS WS X299 SAGE motherboard, not recommended for use on ASUS WS X299 SAGE
KIOXIA	KXG60ZNV256G KXG60ZNV512G KXG60ZNV1T02	M.2 2280	256GB 512GB 1024GB	There are compatibility issues on the ASUS WS X299 SAGE motherboard, not recommended for use on ASUS WS X299 SAGE
Western Digital	WD Blue SN500	M.2 2280	250GB,500GB	
Western Digital	WD Black SN750	M.2 2280	250GB,500GB,1TB,2T	
Western Digital	WD Green SN350	M.2 2280	240G,480G,960G,1T,2T	
Western Digital	WD Red SN700	M.2 2280	250G, 500G, 1T, 2T,4T	
HP	EX950	M.2 2280	512GB,1TB,2TB	

If you have any questions about NVMe compatibility, please contact us at Sales@highpoint-tech.com