

RocketStor 5411A

USB 3.0 SATA 6Gb/s Storage Dock



Quick Installation Guide

V1.00

Jan. 7, 2014

Table of Contents

HighPoint RocketStor 5411A	3
Kit Contents.....	3
RocketStor 5411A Hardware	4
Installing the RocketStor 5411A.....	5
Customer Support	7
FCC Part 15 Class B Radio Frequency Interference statement ...	8

HighPoint RocketStor 5411A

The RocketStor 5411A is the easiest and quickest way to add high-speed, multi-terabyte SATA storage to any USB 3.0 capable computing platform. The RocketStor 5411A was designed specifically for the industry's fastest 6Gb/s SATA SSD's and high capacity 4TB hard drives.



Key Features

- 5Gb/s Performance
- 1x USB 3.0 Host Ports
- 1x SATA 6Gb/s drive bay
- Supports industry standard 3.5"/2.5" SATA HDD/SSD

Kit Contents

- RocketStor 5411A Storage Dock
- Quick Installation Guide
- USB 3.0 Cable
- Power Adapter


RocketStor 5411A Hardware



Installing the RocketStor 5411A

Connecting USB cables


The rear panel of the RocketStor 5411A provides a USB 3.0 port that can be connected to any standard motherboard or notebook USB port, or to PCIe USB host adapter cards, such as RocketU series HBA's.



Power Adapter Installation

Connect the power adapter to the DC Port found on the back of the RocketStor 5411A.

Click the Power button to start using the RS5411A.




The Power Button is also used to power off the device. Press and hold the power button down for 3-4 seconds to power off RocketStor 5411A.

SATA Drives Installation and Ejecting

The RocketStor 5411A supports 2.5” and 3.5” SATA storage devices of any performance level and capacity.

Installing a Device - Carefully align the SATA device’s gold fingers with the bay’s SATA connector. Gently push the device straight down until secure.



Note: The surface temperature of some 3.5" hard disks may exceed 50 degrees C after extended use - approach with caution. Carefully assess the surface temperature of any hard disk before removal. If you suspect the temperature is too high, please power off the target drive using the RocketStor 5411A's power button. Allow the drive to cool for several minutes before removal.

Customer Support

If you encounter any problems while utilizing the RocketStor 5411A, or have any questions about this or any other HighPoint Technologies, Inc. product, feel free to contact our Customer Support Department.

Web Support: <http://www.highpoint-tech.com/websupport/>

HighPoint Technologies, Inc. websites:

<http://www.highpoint-tech.com>

<http://www.hptmac.com>

FCC Part 15 Class B Radio Frequency Interference statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment under FCC rules.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

European Union Compliance Statement

This Information Technologies Equipment has been tested and found to comply with the following European directives:

- European Standard EN55022 (1998) Class B
- European Standard EN55024 (1998)

© Copyright 2014 HighPoint Technologies, Inc. All right reserved.