



7063 Accent Pine

	US Units	Metric Units
Style Number	2357V	
Construction	SPC	
Profile	Click	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.173"	4.4 mm
Wear Layer Thickness	20 mil (0.02")	0.5 mm
Attached Underlayment Thickness	0.039"	1 mm
Finish	ArmourBead®	
Edge Description	Micro Bevel	
Area per Carton	27.73 sq ft	2.58 sq m
Area per Pallet	1525.15 sq ft	141.69 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Ortho-Phthalates Free	Yes	
Residential Warranty	Lifetime	
Commercial Warranty	10 Year Light Commercial	
Smoke Density (ASTM E662, Flaming Mode)	Passes, <450	
Radiant Panel (ASTM E648)	Passes, Class I	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Features


Exceptionally durable and easy to clean, Anvil Plus 20 MIL is a waterproof vinyl style ideal for high-traffic areas prone to splashes and spills. Strong and stylish, it is available in variety of visuals that pay homage to the character-driven appeal of several hardwood species. Plus, it comes standard with Soft Silence® acoustical pad for noise reduction and added comfort.

Colors





Coordinating Trim




Baby Threshold*

BT3HS | 94"
VSBT2 | 94"



T-Molding*

VHTMD | 94"



Multi-Purpose Reducer

VHMPR | 94"



Quarter Round

VSQT1 | 94"



Flush Stairnose


VFSN4 | 94"

*Packaged with molding track


Coordinating Metal Trim



Reducer



T-Mold



Stair Cap

Finish

Satin Silver

143SA

146SA

140SA

Satin Nickel

144SA

147SA

141SA

Dark Bronze

145SA

148SA

142SA

Installation Range

Profile Size

Installation Range

3.5mm

1.5mm to 3.5mm heights

5.5mm

3.6mm to 5.5mm heights

8mm

6mm to 8mm heights

TREADZ®



Center

LVCTR

Right

LVCAR

Left

LVCAL

White Riser

LVWRI*

*packages of 3