































Car Charger & Car Holder & Desktop Phone/Tablet Holder

No.	MODEL NO.	Full Color PIC	Detail of PIC	PACKAGING	COLOR/ PATTERN	G.W./PCS (KG)	MOQ/PCS	PCS/CTN	Bar Code	SPECIFICATIONS
Car Charger (26 Models)										
New	26				Black Purple	0.096 0.096	12 12	120 120	6972174158181 6954851265665	Material and Technology:Car charger: Zinc alloy + high-temperature spray paint Data cable: TPU Input Voltage:12-24V Output Voltage:USB-A: 4.5V/5A, 5V/4.5A, 9V/3A, 12V/3A, 20V/2.25A 45W(Max) Built-in Type-C cable: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A 45W(Max) Material: ABS
Hot	25				Black White	0.03 0.03	23 23	230 230	6954851217466 6954851217473	Input Voltage: 12V-24V Input current: 3A Output Voltage: USB-A: 4.5V-5A/5V-4.5A/9V-2A/12V-1.5A 22.5W (Max) TYPE-C:5V-3A/9V-3A/12V-2.5A 30W(Max) Output: USB+Type-C simultaneous output: 5V-3A 15W(Max) USB quantity: 1A+1C 1. USB+TYPE-C port to charge two devices at the same time. Material and Technology :(1) Appearance material: PC+ aluminum alloy ring
	24				Black	0.146	12	120	6954851204336	Input Voltage:DC12V-24V Output Voltage:①C1+C2+A1+A2 (30W+30W+30W+30W) USB-A1/A2.:5V3A/9V3A/12V2.5A 30W (Max) Output total: 120W Rated Power: ((1) No-load power: ≤0.5W (2) Full load power: <120W" Material and Technology :Aluminum alloy + transparent shell
	23				Black	0.090	11	110	6954851233770	Input Voltage:DC12V-24V Output Voltage:A+C (30W+30W) USB-A:5V3A/9V3A/12V2.5A USB-C.:5V3A/9V3A/12V2.5A 30W (Max) Output total: 60W Rated Power: (1) No-load power: ≤0.5W (2) Full load power: ≤60W Solid halm light luxury aromatherapy Material and Technology :ABS+PC
	22				Black	0.055	19	190	6954851229377	Input voltage: 12V-24V Input current: 5A PD frequency: 150kHz USB frequency: 105kHz Output Voltage:USB(output): 4.5V-5A/5V-4.5A/9V-2A/12V-1.5A Type-C1(output): 5V-3A/9V-3A/12V-3A USB+Type-C1(output at the same time): 5W-3A Material and Technology :Aluminum alloy + transparent shell
Hot	21				Black	0.038	26	156	6954851209133	Input VoltageDC12V-24V Output Voltage:Type-C output: 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A 45W (Max) USB-A output: 5V-3A/9V-3A/12V-2.5A 30W(Max) Output total: 75w Rated Power: (1) No-load power; ≤0.5W (2) Full load power: <75W Material and Technology :Zinc alloy + high-temperature oil injection
	20				Black	0.031	36	360	6954851207528	Input Voltage:input voltage: 12-24V Output Voltage:Type-C1 output:5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A 45W(Max) Type-C2 output:5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A 45W(Max) Total output: 5V/4.8A 1. Ultra-mini size, integrated with the car cigarette lighter, space-saving; 2. Handle design, plug in and out easily;

12	REMAX Duke Series 75W PD+QC 2C+2A Fast Car Charger RCC329				Black	0.060	14	140	6954851202042	Material and Technology :PC+aluminum alloy Input Voltage DC12-24V Output Voltage:USB-A1/USB-A2: 4.5V-5A/5V-4.5A/9V-3A/12V-2.5A 30W(Max) Type-C1/Type-C2: 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A 45W(Max) USB-A1+USB-A2: 5V-4.2A Type-C1+Type-C2 5V-4.2A USB-A1+USB-A2+Tvpe-C1+Tvpe-C2:75W(Max) Material: ABS
	REMAX Alien III Series 49.5W 2USB+Type-C Car Charger RCC323				Black	0.026	24	240	6954851256670	Input Voltage: 12V-24V USB Output : 4.5V-5A/5V-4.5A/9V-2A/12V-1.5A 2USB Output : 5W-3.1A TYPE-C: 5V-2.4A/9V-3A/12V-2.25A Output: 22.5W+27W (49.5W) USB quantity:3USB USB + TYPE-C three interfaces charge for various devices. Material: ABS
11	REMAX Alien III Series 3.1A 3USB Car Charger RCC322				Black	0.023	24	240	6954851256663	Input Voltage: 12V-24V Output Voltage: DC 5W-3.1A Output: 15.3W With 3 USB interfaces, charge 3 devices at the same time. Built-in smart chip, automatically matches the proper charging voltage for different mobile phones, a safer fast charge. CTN G.W.:12.6kg±0.2 Kg
	REMAX Salo III Series 83W PD+QC Aluminum Fast Car Charger RCC327				Tarnish	0.049	23	230	6954851259626	Material :aluminum alloy Input Voltage: 12V-24V Output Voltage: 5V-3A/9V-2A/12V-1.5A Supports PD2.0/PD3.0/QC2.0/QC3.0/AFC/FCP/SCP and other protocols. Three USB ports, charging various devices at once. CTN G.W.:13.25±0.2 KG CTN SIZE: 60*33.5*49 CM
10	REMAX Salo Series 58.5W PD+QC Fast Charging Car Charger RCC215				Black	0.057	19	190	6972174159294	Digital display USB output: 5V-4.5A/4.5V-5A/5V-3A/9V-2A/12V-1.5A (22.5W max) Type-c output: 5V-3A/9V-3A/12V-3A (36W max)
	REMAX Salo Series 58.5W PD+QC Fast Charging Car Charger RCC215				Silver	0.057	19	190	6972174159300	FCC/CE/ROHS have CTN/G.W.:13.09KG; CTN/Size 60*33.5*49
9	REMAX Linsey Series 45W QC3.0 2USB Multi-compatible Aluminum Car Charger RCC325				Tarnish	0.056	19	190	6954851239406	Materia: Aluminum alloy Input Voltage: Input voltage: 12V-24V frequency:130KHZ Output Voltage: USB1 output: 5V-3A/9V-2.5A/12V-1.5A USB2 output: 5V-3A/9V-2.5A/12V-1.5A Output: 22.5W+22.5W Rated Power: 45W Dual USB ports, charge 2 devices at the same time Materia: ABS+PC+USB/2
	REMAX Vanguard Series 2.4A Car Charger 3-in-1 Charging Cable RCC236				Black	0.073	17	170	6972174151038	Input Voltage: DC:12V~24V Output Voltage: USB1:5V-2.4A USB2:5V-2.4A Same-time output 5V-2.4A Auto matching of charging voltage for various phone models. Fine cog patterns on the cable body, a nice texture. Oxygen-free copper wire core, strong oxidation resistance for a longer service life.
8	REMAX Vanguard Series 2.4A Car Charger RCC236				Black	0.035	23	230	6954841223788	Material and Technology:ABS+PC Plug Version(CN/US/EU/AU):Standard car cigarette lighter Input Voltage DC:12V~24V Output Voltage: USB1:5V-2.4A USB2:5V-2.4A Simultaneous output5V-2.4A USB quantity: 2SUB CTN G.W.:10.04KG±0.2KG CTN SIZE: 60*33.5*49cm

Hot

Hot

7	REMAX Chanyo II Series 2.4A 2U Fast Car Charger RCC239				White	0.031	23	230	6954851277750	Material and Technology: ABS Rated Power and Output :12W Input voltage: 12V-24V Input current: 1.3A USB1 output 5V-2.4A USB2 /output:5V-2.4A 2USB total output: 5V-2.4A Dual USB ports charge two devices at the same time
					Black	0.031	23	230	6954851277774	Material and Technology: Ultrasonic Input Voltage: DC12V-24V
					Black	0.030	25	250	6954851226383	Output Voltage: USB 5V/4.5A 9V/3A 12V2.5A Type-c:5V/3A 9V/3A 12V2.5A 15V2A 20V1.5A USB+Type-C: 5V4.8A MAX USB quantity: Type-c *1 USB*1
6	REMAX Chanyo Series 30W Car Charger RCC231				Silver	0.030	25	250	6954851226369	Supports most fast charging protocols, faster charging for your devices. Smart recognition of phone models, auto current matching for charging. Multiple protections against over-current over-voltage over-
					Tarnish	0.018	28	280	6954851289272	Material and Technology: Aluminum alloy Input Voltage: 12V-24V USB output: 4.5V-5A/5V-4.5A/9V-2A/12V-1.5A TYPE-C output: 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A Total output: 5V-3A
					Black	0.018	28	280	6954851289289	Rated Power: 45W With blue light USB quantity: USB+TYPE-C dual-port design charging for more devices.
5	REMAX Lindo III Series 45W Multi-Compatible Fast Car Charger RCC238 (1C1A)				Tarnish	0.040	20	300	6972174155227	Input DC12-24V Output: DC5V-2.4 (MAX) USB quantity: 2 CTN G.W.: 11.2 KG; CTN SIZE: 60*35*50cm
					White	0.037	12	120	6954851295662	Material: PC+ V0 fireproofing Input DC 12-24V Output:DC5V-2.4A MAX USB quantity:2 CE, FCC,ROHS approved CTN G.W.: 75 KG; CTN SIZE:60*35*50cm
					White	0.041	27	170	6954851226062	Material: Ultrasonic Input power DC12V-24V Output Voltage:12V1.67A 20W(max) output quantity; Type-c *1 USB*1 Supports most fast charging protocols, faster charging for your devices. With a soft indicator light, clear use at night. Two output ports. Supports most fast charging protocols, faster charging for your devices. CTN G.W:13.2±0.2KG
4	REMAX Sett Series 2.4A Dual USB Car Charger RCC226				White	0.043	36	360	6972174155432	Material: Aluminium Alloy Input: DC12V-24V Output: USB 1: DC5V/3A 9V/2A 12V/1.5A Type-C: DC5V/3A 9V/2A 12V/1.5A USB quantity:2 CE, FCC, ROHS Report Approved CTN G.W.: 17 KG; CTN SIZE:60*35*50cm
					silver	0.043	36	360	6972174155449	Material:PC Technology: plating USB quantity:2 Input:12V-24V Output 1:DC5V-3A,15W Mat CE/FCC/ROHS Multifunctional car charger FM radioSupport U disk/TF card, plug in and play
					Black	0.080	14	140	6972174153704	
3	REMAX Roki Series 2USB 2.4A Car Charger RCC219				White	0.041	27	170	6954851226062	
					White	0.041	27	170	6954851226062	
					White	0.041	27	170	6954851226062	
2	REMAX Honor Series Car Charger RCC108				White	0.041	27	170	6954851226062	
					White	0.041	27	170	6954851226062	
					White	0.041	27	170	6954851226062	
1	REMAX Fast Charging PD+QC Type-C Car Charger RCC107				Black	0.043	36	360	6972174155432	
					Black	0.043	36	360	6972174155432	
					Black	0.043	36	360	6972174155449	
1	REMAX Kimbay Series 15W Car Charger RCC109				Black	0.080	14	140	6972174153704	
					Black	0.080	14	140	6972174153704	
					Black	0.080	14	140	6972174153704	

Car Holder (14 Models)







New




New

14	Ultrathin Metal Smart Infrared Sensor Wireless Charging Car Holder RM-C17				Tarnish	0.123	50	50	6954851209751	Material: ABS+PC+vacuum plating+aluminum parts Rated voltage: 5v/2A 9V/1.67A Rated power: 5W 7.5w 10w 15w Capacity: 200mAh battery Charging port: Type-C 1. Dual recognition with touch sensing and infrared sensing, 15W wireless charging. C 2. vberunk-style transparent mainboard with ambient lighting effects. Material and Technology (fireproof): ABS Rated voltage: 9v Rated power: 15w
13	REMAX 15W Smart Wireless Charging Electric Car Holder RM-C31				Black	0.170	36	36	6954851234326	1. Intelligent induction technology, touch and open; 2.9V fast charging, 15W high power output, with 2 different holders; 3. Nano silicone suction cup, retractable to adjust the length; 4. Rotary ball in the back, 360° adjustment. CTN G.W:14.5Kg +0.2 Kg Material and Technology: ABS+PC Spray metallic paint + UV Capacity:300mAh Rated voltage:3.7V Rated power:2W Charging time: 2.5H Charging port: Type-c Port
12	Solar-powered Tesla Electric Car Phone Holder RM-C34				Tarnish	0.238	60	60	6954851209782	Charging time: 2.5H Charging port: Type-c Port 1. Intelligent sensing, electric opening and closing, stable support; 2. Solar-powered for unlimited endurance without the need for charging Material:ABS+PC Technology:Injection + assembly
11	REMAX Multifunctional Dashboard Car Holder RM-C20				Black	0.128	60	60	6954851208518	A car holder installed on the dashboard of the car, space-saving and does not block the view; 360° rotary base that supports 180°adjustment from front to back is designed to adjust the angle of the holder and the 360° rotary holder to turn the direction of phones freely, bringing the best visual effect to the driver; torsion spring clip features stable gripping without harming the dash board easy installation and disassembly stylish Material:ABS+PC+Silicone+Aluminum alloy Technology:Injection+ oxidation + electrophoresis + assembly
10	REMAX Precision Aluminium Alloy Car Holder RM-C24				Black	0.112	50	50	6954851212225	A car holder installed above the air outlet, space-saving; 360°rotary ball head of the pole and anti-gravity tray that can be adjusted from left to right together bring the best visual effect to the driver; no noise produced during driving; screw design for stable gripping, easy installation and disassembly; stylish and elegant appearance; suitable for all 4-6.5 inches mobile phones. Material:PC+ABS+electroplate+silica gel+ hardware Technology:Injection+electroplate+screen printing +assemble
9	REMAX Linton Series Magnetic Car Holder RM-C13				Black	0.076	49	49	6954851205227	360° rotation, simple use with one hand; Strong magnets, care for your phone; With iron sheets (65*45*0.5/Φ40*0.5) & 2 electrostatic films; Compatible with 4.7-6.7 phones; CTN G.W:4.24±0.2kg Carton Size:36.5*32*19cm
8	REMAX Clip Car Holder for Phone/Tablet RM-C66				Black	0.270	45	45	6954851244455	Material:ABS+PC+Aluminum+Silicone Technology:Sandblasting oxidation+texturing plastic A holder for phones and tablets clipped to the car seat for use, retractable to fit a device size of 4.7 to 11 inches. CTN G.W:13.2±0.2kg Carton Size:50.5*35*40.5cm
7	REMAX Adjustable Car Holder for Rearview Mirror RM-C67				Black	0.210	40	40	6954851255512	Material:ABS+PC Technology:Injection molding+ paint coating + assembly Scope of application:For phones of 4-6.5 inches 360° rotary and block-free viewing. The lower support arm is 180° adjustable Carton Size:34*39*42CM CTN G.W:9±0.2kg)






















<div style="background-color: red; color: white; padding: 2px; transform: rotate(-90deg); display: inline-block;">Best Seller</div>	6	REMAX Crystal Series Car Holder RM-C62				Black	0.138	100	100	6954851211518	Material: ABS+PC+Injection moulding + Assembly O-shape car vent clip with a knob-type lock, and lengthened metal hook, more stability. The phone holder (support) adopts the latest transparent material, more stylish. Quick clamping of the mobile phone, easy to pick and place with one hand. Applicable to all mobile phones of 4-6.5 inches.
	5	REMAX Joungo Series Car Holder RM-C06				Black	0.137	136	136	6954851211679	Material: ABS+silicone Scope of application: phones of 55~93mm in width Touch and lock, easy to operate 360° rotary, use horizontally and vertically Compatible with different phone sizes CTN G.W: 9.3KG±0.2KG CTN SIZE: 59.5*49*33.5CM
	4	REMAX Tinsm Series 15W Wireless Charging Car Holder RM-C61				Black	0.228	50	50	6954851210566	Material: PC+ABS Rated voltage: 5W 7.5W 10W 15W Charging port: TYPE-C Product lifespan: 2-5 years Rated voltage: 5V 9V Rated power: 5W 7.5W 10W 15W Fully automatic, intelligent-induction clamping. 360° rotary use it horizontally or vertically block-free view amid driving.
	3	REMAX Baowo Series Car Holder RM-C59				Black	0.279	42	42	6954851208754	Material: ABS+PC Scope of application: dashboard Stable clamping, holding your phone firmly. 360° adjustable, block-free viewing. Applicable to phones of different widths. CTN G.W:10.87kg±0.2kg CTN SIZE 60*33.5*49cm
	2	REMAX Tuxn Series Car Holder RM-C50				Black	0.187	27	27	6954851239451	Material: PC+Silicone Technology:PU leather on the surface Scope of application:For car central control panel, windshield. One-handed operation, easy to use. 360° rotary, block-free view. Hollow silicone pad, firmly fix your phone. For mobile phones with a width of 52~90mm. Adjustable bottom support more thorough protection.
<div style="background-color: orange; color: white; padding: 2px; transform: rotate(-90deg); display: inline-block;">Hot</div>	1	REMAX RM-C26 Transformer Holder				Black+Yellow	0.203	60	60	6954851269755	The feet can be adjusted up and down 360 degrees rotation Telescopic adjustable base CTN G.W.:13.2KG; CTN SIZE: 62.6*37.8*34.8cm
						Black+Gray	0.203	60	60	6954851269762	







Desktop Phone/ Tablet Holder (2 Models)

<div style="background-color: green; color: white; padding: 2px; transform: rotate(-90deg); display: inline-block;">New</div>	2	Monbye Series Multifunctional Desktop Rotary Holder RM-C32				Black	0.205	10	100	6954851209607	Material:ABS+PC+Carbon steel Technology:Stamping injection injection 1.Folding design, easy to carry, free lifting, multi-angle adjustment, for mobile phones and tablets, 360° rotation CTN G.W.:21.5Kg±0.2 Kg CTN SIZE:34*32*55.5cm
						White	0.205	10	100	6954851209614	
	2	Glamorous Multifunctional Desktop Rotary Holder RM-C35				Blue	0.205	10	100	6954851209621	Material:ABS+PC+Carbon steel Technology:Stamping injection injection 1.Folding design, easy to carry, free lifting, multi-angle adjustment, for mobile phones and tablets, 360° rotation
						Orange	0.205	10	100	6954851209638	CTN G.W.:21.5Kg±0.2 Kg CTN SIZE:34*32*55.5cm
						Purple	0.205	10	100	6954851209652	

Hot	1	REMAX RM-C16 Holder for iPad				Black+Yellow	0.590	24	24	6954851270867	Fashion and convenient design You sweet tool in your daily life
			White+Grey	0.590	24	24	6954851270874				

REMAX Car Accessoires (9 Models)

New	9	Yesium Aluminum Alloy Car Air Outlet Aroma Diffuser RM-C39				Tarnish	0.076	100	100	6954851214229	Material: Metal Technology: Hardware CNC Scope of application: Air outlet Working time&Product lifespan: 4 Months 1. Firmly attached to the air outlet; Light luxury alloy, powerful odor removal, long-lasting fragrance, friendly to mothers and babies, for all type of vehicles. CTN G.W: 8.28Kg±0.2 Kg Material: ABS-glass-aluminum alloy Capacity: 160ml Rated voltage: 5V-2A input Scope of application: Home-car-office Charging time: 30 Min Charging port: Type-C Product lifespan: 3-5 years 1. Purify the air, deodorize car and home Material: Aluminum alloy+zinc alloy+plastic Technology: anodizing/electroplating Rated voltage: 0.5v Rated power: 0.1w Charging time solar charging High-quality solar charging, active concentrator to charge, rotate to diffuse. 45° turbine fan blades strong aroma diffusing fragrance come 360°. Material: PC+ABS Rated voltage: 7.4V Rated power: 50W Charging time: 2.5H Charging port: Type-c(0.6M) Battery capacity: 4000mAh 5C, supports continuous pumping 2 tires with 0-36psi. It takes about 11 minutes to fill 0-36psi 185/60/R15 tires. Patents and certifications: With EU and UK patents, domestic design patent domestic utility patent CE FCC ROHS UKCA PSE MSDS US38.3 Material: aluminum alloy+plastic Technology: sandblasting oxidation When the vehicle lock control fails due to an emergency, use the safety hammer to break the window glass, and the U-shaped cutter to cut the seatbelt for escape. CTN G.W: 9.92±0.2kg CTN SIZE: 42*34.5*29cm
			Silver	0.076	100	100	6954851214205				
	8	Smart Car & Home Aroma Diffuser RM-C37				Summer Sea Breeze -Blue	0.426	20	20	6954851212522	
			Citrus Orchard -Yellow	0.426	20	20	6954851212539				
			Uncharted Forest-Green	0.426	20	20	6954851212546				
	7	REMAX Timeglass Series Car Aroma Diffuser RM-C12				Tarnish	0.320	60	60	6954851204251	
			Gold	0.320	60	60	6954851204268				
	6	REMAX Wired Air Pump with Digital Display CQ-1				Black	0.610	20	20	6954851211952	
			Black	0.610	20	20	6954851211952				
5	REMAX Car Window Breaker and Seatbelt Cutter RM-C03				Tarnish	0.115	81	81	6954851277354		
		Tarnish	0.115	81	81	6954851277354					
4	REMAX Car Windshield Sunshade SZZY03-F103				Silver	0.350	40	40	6954851243830		
		Silver	0.350	40	40	6954851243830					
New	3	Pheiw Series Handheld Car Vacuum Cleaner XC-2				Black	0.486	30	30	6954851234814	Material: Plastic Capacity: Capacity Rated voltage: 5V Rated power: 60W Scope of application: Car & home Charging time: 3-5 Hours Working time: High level > 12 minutes Product lifespan: 80 hours
			White	0.486	30	30	6954851234807				

2	REMAX Car Vacuum Cleaner and Air Duster XC-1				Gray-White		0.468	30	30	6954851200697	Material: ABS+PC Rated voltage: 7.4V 1.2A Rated power: 40W Scope of application: accessory/household gadget Charging port: Type-C CTN G.W: 15Kg ±0.2 Kg CTN SIZE: 59.2*37.5*28.2cm
1	REMAX Pressure Washer Gun YYS-491				Black		0.468	30	30	6954851205555	Material: Aluminum alloy+ABS+silicone Scope of application: Gardening / car washing / cleaning Portable washer gun, palm-size for easy carrying. Various spraying mode, no water leaking, automatic pressure boost. One-button use, metal casing, durable with strong pressure. CTN G.W:7.3kg±0.2kg CTN SIZE:48*33.5*28cm
					Black		1.059	6	6	6954851204046	

Wall Charger & Wireless Charger & Docking Station & USB Flash & Memory Card

My Device My Life

No.	MODEL NO.	Full Color PIC	Detail of PIC	PACKAGING	COLOR/ PATTERN	G.W./PCS (KG)	MOQ/PCS	PCS/CTN	Bar Code	SPECIFICATIONS
Wall Charger (46 Models)										
46	Kiddy Series 65W 2A+2C GaN Power Strip RP-U157 EU/US				EU-White	0.36	20	20	6954851221937	Material and Technology:ABS+PC/V0 fireproof Input Voltage:AC100-240V~50/60Hz 1.2A Output Voltage:Type-C1/Type-C2 output: 5V~ 3A/9V~ 3A/12V~ 3A/15V~ 3A/20V~ 3.25A 65W(Max) PPS: 3.3V-21.0V~ 3.0A USB-A1/USB-A2 output: 5V~ 3A/9V~ 3A/12V~ 2.5A 30W (Max) Output:Type-C1+Type-C2 output: 45W+20W 65W(Max) Type-C1+USB-A1 output: 45W+18W 63W (Max) Type-C1+USB-A2 output: 45W+18W 63W (Max) Material and Technology: ABS ultrasonic Input Voltage:AC110-240V~ 50/60Hz 0.6A MAX Output Voltage: USB-A: 5V-3A/9V-2A/12V-1.5A 18W(MAX) Rated Power: 18W (Max) 1. Support QC3.0/SCP protocol 2. Fast charging speed 3. Cost-effective CTN G.W:11.3kg±0.2 Kg Material and Technology: ABS Input Voltage:AC180-240V~50/60Hz 0.6A Output Voltage: Type-C: 5V-3A/9V-2.22A \12V-1.67A 20W(Max) Rated Power: 20W (Max) 1. Small size and high power, easy to carry around 2. 20W fast charging 3. Compatible with both iPh and Android devices 4. Cost-effective. ideal for business trips and travel Material and Technology: ABS Input Voltage:AC110-240V Output Voltage: C port output: DC5V3A 9V3.33A 12V2.5A 15V2A 20V1.5A Gross Power:33W 1.Able to charge phone, laptops, and tablets 2.Automatically adjust the charging current without damaging the device 3.Compatible with Samsung devices, quick speed CTN G.W:14.5kg±0.2 Kg Material and Technology: ABS Input Voltage:AC110-240V Output Voltage: A port output:DC5V-3A 9V2A 12V1.5A C port output: DC5V3A 9V3A 12V3A 15V3A 20V3.25A USBC+USBA:45W+18W Output:65W 1.65W GaN, high power output 2 A port and C port support simultaneous fast charging Material: ABS- ultrasonic Input Voltage :AC110-240V Output Voltage: A port output: DC5V3A 9V2A 12V1.5A C port output 1: DC5V3A 9V2.22A 12V1.67A C port output2: DC5V3A 9V2.22A 12V1.67A (Single CPD 20W power) (Gross power 40W) Output: 40W Material: ABS- (ultrasonic) Input Voltage :AC110-240V Output Voltage: (A port output)1: DC5V-3A 9V2A 12V1.5A (C port output) 2: DC5V3A 9V3.33A 12V2.5A 15V2A 20V1.5A Output: 33W Rated Power: 33W 1. C port to charge laptops and tablets 2 Compatible with Samsung devices, quick speed Material: ABS- ultrasonic Input Voltage :AC110-240V Output Voltage: A port: DC5V 3A 9V2A 12V1.5A
		US-White	0.36	20	20	6954851221920				
45	REMAX Kiddy Series 18W 1U Fast Charge RP-U119 EU/US/UK				EU-White	0.065	20	200	6954851213208	
		US-White	0.065	20	200	6954851213147				
		UK-White	0.065	14	140	6954851213284				
44	Kiddy Series 20W 1C Fast Charger RP-U133 EU/US				EU-White	0.059	19	190	6954851213123	
		US-White	0.059	19	190	6954851213116				
43	REMAX Kiddy Series 33W 1C Fast Charger RP-U121 US/EU/UK				US-White	0.128	20	200	6954851209539	
		EU-White	0.128	20	200	6954851209546				
42	REMAX Kiddy Series 65W A+C Fast Charger RP-U125 US/EU/UK				UK-White	0.128	16	160	6954851209553	
		US-White	0.111	24	144	6954851209447				
41	REMAX Kiddy Series 65W A+C Fast Charger RP-U125 US/EU/UK				EU-White	0.110	24	144	6954851209454	
		UK-White	0.111	14	140	6954851209461				
41	REMAX Kiddy Series 40W 1A+2C Fast Charger RP-U123 (US/EU/UK)				US-White	0.080	20	200	6954851209508	
		EU-White	0.081	20	200	6954851209515				
41	REMAX Kiddy Series 33W A+C Fast Charger RP-U122 (US/EU/UK)				UK-White	0.084	15	150	6954851209522	
		US-White	0.071	20	200	6954851209386				
41	REMAX Kiddy Series 33W A+C Fast Charger RP-U122 (US/EU/UK)				EU-White	0.079	20	200	6954851209393	
		UK-White	0.081	15	150	6954851209409				
41	REMAX Kiddy Series 20W 2-Port Fast Charger RP-U124 (US/EU/UK)				US-White	0.053	20	200	6954851209416	

Hot

Hot

REMAX Kiddy Series 20W A+C Fast Charger RP-U120 (US/EU/UK)



EU-White

0.056

20

200

6954851209423

Output Voltage: A port: DC5V/3A 5V/2A 12V/1.5A C port : DC5V3A 9V2.22A 12V1.67A

REMAX Kiddy Series 2.4A RP-U95 Charger Set with Cable (US)



Micro-White

0.055

20

200

6954851213222

Output: 20W Rated Power: 20W 1.A port compatible with QC3.0 protocol, support Huawei super fast charging

REMAX Kiddy Series 2.4A Travel Charger RP-U95 (US/EU)



EU-White

0.038

20

400

6954851201489

Material and Technology:ABS Input power: AC100-240V 50/60Hz 0.3A Output Voltage: 5V-2.4A(Max) Output: 5V-2.4A Rated Power: 10W

REMAX Fiyee Series 35W PD+QC Fast Charger RP-U87 2C (CN/EU/UK) GaN



Lightning-White

0.055

20

200

6954851213239

1. Classic appearance, small and simple 2. 2.0A output, quicker charging 3. Circuit protection to ensure safer use Material :ABS

REMAX Jaker II Series 20W A+C Mini Charger RP-U2 (1A1C) (CN/US/EU/UK)



EU-White

0.038

20

400

6954851201489

Input Voltage:110~240V Output Voltage 5V-2A Output:10W 5V-2A Rated Power:10W Classic design, small and elegant Faster charging with 2.0A output Safety protection circuit, safe charging Carton Size 60*33.5*49 CTN G.W:18.4KG±0.2 KG)

Mecha Warrior 120W 3C+1A GaN Folding Charger RP-U107 GaN



CN-White

0.11

16

160

6954851204176

Material and Technology:ABS+PC ultrasonic Input Voltage:AC220V 50Hz 0.8A Max Output Voltage: Type-C1/C2: DC5V3A DC9V3A DC12V2.92A DC15V2.33A DC20V1.75A(35WMAX) USB-C1+USB-C2: 18W+18W 36W(Max) Safety protected against overcurrent, overvoltage, overheating and undervoltage.

REMAX Mecha Warrior Series 140W 2C+1A GaN Foldable Charger RP-U106 (CN/EU/UK) GaN



EU-White

0.110

24

24

6954851206002

A shell of PC material, fireproof, falling-resistant and durable. With national compulsory 3C certification quality guaranteed. Material: ABS fireproof material

REMAX Mecha Warrior Series 65W 2C+1A GaN Foldable Charger RP-U108 CN/EU/UK



UK-White

0.110

24

24

6954851206019

Input Voltage :240V ~ ,50/60HZ,0.4A Max Output Voltage: 5V3A/9V2.22/12V1.67A QC3.6-6V/3A,6-9V2A,9-12V1.5A PD full-compatibility Output: USB 5V 3A,9V 2A,12V 1.5A(18W Max.) TYPE-C:5V 3A,9V 2.22A,12V 1.67A(20W Max.) TYPE-C+USB:5V 3A(15W Max.) Rated Power: 24W 86% charged in 35 minutes, 4x faster charging. CTN G.W:14.4kg±0.2 Kg

REMAX Dofon Series 65W 2C+1A Charger RP-U100



CN-White

0.11

16

160

6954851204176

Material and Technology:Ultrasonic Output Voltage: Type-C1 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A 100W max Type-C2:5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(max) Type-C3 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A 30W(max) USB-A:5V/4.5A 9V/2A 12V/1.5A 22.5W(max) Type-C1+Type-C2: 60W+60W 120W(MAX) Type-C1+Type-C3: 60W+30W 90W(MAX) Material and Technology:Ultrasonic

US-White

0.58

20

200

6954851228370

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

EU-White

0.62

20

200

6954851228509

Material and Technology:Ultrasonic Output Voltage: Type-C1 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A 100W max Type-C2:5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(max) Type-C3 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A 30W(max) USB-A:5V/4.5A 9V/2A 12V/1.5A 22.5W(max) Type-C1+Type-C2: 60W+60W 120W(MAX) Type-C1+Type-C3: 60W+30W 90W(MAX) Material and Technology:Ultrasonic

UK-White

0.76

14

140

6954851228554

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

Grey--CN

0.289

60

60

6954851217596

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

Grey--EU

0.289

21

21

6954851217657

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

Grey--UK

0.289

21

21

6954851217664

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

EU-Grey

0.332

7

70

6954851213017

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

UK-Grey

0.332

7

70

6954851212591

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

CN-Grey

0.15

44

44

6954851233787

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

EU-Grey

0.15

30

30

6954851218807

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

UK-Grey

0.15

30

30

6954851218814

Input power: AC110-240V, 50/60Hz, 1.8A Max Output Voltage: USB-C1:5V3A / 9V3A / 12V3A / 15V3A / 20V5A / 28V5A 140W(Max) USB-C2:5V3A / 9V3A / 12V3A / 15V3A / 20V5A 100W(Max) USB-A:5V4.5A / 9V2A / 12V1.5A 22.5W(Max) USB-C1+USB-C2 65W+65W 130W(Max) USB-C1/C2+USB-A:100W+22.5W 122.5W(Max) USB-C1+USB-C2+USB-A 65W+45W+22.5W 132.5W(Max) Material and Technology: Ultrasonic

CN-White

0.146

16

160

6954851208570

Input power: 100-240V, 50/60Hz,1.5A Output Voltage: USB-A output: 5V-3A, 9V-2A, 12V-1.5A (18W Max.) Type-C1/C2 output: 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-3.25A (65W Max.)

Best Seller

Hot

	(CN/EU) GaN				EU-White	0.147	16	160	6954851220459	output : USB-A+TYPE-C1:18W+45W(63W.)TYPE-C2+TYPE C1:20W+45W(65W.)(USBA+TYPE-C2)+TYPE-C1:15W+45W(60W.) Rated Power: 65W GaN technology no damage to the device Material and Technology:Ultrasonic
34	REMAX Batt Series 33W PD+QC Multi-Compatible Fast Charger RP-U26 (EU/UK) GaN				EU-White	0.071	18	180	6954851229360	Input power: AC100-240V 50/60Hz 0.8A Max Output Voltage: Type-C: DC5V 3A DC9V3A DC12V2.75A DC15V2.2A DC20V1.65A(33WMAX) USB-A: DC5V4.5A DC9V3A DC12V2.5A 20V1.5A (30WMAX) PPS :3.3-11V 3A(33WMAX) USB-C1+USB-A: 5V3A Intelligently identify phone models and automatically adjust current. Material and Technology: PC 94V0
33	REMAX REMINE 30W QC+PD Fast Charger RP-U82 (CN/US/EU/UK)				EU-White	0.081	20	200	6954851253655	Input Voltage: AC100-240V,50/60Hz Output Voltage: TYPE-C:5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A USB-A:5V/3A 9V/3A 12V/2.5A Use the output simultaneously: 5V/3A max Same-time output5V/3A USB quantity: 1USBA+1TYPE-C PD fast charge, QC fast charge Supports simultaneous charging of IPH and Android phones
32	REMAX Surie Series 20W PD+QC Fast Charger RP-U68 (1C 1A) (CN/US/EU/UK)				EU-White	0.039	20	200	6954851272137	Material and Technology: not fireproof ABS shell Certified fireproof ABS Input Voltage: AC100-240V 50-60HZ 0.6A(MAX) Output Voltage: 5V/1.5A Output: 3A PD20W high-power fast charge, iPH12 50% charged in 30 minutes, fast charging for iPh series.
	REMAX Surie 20W PD+QC Fast Charger Set RP-U68 (1C1A charger+cable) (CN/US/EU/UK)				EU-White	0.088	16	160	6954851238591	Material and Technology: not fireproof ABS shell Certified fireproof ABS Input Voltage: AC100-240V 50-60HZ 0.6A(MAX) Output Voltage: 5V/1.5A Output: 3A
	REMAX Prime II Series 20W Single PD Fast Charger RP-U5 (CN/EU)				EU-White	0.097	11	110	6954851238614	PD20W high-power fast charge, iPH12 50% charged in 30 minutes, fast charging for iPh series.
31	REMAX Prime II Series 20W Single PD Fast Charger RP-U5 (CN/EU)				EU-White	0.092	16	160	6954851238706	A+C dual-port design, fast charging for each output port, up to 5V-3A at the same time Material: ABS fireproof material Input Voltage: 240V~.50/60HZ,0.4A Max Output Voltage: 5V3A/9V2.22/12V1.67APD full-compatibility Output: :5V 3A,9V 2.22A,12V 1.67A(20W Max.) Rated Power: 24W
	REMAX Prime II Series 20W Single PD Fast Charger RP-U5 (CN/EU)				EU-White	0.93	13	130	6954851228301	Delicately integrated design, it supports charging for IOS devices like IPHONE, IPAD, AIRPODS. CTN G.W.:14.5kg±0.2 Kg
	REMAX Prime II Series 20W Single PD Fast Charger RP-U5 (CN/EU)				EU-White	0.070	15	150	6972174153667	4 USB charging multiple devices at same time Input: AC100-240V,50/60Hz 0.5A Output: DC5V3.4A CE, FCC, ROHS Approved CTN/G.W.:13KG/CTN; CTN/Size:60*33.5*49
30	REMAX Wanfu adapter 3.4A 4USB RP-U43 (CN/EU/UK)				EU-Black	0.070	15	150	6972174153674	
	REMAX Wanfu adapter 3.4A 4USB RP-U43 (CN/EU/UK)				EU-White	0.075	15	150	6972174153650	
	REMAX Wanfu adapter 3.4A 4USB RP-U43 (CN/EU/UK)				UK-Black	0.075	15	150	6972174153643	
	REMAX Wanfu adapter 3.4A 4USB RP-U43 (CN/EU/UK)				UK-White	0.075	15	150	6972174153643	
	REMAX Wanfu adapter 3.4A 4USB RP-U43 (CN/EU/UK)				CN-Black	0.075	15	150	6954851231097	
	REMAX Wanfu adapter 3.4A 4USB RP-U43 (CN/EU/UK)				CN-White	0.075	15	150	6954851231103	
	REMAX Wanfu PRO 35.5W 5U Foldable adapter RP-U66 (5A1C) CN				CN-White	0.121	32	32	6954851227120	Material : Ultrasonic Input power: AC220V 50zH 0.5A Max Output Voltage: Type- C: 5V 3A / 9V 2.22A /12V 1.67A /20W Max USBA1/ USBA2/ USBA3/ USBA4:5V 2.4A Max total output:USBA 5V 3.1A (max) output quantity:Type-C *1+ USB*4 Support PD 20W fast charge Charger 5 devices at once Material and Technology: Ultrasonic
	REMAX Jane Series 22.5W 1 USB Fast Charger RP-U72 (CN/US/EU/UK)				US-White	0.069	20	200	6954851228110	Input Voltage:AC100-240V 50/60Hz 0.5A Max
	REMAX Jane Series 22.5W 1 USB Fast Charger RP-U72 (CN/US/EU/UK)				EU-White	0.072	20	200	6954851228103	Output Voltage:DC5V4A DC9V2.5A DC12V1.8A 22.5W(Max) USB quantity:USB*1
	REMAX Jane Series 22.5W 1 USB Fast Charger RP-U72 (CN/US/EU/UK)				UK-White	0.074	20	200	6954851228097	Supports most fast charging protocols, faster charging for your devices. Smart recognition of phone models, auto current matching for charging.
	REMAX Jane Series 22.5W 1 USB Fast Charger RP-U72 (CN/US/EU/UK)				CN-White	0.069	20	200	6954851228127	Multiple protections against over-current, over-voltage, over-temperature and under-voltage

29

REMAX Jane Series 20W PD Fast Charger RP-U70 (CN/US/EU/UK)



US-White
EU-White
UK-White
CN-White

0.060
0.055
0.052
0.060

24
24
24
24

240
240
240
240

6954851203582
6954851203575
6954851203599
6954851203612

Material: Ultrasonic
Output: DC5V3A DC9V2.22A DC12V1.67A 20W(Max)
Compatible with mainstream fast charging protocols.
A shell of PC material, fireproof and more durable.
Smart current matching for different phones.
CTN G.W.:26.5KG
CTN SIZE: 60*33.5*49cm

REMAX Jane Series QC 3.0+ PD Fast Charging Adapter (no cable) 18W RP-U37 (CN/US/EU/UK)



US-White
EU-White
UK-White
CN-White

0.06
0.06
0.06
0.060

24
24
24
24

240
240
240
240

6972174155272
6972174155289
6972174153964
6972174155265

Material: PC Fireproof
USB Quantity: USB +Type-C
Output: USB;5V/3A, 9V/2A, 12V/1.5A
Type-c;5V/3A, 9V/2A, 12V/1.5A
CE, FCC, ROHS, 3C Approved
CTN/G.W.:16.6KG/CTN; CTN/Size:60*33.5*50

REMAX Jane Series 2USB QC+PD Fast Charging Adapter Set (cable type C-Lighting) 18W RP-U37 (CN/US/EU/UK)



US-White
EU-White
UK-White
CN-White

0.06
0.06
0.06
0.079

15
15
15
15

150
150
150
150

6972174155272
6972174155289
6972174153957
6972174156231

Input:AC100-240V 50/60Hz 0.3A
Output: 5V-3A MAX
USB Quantity: 2
With a Lightning to Type-C 18W Fast Charging Data Cable
CE, FCC, ROHS, 3C Approved
CTN G.W.:23.1 KG CTN Size:60*35*50CM

REMAX Jane Series 2.1A 2USB Charger Set RP-U35 (US/EU)



US Micro-White
US Lightning-White
US Type-C- White
EU Micro-White
EU Lightning-White
EU Type-C - White

0.095
0.095
0.095
0.095
0.095
0.095

15
15
15
15
15
15

150
150
150
150
150
150

6972174156347
6972174156330
6972174156354
6972174156378
6972174156361
6972174156385

Input:AC100-240V 50/60Hz 0.3A
Output:12W DC5V-2.1A
USB Quantity: 2
CE, FCC, ROHS, 3C Approved
CTN G.W.:14.6KG CTN Size:60*35*50CM

REMAX Jane Series 2.1A 2USB Adapter RP-U35 (US/EU)



US-White
EU-White

0.015
0.015

24
24

240
240

6972174155272
6972174155258

Material: ABS
USB Quantity: 2
Input:AC100-240V 50/60Hz 0.5A
Output: 5V/2.1A
CTN/G.W.:14.7 KG/CTN; CTN/Size 60*34*50 cm

REMAX 2.4A 2USB Charger RP-U22



UK- Black
UK- White
Indian Version-Black
Indian Version-White
EU-White

0.065
0.065
0.065
0.065
0.06

21
21
21
21
21

210
210
210
210
210

6972174151250
6972174151298
6972174151267
6972174151304
6954851298311

Input:AC100-240V 50/60Hz 0.3A
Output:12W DC5V2.4A
USB Quantity: 2
CE, FCC, ROHS, 3C Approved
CTN G.W.:14.5KG CTN Size:60*35*50CM

28

REMAX 2.4A 2USB Charger SET (with cable) RP-U22 EU



Micro-USB--White
Lightning-- White
Type-C--White

0.087
0.087
0.087

16
16
16

160
160
160

6954851298281
6954851298298
6954851298304

EU Plug
Input: AC100-240V 50/60Hz 0.3A
USB Quantity: 2
CE, FCC, ROHS and Third-party test report approved
CTN/G.W.:17.5 KG/CTN; CTN/Size:60*33.5*50

27

REMAX Quick Charge 3.0A Charger RP-U16 (EU/UK)



EU-White
UK- Black
UK- White

0.085
0.085
0.085

14
14
14

140
140
140



695485129858
6972174151175
6972174151229

Input:AC100-240V 50/60Hz 0.5A
Output 5V 3A, 9V 1.67A, 12V 1.2A
USB Quantity: 1
CE, FCC, ROHS, Approved
CTN G.W.:14.5KG CTN Size:60*35*50CM

Hot

26

REMAX Ligil Series 65W PD+QC GaN Multi-Compatible Fast



EU-White
UK-White

0.155
0.165

32
24

32
24

6954851256557
6954851256540

Material and Technology: Ultrasonic
Input Voltage: AC220V 50zH 1.5A(MAX)
Output Voltage: USB-A:5V-4.5A/9V-3V/12V-3A/20V-3A 60W Max
USB-C2:5V-3A/9V-3V/12V-3A/15V-3A/20V-3A 60W MAX

17	Lolliete Series 20W 1C GaN Charger RP-U135 CN				Blue	0.053	16	160	6972174158112	Output Voltage: Type-C: DC5V3A DC9V2.22A DC12V1.67A 20W(Max) Working Temperature: Below 60 °C
					Purple	0.053	16	160	6972174158112	1.Small size, high power, portable and easy to carry
16	Power Strip With Extension Cord (with Power Adapter) RP-U103 CN				CN-White	0.386	21	21	6954851209034	2.Intelligently identify phone models and automatically adjust current
					CN-White	0.076	18	180	6954851209041	3.Multiple protections bring safe charging without harming
15	REMAX Little Mightyman 20W PD+QC Single c punk Gallium nitride travel charger RP-U115 (CN) GaN				CN-Blue	0.076	18	180	6954851209058	CTN G.W:11.2Kg±0.2 Kg Material and Technology:Ultrasonic + Assembly Input Voltage:AC100-240V 50/60Hz 1.5A Output Voltage: USB-C1/C2: PD3.0 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A(65W Max) USB-A1: 4.5V/5A 5V/4.5A 9V/3A 12V/2.5A 20V/1.5A (30W Max) USB-A2: 5V1A (5W) Rated Power: AC Socket: 2500W / Charging module: 65W Wire Leneth: 1.5M Material and Technology:Ultrasonic Input power: AC100-240V 50/60 Hz 0.5A Max Output Voltage: T Y E Y - C O U T D C 5 V 3 A D C 9 V 2 . 2 2 A D C 1 2 V 1 . 6 7 A 2 0 W (M a x)
					CN-Purple	0.076	18	180	6954851209065	1. New generation GaN technology for higher efficiency and lower temperature.
14	REMAX Icy Series 20W 1C Fast Charger RP-U136 (CN)				CN-Black	0.039	16	160	6954851213291	2. Small size, fashionable look, portable and easy to carry
					CN-White	0.039	16	160	6954851213307	3. Intelligently identify phone models and automatically adjust current
13	REMAX Walking Series 20W Cyberpunk C+A Mini Charger RP-U101 CN				CN-White	0.039	16	160	6954851213321	Material: Inner shell + outer shell Input Voltage : 100-240V Output Voltage: C port output)5V3A/9V2.22A/12V1.67A Output: 20W Rated Power: 20W
					CN-Purple	0.039	16	160	6954851213321	1. Transparent shell, diamond-shaped design, providing a diamond-like feel
12	REMAX Fivan Series 25W Multi-Compatible Fast Charger RP-U89 (1A) CN				CN-Blue	0.060	16	160	6954851208082	2. Comes with an appearance patent MaterialPC fireproof material:PC fireproof material Output Voltage: USB output 5V-3A,9V-2A,12V-1.5A(18W Max.) TYPE-C output 5V-3A,9V-2.22A,12V-1.67A(20W Max.) Output total: 5V-3A(15W Max.) Rated Power: 20W Transparent cyberpunk style, see-through design PD20W high output, fast full battery Mini and nortable 50% smaller in size Material and Technology PC ultrasonic Input Voltage:180-240VAC 50/60Hz 0.8A Output Voltage:USB-A: 5V-3A 9V-2.78A 12V-2.1A Rated Power:25W Output:25W
					CN-White	0.079	16	160	6954851202387	1. Widely compatible
11	REMAX Icy Series 33W PD+QC Fast Charge RP-U93 (1A1C) CN GaN				CN-Blue	0.087	14	140	6954851202653	2. Fast charging
					CN-White	0.087	14	140	6954851202646	3. Precise structure Material and Technology inner shell+outer shell+bottom cover Eco-friendly PC+VO fireproof Input Voltage:100-240V(50-60HZ)0.8A Output Voltage:55V/3A,9V3A,12V/2.5A15V/2A PPSO1:3.3-11V/3A PPSO2:3.3-16V/2A Rated Power:30W Output:33W Material and Technology PC Input Voltage:AC100-240V~50/60Hz 1.5A Max Output Voltage:Type-C1/Type-C2: 5V~ 3A/9V~ 3A/12V~ 3A/15V~ 3A/20V~ 3.35A 67W(Max) PPS: 3.3-11V/3A Type-C(supported protocols): Apple2.4A Samsung-5V-2A、 QC2.0、 QC3.0、 FCP\SCP、 DCP-1.5A、 PD3.0 pps USB-A: 5V~ 3A/9V~ 2A/12V~ 1.5A 18W(Max) USB-A(supported protocols): Apple2.4A Samsung-5V-2A、 QC2.0、 QC3.0
10	Figen Series 67W 2C+1A GaN Folding Charger RP-U159 CN				CN-White	0.139	15	150	6954851234593	Material and Technology:Ultrasonic Input Voltage:220V~ 50/60Hz 0.6A Output Voltage:5V-3A/9V-2.22A/12V-1.67A Total Output:20W Rated Power:20W Compact design Fast charging Precise structuring
					CN-White	0.056	42	420	6954851201779	

Hot

4	RP-U98 (1C1A) CN				CN-White	0.135	12	120	6954851 259466	USB-A: DC5V3A DC9V3A DC12V2.5A (30WMAX) USB-C1+USB-A: 40W+20W output quantity: Type-c *1 USB*1 With LED light	
Wireless Charger (12 Models)											
Hot	12	Langchy Series 22.5W DIY Upgrade-free 4-in-1 Night Lamp & Holder & Wireless Charger RP-W86				Black	0.286	28	28	6954851236863	Material and Technology: ABS + PC matte varnish shell rubber oil Input Voltage: 9V/3A Output Voltage: Phone: 15W+Headphone: 5W+Watch: 2.5W Output:22.5W Wire Length:1M 3-in-1 wireless charging holder, simultaneously charges your phone, watch and earbuds, all-in-one solution Precise magnetic attraction prevents drooping allowing horizontal or
	11	Zunya Series 20.5W Aluminum alloy 3-in-1 Magnetic Holder & Wireless Charger RP-W85 Upgrade-free				Gray	0.181	60	60	6954851220381	Material and Technology:Aluminum Alloy + Plastic Input Voltage:Type-C Input: 9V/2A Output Voltage: Phone Output: 15W Watch Output: 2.5W Earphone Output: 3W Output:15W Transparent cyberpunk design + aluminum alloy body, high-end and stylish 15W wireless charging for phones. 2.5W for watches. 3W for earphones –
	10	Lancqin Series 23.5W 3-in-1 Adjustable Holder and Magnetic Wireless Charger RP-W81 Upgrade-free				Black	0.142	20	20	6954851217275	Material and Technology:ABS Input Voltage:Type-C: 9V-3A Output Voltage: Mobile phone 15W + earphone 5W + watch 3.5W Output:23.5W Rated Power:23.5W Wire Length:0.8M
Hot	9	REMAX Senher Series 23W Multifunctional Night Lamp 3-in-1 Rotary Folding Holder & Wireless Charger RP-W83 (For Huawei Watch)				Black	0.273	68	68	6954851217480	1.Adjust the height at will, and do not block the camera 2.3-in-1 magnetic charging charge mobile phone+watch+earphone at the Material and Technology :ABS Input Voltage 5V 3A/9V 3A QC PD Output Voltage: Mobile phone-5W/7.5W/10W/15W, Earphone 5W, Watch 3W Gross Input: 27W
	8	REMAX Bodi 22W Multifunctional 3-in-1 Foldable Wireless Charger with Light (Upgrade-free) RP-W90				White	0.358	34	34	6954851213048	PCBA Plan: CZHchip+Injoinic 1.Charge multiple devices at the same time, multi-purpose 2.Specially made for Huawei watches free angle rotation Material and Technology:ABS+linen+electroplate Gross Input:27W(Max) Input Voltage:Type-C input: 5V-3A/9V-3A 27W (Max) Gross Output:22W(Max) Output Voltage: Mobile phone - 5W/7.5W/10W/15W, earphone 5W, watch 2W (upgrade-free) CTN G.W:13.1±0.2KG) CTN SIZE:52*33.6*38
	7	REMAX Walking Series 30W Clear Dual-Pad Wireless Charger with Light RP-W75				Black	0.166	110	110	6954851208105	Material and Technology:ABS+ tempered glass Gross Input:36W(Max) Input Voltage:Type-C input: 5V-3A/9V-4A 36W(Max) Gross Output:30W(Max) Input Type/Quantity:Type-C *1 Dual 15W fast charging pads, no overheating Double independent coils, no interference CTN G.W:18.9±0.2KG)
Hot	6	REMAX Wanbo II Series 15W Multipurpose Wireless Charger and Fast Charging Cable Set RP-W80				White	0.070	36	216	6954851205043	Material and Technology:ABS+TPE Gross Input:18W max Input Voltage:Type-C: 5V-3A/9V-2A 18W(Max) Gross Output:15W(Max) Type-C to Type-C cable:20V/3A 60W(Max)
						Black	0.070	36	216	6954851205050	Type-C to Micro adapter:5V-2A/9V-2A 18W(Max) Type-C to Lightning adapter:5V-2.4A 12W(Max) USB-A to lightning adapter:5V-2.4A 12W(Max) Material and Technology aluminum alloy+tempered glass Input Voltage: Type-C: 5V-2A/9V-2A Transmitted Power: 5W/6.8.5W/10W/15W
						Black	0.133	16	160	6954851206422	Magnetic attraction, stable charging.


Best Seller	4	Fast Charger RP-W66				Blue	0.133	16	160	6954851206439	5W/6.8.5W/10W/15W efficient wireless output Transparent panel, visible technology, stylish looking and powerful charging CTN G.W:23.8KG±0.2 KG Material and Technology:ABS
	4	REMAX Minxl Pro Series 22W 3-in-1 Foldable Wireless Charger with Light (Upgrade-free) RP-W70				Black	0.302	48	48	6954851202745	Input Voltage:5V-3A/9V-3A QC PD Output Voltage:For phones: 5W/6.8.5W/10W/15W For earbuds: 5W For smartwatches: 2W(upgrade-free)
	3	REMAX Minxl Series 22W 3-in-1 Foldable Wireless Charger RP-W60				White	0.302	48	48	6954851220640	Gross Input:27W(Max) Gross Output:22W(Max) With a night lamp tap to control Material : ABS
	3	REMAX Minxl Series 22W 3-in-1 Foldable Wireless Charger RP-W60				Blue	0.203	48	48	6954851242116	Gross Input: 27W Gross Output: 22w Input Voltage: 5V 3A/9V 3A QC PD Charge multiple devices at the same time Foldable design, easy to carry around With a night light, tap to control
Hot	2	REMAX Yinga Series 15W Magnetic Wireless Fast Charger RP-W68				White	0.139	80	80	6954851211440	15W dual-coil wireless charging, rotary for use CTN G.W:16.1Kg ±0.2 Kg Input Voltage 5V 2A/9V 2A QC3.0 PD Gross Output: 5W/6.8.5W/10W/15W Transmitting Distance: ≤8mm Input Type/Quantity: Type-C cable, a cable length of 1040mm (to Type-C connector end), the other end is wrapped in 10mm exterior (with 5 cores). Cable core of 2mm, tinned-plated, white. Small size, lightweight portability. Magnetic attraction, stable charging. Material: ABS material
	1	REMAX Brainy Series 15W Foldable 3-in-1 Wireless Charger RP-W53				White	0.253	52	52	6954851221029	Input Voltage: 5V/3A, 9V/2A, 12V/1.5A Output Voltage: Phone Output : 5W/6.8.5W/10W/15W Headset Output : 5W Watch Output: 3W 3-in-1wireless charger, charge your phone, watch, headset at once. Foldable design, charge your phone horizontally and vertically. Maximum output 15W, downward compatible with 5W/6.8.5W/10W

Docking Station & USB Flash & Memory Card (11 Models)

New	11	27W Fast Charging Multi-function Central Control Dock Station for Tesla RU-U2				Space gray	0.118	15	150	6954851213963	Material: Aluminum alloy Technology:CNC process, surface oxidation layer Rated voltage:5V Rated power:100mA Scope of application For Tesla model 3/Y central control docking station Charging time Depend on the device battery capacity Charging port:Type-C port 1. Dual Tvoe C/Dual USB-A data transmission. embedded design Material: Aluminum shell
	10	Aluminum alloy 5-in-1 Type-C+USB HUB RU-U7				Silver gray	0.052	38	380	6954851213956	Technology: CNC process, surface oxidation layer Rated voltage: 5V Rated power: 100mA Scope of application: Suitable for laptops, mobile phones, tablets, and other devices with Type C/M USB port Charging port: Type-C port 1. Tvoe-C is the latest port which can be used for both forward and backward
	9	REMAX 2-in-1 USB Flash Drive (Type-C) RX-817				64G/Silver	0.046	35	350	6954851239536	Material: Zinc alloy Scope of application: Windows XP/Vista/Win7/Win10, Mac OS9.X Dual-connector design, widely compatible USB3.1 high-speed and stable transmission
	9	REMAX 2-in-1 USB Flash Drive (Type-C) RX-817				128G/Silver	0.046	35	350	6954851239543	Type-C connector, reversible plugging 360° rotary, 90° buckle design
	9	REMAX 2-in-1 USB Flash Drive (Type-C) RX-817				256G/Silver	0.046	35	350	6954851239529	Metal casing, durable against oxidation CTN G.W:17.1KG±0.2KG
	8	REMAX USB Flash Disk 2.0 RX-801				8GB-Black	/	25	250	6954851255444	U disk chip: Samsung
	8	REMAX USB Flash Disk 2.0 RX-801				8GB-Gold	/	25	250	6954851255444	Material: Metel and plastics
	8	REMAX USB Flash Disk 2.0 RX-801				16GB-Black	/	25	250	6954851255451	Transmission version: 2.0
	8	REMAX USB Flash Disk 2.0 RX-801				16GB-Gold	/	25	250	6954851255451	Writing Speed: 7.25MByte/s
	8	REMAX USB Flash Disk 2.0 RX-801				32GB-Black	/	25	250	6954851255468	

Hot

7	REMAX USB Flash Disk 2.0 RX-802				32GB-Gold	/	25	250	6954851255468	Verifying Speed: 21.3MByte/s
					64GB-Black	/	25	250	6954851255901	
					64GB-Gold	/	25	250	6954851255901	
					8GB-Silver	/	30	300	6954851258261	
					16GB-Silver	/	30	300	6954851258278	
					32GB-Silver	/	30	300	6954851258285	
6	REMAX USB Flash Drive 2.0 RX-803-OTG				64GB-Silver	/	30	300	6954851258292	U disk chip: Samsung Material: Metal and plastics Transmission version: 2.0 Writing Speed: 9MByte/s Verifying Speed: 20MByte/s
					16GB-Gold	/	30	300	6954851263678	
					16GB-Rose Gold	/	30	300	6954851263661	
5	REMAX USBFlash Disk 2.0 RX-805				8GB-Black	/	48	480	6954851267447	U disk chip: Samsung Material: Metal and plastics Transmission version: 2.0 Writing Speed: 7MByte/s Verifying Speed: 20MByte/s
					8GB-Rose Gold	/	48	480	6954851267485	
					16GB-Black	/	48	480	6954851267454	
					16GB-Rose Gold	/	48	480	6954851267492	
					32GB-Black	/	48	480	6954851267461	
					32GB-Rose Gold	/	48	480	6954851267508	
4	REMAX USB Flash Disk 2.0 RX-811				64GB-Black	/	48	480	6954851267478	U disk chip: Samsung Material: Metal and plastics Transmission version: 2.0 Writing Speed: 7.25MByte/s Verifying Speed: 21.3MByte/s
					8GB-Black	/	25	250	6954851288428	
					16GB-Black	/	25	250	6954851288435	
					32GB-Black	/	25	250	6954851288442	
					64GB-Black	/	25	250	6954851288466	
					8GB-Black	/	50	500	6954851297604	
3	REMAX USB Flash Disk 3.0 RX-813				8GB-White	/	50	500	6954851232483	U disk chip: Micron Material: ABS+PC Transmission version: 2.0/3.0 Writing Speed: 20-30MByte/s Verifying Speed: 6-10MByte/s
					16GB-Black	/	50	500	6954851297611	
					16GB-White	/	50	500	6954851232490	
					32GB-Black	/	50	500	6954851297628	
					32GB-White	/	50	500	6954851232506	
					64GB-Black	/	50	500	6954851297635	
					64GB-White	/	50	500	6954851232513	
					128GB-Black	/	50	500	6954851297642	
					128GB-White	/	50	500	6954851232520	
					16GB-Silver	/	30	300	6954851232421	
2	REMAX USB Flash Disk 2.0 RX-815				32GB-Silver	/	30	300	6954851232438	U disk chip MLC, TLC Material Zinc Alloy Interface version: USB2.0 Reading speed: 15-20M/S Writing speed: 6-10M/S
					64GB-Silver	/	30	300	6954851232445	
					C4 4GB	/	200	2000	6954851238263	
1	Micro SD Card				C10 8GB	/	200	2000	6954851238270	AS2691+882B
					C10 16GB	/	200	2000	6954851238287	AK2703+8T2F
					C10 32GB	/	200	2000	6954851238294	AK2703+8M2C
					C10 64GB	/	200	2000	6954851252092	AK2703+8M2A
					C10 128GB	/	200	2000	6954851252191	SMI2705+B27
					C10 256GB	/	200	2000	6954851252191	SMI2705+B17

			EM11	C10 512GB		/	200	2000	6954851295891	SMI2705+B17
--	--	---	------	-----------	--	---	-----	------	---------------	-------------

Data Cable & Charging Cable & All-In-One Cable & Adapter




























My Service My Life

No.	MODEL NO.	Full Color PIC	Detail of PIC	PACKAGING	COLOR/ PATTERN	G.W./PCS (KG)	MOQ/PCS	PCS/CTN	Bar Code	SPECIFICATIONS
Fast Charging Data Cable (30 Models)										
30	Chelectricy Series 30W PD Fast Charging Braided Data Cable RC-C010 C-C				White	0.032	20	200	6954851215493	Material:TPE + 48-strand braided Cable Length:1M Output Current:5V 2A / 9V 3A /12V2.4A 1.Minimalist design, no cable tail, stylish appearance, stable connection, built-in copper buckle 2.Densely woven to prevent breakage, comfortable touch 3.Pure copper core. dual-C fast charging
29	Cofruite Series 60W Zinc Alloy All-compatible Fast Charging Data Cable RC-C063 C-C				Black	0.072	17	170	6954851214182	1.Minimalist design, no cable tail, stylish appearance, stable connection, built-in copper buckle 2.Densely woven to prevent breakage, comfortable touch 3.Pure copper core. dual-C fast charging
29	Cofruite Series 66W Zinc Alloy All-compatible Fast Charging Data Cable RC-C065 A-C				White	0.072	17	170	6954851214199	1.TPE drawing cable with zinc alloy shell, TPE material, soft and flexible cable 2.The wire core adopts oxygen-free copper wire, resistant to oxidation. longer service life
29	Cofruite Series 66W Zinc Alloy All-compatible Fast Charging Data Cable RC-C065 A-C				Orange	0.072	17	170	6954851214212	1.TPE drawing cable with zinc alloy shell, TPE material, soft and flexible cable 2.The wire core adopts oxygen-free copper wire, resistant to oxidation. longer service life
29	Cofruite Series 66W Zinc Alloy All-compatible Fast Charging Data Cable RC-C065 A-C				Black	0.072	17	170	6954851214243	1.TPE drawing cable with zinc alloy shell, TPE material, soft and flexible cable 2.The wire core adopts oxygen-free copper wire, resistant to oxidation. longer service life
29	Cofruite Series 66W Zinc Alloy All-compatible Fast Charging Data Cable RC-C065 A-C				White	0.072	17	170	6954851214250	1.TPE drawing cable with zinc alloy shell, TPE material, soft and flexible cable 2.The wire core adopts oxygen-free copper wire, resistant to oxidation. longer service life
29	Cofruite Series 66W Zinc Alloy All-compatible Fast Charging Data Cable RC-C065 A-C				Orange	0.072	17	170	6954851214267	1.TPE drawing cable with zinc alloy shell, TPE material, soft and flexible cable 2.The wire core adopts oxygen-free copper wire, resistant to oxidation. longer service life
28	Boundless Series 100W Zinc Alloy Fast Charging Data Cable with Light RC-C128 A-C 1.2M				Blue	0.61	15	150	6954851221692	Material: 100A high-transparency modified material, 25P + Zinc Alloy + crocheted low-elastic yarn Cable Length: 1.2M Output Current: 100W Function: Charging + data transmission
28	Boundless Series 30W Zinc Alloy Fast Charging Data Cable with Light RC-C129 C-L 1.2M				Silver Gray	0.61	15	150	6954851221708	1.Transparent cyberpunk style; 2.Comes with light, convenient use at night; 3.High-quality zinc alloy. durable. scratch-resistant.
28	Boundless Series 30W Zinc Alloy Fast Charging Data Cable with Light RC-C129 C-L 1.2M				Blue	0.61	15	150	6954851221715	Material: 100A high-transparency modified material, 25P + Zinc Alloy + crocheted low-elastic yarn Cable Length: 1.2M Output Current: 15V/2A Function: Charging + data transmission
28	Boundless Series 30W Zinc Alloy Fast Charging Data Cable with Light RC-C129 C-L 1.2M				Silver Gray	0.61	15	150	6954851221722	1.Transparent cyberpunk style; 2.Comes with light, convenient use at night; 3.High-quality zinc alloy. durable. scratch-resistant.
28	Boundless Series 30W Zinc Alloy Fast Charging Data Cable with Light RC-C129 C-L 1.2M				Gold	0.61	15	150	6954851221739	Material: 100A high-transparency modified material, 25P + Zinc Alloy + crocheted low-elastic yarn Cable Length: 1.2M Output Current: 100W Function: Charging + data transmission
28	Boundless Series 100W Zinc Alloy Fast Charging Data Cable with Light RC-C130 C-C 1.2M				Blue	0.61	15	150	6954851221746	1.Transparent cyberpunk style; 2.Comes with light, convenient use at night; 3.High-quality zinc alloy. durable. scratch-resistant.
28	Boundless Series 100W Zinc Alloy Fast Charging Data Cable with Light RC-C130 C-C 1.2M				Silver Gray	0.61	15	150	6954851221760	Material: TPE inner mold Crochet braided round wire Cable Length: 1.2M Output Current: PD 66W
27	Bagcase Series 66W Zinc Alloy Braided Fast Charging Data Cable RC-C158 A-C 1.2M				Black	0.071	16	160	6954851221319	1.Tinned oxygen-free copper wire, anti-oxidation, longer service life 2.Crochet braided wire, does not fuzz, resistant to pulling, durable use 3.Environmentally friendly TPE material
27	Bagcase Series 66W Zinc Alloy Braided Fast Charging Data Cable RC-C158 A-C 1.2M				Gray	0.071	16	160	6954851221449	Material: TPE inner mold Crochet braided round wire Cable Length: 1.2M Output Current: PD 100W
27	Bagcase Series 66W Zinc Alloy Braided Fast Charging Data Cable RC-C158 A-C 1.2M				Gold	0.071	16	160	6954851221456	1.Tinned oxygen-free copper wire, anti-oxidation, longer service life 2.Crochet braided wire, does not fuzz, resistant to pulling, durable use 3.Environmentally friendly TPE material
27	Bagcase Series 100W Zinc Alloy Braided Fast Charging Data Cable RC-C159 C-C 1.2M				Black	0.071	16	160	6954851221463	1.Tinned oxygen-free copper wire, anti-oxidation, longer service life 2.Crochet braided wire, does not fuzz, resistant to pulling, durable use 3.Environmentally friendly TPE material
27	Bagcase Series 100W Zinc Alloy Braided Fast Charging Data Cable RC-C159 C-C 1.2M				Gray	0.071	16	160	6954851221494	1.Tinned oxygen-free copper wire, anti-oxidation, longer service life 2.Crochet braided wire, does not fuzz, resistant to pulling, durable use 3.Environmentally friendly TPE material

New

New

New

26	Bagcase Series 30W Zinc Alloy Braided Fast Charging Data Cable RC-C160 C-L 1.2M   	Black	0.071	16	160	6954851221623	Material: TPE inner mold Crochet braided round wire Cable Length: 1.2M Output Current: PD 30W
		Gray	0.071	16	160	6954851221661	1.Tinned oxygen-free copper wire, anti-oxidation, longer service life 2.Crochet braided wire, does not fuzz, resistant to pulling, durable use 3.Environmentally friendly TPE material
		Gold	0.071	16	160	6954851221678	
	Walking Series 66W All-compatible Dual-color Braided Fast Charging Data Cable RC-C161 A-C   	Black	0.07	16	160	6954851222651	Material:48-spindle braided transparent outer cover + aluminum alloy shell Cable Length:1.2M Output Current:11V/6A
		White	0.07	16	160	6954851222637	Transmission Speed:480Mbps CTN G.W: 14KG±0.2kg CTN SIZE: 60*33.5*49cm
		Blue	0.07	16	160	69548 51222668	
	Walking Series 100W All-compatible Dual-color Braided Fast Charging Data Cable RC-C162 C-C   	Black	0.07	16	160	6954851222620	Material:48-spindle braided transparent outer cover + aluminum alloy shell Cable Length:1.2M Output Current:11V/6A
		White	0.07	16	160	695485122 2613	Transmission Speed:480Mbps CTN G.W: 14KG±0.2kg CTN SIZE: 60*33.5*49cm
		Black	0.07	16	160	6954851222514	
	Walking Series 30W All-compatible Dual-color Braided Fast Charging Data Cable RC-C163 C-L   	Black	0.07	16	160	6954851222514	Material:48-spindle braided transparent outer cover + aluminum alloy shell Cable Length:1.2M Output Current:11V/6A
		White	0.07	16	160	6954851222507	Transmission Speed:480Mbps
		Blue	0.07	16	160	6954851222521	CTN G.W: 12.9KG±0.2kg CTN SIZE: 60*33.5*49cm
Mecha Series 100W Liquid Silicone Fast Charging Data Cable with Light RC-C110 A-C   	Black	0.088	16	160	6954851218708	Material: 1. Cable: TPE 2. Molding rubber: TPE 3. Casing: ABS Cable Length: 1.2M Output Current: 20V 5A	
	White	0.088	16	160	6954851218746	1.Soft and smooth, comfortable touch, easily rebound to avoid entanglement 2.Transparent gradient color, full of texture 3.Charging indicator see it clearly at night	
	Black	0.088	16	160	6954851218685	Material: 1. Cable: TPE 2. Molding rubber: TPE 3. Casing: ABS	
Mecha Series 30W Liquid Silicone Fast Charging Data Cable with Light RC-C109 C-L   	Black	0.088	16	160	6954851218685	Cable Length: 1.2M Output Current: 30W	
	White	0.088	16	160	6954851218692	1.Soft and smooth, comfortable touch, easily rebound to avoid entanglement 2.Transparent gradient color, full of texture 3.Charging indicator see it clearly at night	
	Black	0.088	16	160	6954851 218272	Material: 1. Cable: TPE 2. Molding rubber: TPE 3. Casing: ABS	
Mecha Series 100W Liquid Silicone Fast Charging Data Cable with Light RC-C108 C-C   	Black	0.088	16	160	6954851 218272	Cable Length: 1.2M Output Current: 100W	
	White	0.088	16	160	6954851218 289	1.Soft and smooth, comfortable touch, easily rebound to avoid entanglement 2.Transparent gradient color, full of texture 3.Charging indicator see it clearly at night	
	Silver	0.126	28	280	6954851219712	Material:1.24-strand twisted wire 2. Molding rubber: TPE 3. Zinc alloy shell	
Intelyelec Series 66W Smart Power-off Fast Charging Data Cable with Light RC-C117 A-C   	Blue	0.126	28	280	6954851219729	Cable Length:1.2M Output Current:11V 6A 1.Zinc alloy shell, high-density braided nylon cable, durable use 2.Intelligent power-off to prevent overcharge 3.Lengthened and reinforced cable tail, not easy to	
	Silver	0.126	28	280	6954851219712	Material:TPE 3. Zinc alloy shell Cable Length:1.2M Output Current:30W	
	Blue	0.126	28	280	6954851219675	1.Zinc alloy shell, high-density braided nylon cable, durable use 2.Intelligent power-off to prevent overcharge 3.Lengthened and reinforced cable tail, not easy to	
24	Intelyelec Series 30W Smart Power-off Fast Charging Data Cable with Light RC-C116 C-L   	Silver	0.126	28	280	6954851219712	Material:TPE 3. Zinc alloy shell Cable Length:1.2M Output Current:30W
		Blue	0.126	28	280	6954851219675	1.Zinc alloy shell, high-density braided nylon cable, durable use 2.Intelligent power-off to prevent overcharge 3.Lengthened and reinforced cable tail, not easy to

New

23

New

<p>Intelylec Series 100W Smart Power-off Fast Charging Data Cable with Light RC-C115 C-C</p>				<p>Silver</p>	<p>0.126</p>	<p>28</p>	<p>280</p>	<p>6954851218753</p>	<p>Material:1.24-strand twisted wire 2. Molding rubber: TPE 3. Zinc alloy shell Cable Length:1.2M Output Current:100W 1.Zinc alloy shell, high-density braided nylon cable, durable use</p>
<p>Bintrai Series 2.4A Fast Charging Data Cable 1.2M RC-C137 A-L</p>				<p>Blue</p>	<p>0.126</p>	<p>28</p>	<p>280</p>	<p>6954851219651</p>	<p>2.Intelligent power-off to prevent overcharge 3.Lengthened and reinforced cable tail not easy to Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 2.4A</p>
<p>Bintrai Series 2.4A Fast Charging Data Cable 1.2M RC-C137 A-M</p>				<p>Grey</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851221982</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.8KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 2.4A Fast Charging Data Cable 1.2M RC-C137 A-N</p>				<p>White</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851221999</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.7KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 2.4A Fast Charging Data Cable 1.2M RC-C137 A-O</p>				<p>Blue</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222002</p>	<p>Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 2.4A</p>
<p>Bintrai Series 2.4A Fast Charging Data Cable 1.2M RC-C137 A-P</p>				<p>Purple</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222057</p>	<p>Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 2.4A</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-C</p>				<p>Grey</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222064</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.7KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-D</p>				<p>White</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222071</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.7KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-E</p>				<p>Blue</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222088</p>	<p>Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 66W</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-F</p>				<p>Purple</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222095</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.7KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-G</p>				<p>Grey</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222163</p>	<p>Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 66W</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-H</p>				<p>White</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222170</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.7KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-I</p>				<p>Blue</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222187</p>	<p>Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 66W</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-J</p>				<p>Purple</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222330</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.7KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-K</p>				<p>Grey</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222460</p>	<p>Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 66W</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-L</p>				<p>White</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222477</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.6KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-M</p>				<p>Blue</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222491</p>	<p>Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 66W</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-N</p>				<p>Purple</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222484</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.6KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-O</p>				<p>Grey</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222422</p>	<p>Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 66W</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-P</p>				<p>White</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222439</p>	<p>1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break CTN G.W: 11.6KG±0.2kg CTN SIZE: 60*33.5*49cm</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-Q</p>				<p>Blue</p>	<p>0.078</p>	<p>15</p>	<p>150</p>	<p>6954851222453</p>	<p>Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: 66W</p>
<p>Bintrai Series 66W Fast Charging Data Cable 1.2M RC-C138 A-R</p>									




























New

New

21	RC-C113 A-L			White	0.041	50	500	6954851219569	Material: 1. Cable: TPE 2. Molding rubber: TPE Cable Length:1M Output Current:30W 1.Two-color molding, strong and durable, comfortable touch 2.Easily rebounds to avoid entanglement 3.Charging + data transmission, 2-in-1 CTN G.W: 23KG±0.2kg Material: 1. Cable: TPE 2. Molding rubber: TPE Cable Length:1M Output Current:60W 1.Two-color molding, strong and durable, comfortable touch 2.Easily rebounds to avoid entanglement 3.Charging + data transmission, 2-in-1 CTN G.W: 23KG±0.2kg Material:Copper wire + nylon wire + imitation silicone outer cover Cable Length:1M Output Current:20V/3.25A 1.TPE material, durable use, soft and smooth, comfortable feel 2. Thickened wire core, fast charging 3. Integrated injection molding process, stronger and Material:Copper wire + nylon wire + imitation silicone outer cover Cable Length:1M Output Current:30W 1.TPE material, durable use, soft and smooth, comfortable feel 2. Thickened wire core, fast charging 3. Integrated injection molding process stronger and Material:Copper wire + nylon wire + imitation silicone outer cover Cable Length:1M Output Current:2.1A 1.TPE material, durable use, soft and smooth, comfortable feel 2. Thickened wire core, fast charging 3. Integrated injection molding process, stronger and Material:Copper wire + nylon wire + imitation silicone outer cover Cable Length:1M Output Current:2.1A 1.TPE material, durable use, soft and smooth, comfortable feel 2. Thickened wire core, fast charging 3. Integrated injection molding process stronger and Material:Copper wire + nylon wire + imitation silicone outer cover Cable Length:1M Output Current:2.1A 1.TPE material, durable use, soft and smooth, comfortable feel 2. Thickened wire core, fast charging 3. Interegrated injection moldine process. stronær and
	Ruinay Series 30W Fast Charging Data Cable 1M RC-C112 C-L			Black	0.041	50	500	6954851219682	
	Ruinay Series 60W Fast Charging Data Cable 1M RC-C111 C-C			White	0.041	50	500	6954851219743	
	Ruinay Series 60W Fast Charging Data Cable 1M RC-C111 C-C			Black	0.041	50	500	6954851219620	
	Crystal Series 65W Liquid Silicone Fast Charging Data Cable 1M RC-C098 C-C			White	0.048	26	260	6954851219491	
	Crystal Series 65W Liquid Silicone Fast Charging Data Cable 1M RC-C098 C-C			Puple	0.048	26	260	6954851219514	
	Crystal Series 65W Liquid Silicone Fast Charging Data Cable 1M RC-C098 C-C			Blue	0.048	26	260	6954851219521	
	Crystal Series 30W Liquid Silicone Fast Charging Data Cable 1M RC-C097 C-L			Black	0.048	26	260	6954851219378	
	Crystal Series 30W Liquid Silicone Fast Charging Data Cable 1M RC-C097 C-L			White	0.048	26	260	6954851219385	
	Crystal Series 30W Liquid Silicone Fast Charging Data Cable 1M RC-C097 C-L			Puple	0.048	26	260	6954851219392	
	Crystal Series 30W Liquid Silicone Fast Charging Data Cable 1M RC-C097 C-L			Blue	0.048	26	260	6954851219408	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-M			Black	0.048	26	260	6954851219101	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-M			White	0.048	26	260	6954851219132	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-M			Puple	0.048	26	260	6954851219149	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-M			Blue	0.048	26	260	6954851219156	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-L			Black	0.048	26	260	6954851219163	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-L			White	0.048	26	260	6954851219217	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-L			Puple	0.048	26	260	6954851219248	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-L			Blue	0.048	26	260	6954851219293	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-C			Black	0.048	26	260	6954851219309	
	Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-C			White	0.048	26	260	6954851219316	
Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-C			Puple	0.048	26	260	6954851219354		
Crystal Series 2.1A Liquid Silicone Fast Charging Data Cable 1M RC-C096 A-C			Blue	0.048	26	260	6954851219361		
Kyecha Series 66W All-compatible Liquid Silicone Fast Charging Data Cable RC-C155 A-C			Black	0.062	25	250	6954851214588		
Kyecha Series 66W All-compatible Liquid Silicone Fast Charging Data Cable RC-C155 A-C			White	0.062	25	250	6954851214762		
Kyecha Series 66W All-compatible Liquid Silicone Fast Charging Data Cable RC-C155 A-C			Purple	0.062	25	250	6954851214779		
Kyecha Series 66W All-compatible Liquid Silicone Fast Charging Data Cable RC-C155 A-C			Blue	0.062	25	250	6954851214786		
Kyecha Series 66W All-compatible Liquid Silicone Fast Charging Data Cable RC-C155 A-C			Black	0.062	25	250	6954851214793		
Kyecha Series 60W All-compatible Liquid Silicone Fast Charging Data Cable 1.2M RC-C156 C-C			White	0.062	25	250	6954851215141		
Kyecha Series 60W All-compatible Liquid Silicone Fast Charging Data Cable 1.2M RC-C156 C-C			Purple	0.062	25	250	6954851215431		

New

New

17	REMAX Leya Series 65W PD Fast Charging Liquid Silicone Data Cable RC-C091 C-C				Black	0.054	25	250	6954851210641	Material:TPE outer mold + PE inner mold + silicone round wire + 6-core TYPE-C stretch shell Technology:Silicone round wire + PE inner mold + TPE outer mold
		White	0.054	25	250	6954851210658	Material of the core wires: Bare copper + nylon wire Output Current:IP:20V/3.25A			
		Purple	0.054	25	250	6954851210665	Function:charging + data transmission			
		Blue	0.054	25	250	6954851210672	Transmission Speed:480Mbps			
17	REMAX Leya Series PD 20W Fast Charging Liquid Silicone Data Cable RC-C056 (type C-Lightning)				White	0.050	25	250	6954851206347	Material:TPE outer mold+PE inner mold+silicone round wires+5-pin TYPE-C white connector + 5-pin iph connector
		Black	0.050	25	250	6954851206354	Technology:Silicone round wires + PE inner mold + TPE outer mold			
		Blue	0.050	25	250	6954851206378	Material of the core wires: Copper+nylon yarn			
		Purple	0.050	25	250	6954851206361	Output Current:9V/2.22A=20W 12V/1.66A=20W 5V/2.4A=12W Material:Forming outer mold+48-spindle dual-color low stretch yarn braided wiring Technology:48-spindle dual-color low stretch yarn braided wiring + TPE forming outer mould+laser-carved LOGO			
16	REMAX Bosu Series 66W All-compatible Fast Charging Data Cable RC-C065 A-C 1.2M				Type-C-Black	0.041	50	500	6954851207061	Material of the core wires: Tinned copper Output Current:11V6A Function:charge + data transmission Material:Forming outer mould+48-spindle dual-color low stretch yarn braided wiring Technology:48-spindle dual-color low stretch yarn braided wiring + TPE forming outer mould+laser-carved LOGO
		White	0.029	50	500	6954851207009	Material of the core wires: Tinned copper Output Current:11V6A			
15	REMAX Bosu Series 20W PD Fast Charging Data Cable RC-C063 C-L 1.2M				Black	0.029	50	500	6954851207016	Function:charge + data transmission Material:Forming outer mould+48-spindle dual-color low stretch yarn braided wiring Technology:48-spindle dual-color low stretch yarn braided wiring + TPE forming outer mould+laser-carved LOGO
		Purple	0.029	50	500	6954851207054	Material of the core wires: Tinned copper Product process:TPE injection + dispensing casing Output Current:9V2.22A Material:TPE cable+ zinc alloy shell + connector Technology:TPE cable+ zinc alloy shell + connector with light			
		Type C-Blue	0.082	25	250	6954851206927	Material of the core wires: TPE core wire TPE outer cover			
14	REMAX Wefon Series 66W All-Compatible Zinc-Alloy Elastic Data Cable with Light RC-C052 (USBA-type c)				Type C-Red	0.082	25	250	6954851206989	Output Current:66W Product process: TPE injection + dispensing casing Function:Charge+data transmission Material:TPE cable+ zinc alloy shell + connector Technology:TPE cable+ zinc alloy shell + connector with light
		Type C-Gray	0.082	25	250	6954851206941	Material of the core wires: TPE core wire TPE outer cover			
		Type C-Purple	0.082	25	250	6954851206934	Output Current:66W			
		Blue	0.075	25	250	6954851206071	Product process: TPE injection + dispensing casing Function:Charge+data transmission Material:TPE cable+ zinc alloy shell + connector Technology:TPE cable+ zinc alloy shell + connector with light			
	REMAX Wefon Series 20W Zinc-Alloy Elastic Data Cable with Light RC-C053 (type C-Lightning)				Red	0.075	25	250	6954851206118	Material of the core wires: TPE core wire TPE outer cover
		Gray	0.075	25	250	6954851206095	Output Current:9V2.2A MAX Product process: TPE injection + dispensing casing Function:Charge+data transmission Material:TPE cable+ zinc alloy shell + connector Technology:TPE cable+ zinc alloy shell + connector with light			
		Purple	0.075	25	250	6954851206088	Material of the core wires: TPE core wire TPE outer cover			
		Blue	0.077	25	250	6954851206996	Output Current:9V2.2A MAX			
REMAX Wefon Series 100W Zinc-Alloy Elastic Data Cable with Light RC-C055 (type C-type C)				Red	0.077	25	250	6954851206064	Material of the core wires: TPE core wire TPE outer cover	
	Gray	0.077	25	250	6954851206057	Output Current:20V5A MAX Product process: TPE injection + dispensing casing Function:Charge+data transmission Material:TPE cable + aluminum shell + connector mould, 48-spindle dual-color braided wiring Technology:TPE cable + aluminum shell + connector with digital display				
	Purple	0.077	25	250	6954851206033	Material of the core wires: TPE core wire TPE outer cover				
	Blue	0.088	16	160	6954851206293	Product process:TPE injection + dispensing casing Output Current:11V6A MAX Material :TPE cable + aluminum shell + connector mould, 48-spindle dual-color braided wiring Technology:TPE cable + aluminum shell + connector with digital display				
13	REMAX Zisee Series 66W All-Compatible Elastic Data Cable with Digital Display RC-C030 type c				Grey	0.088	16	160	6954851204428	Material of the core wires:TPE core wire TPE outer cover
		Purple	0.088	16	160	6954851206286	Product process:TPE injection + dispensing casing Output Current:11V6A MAX			
	REMAX Zisee Series 20W Elastic Data Cable with Digital Display RC-C031 (type C-Lightning)				Red	0.088	16	160	6954851204411	Material :TPE cable + aluminum shell + connector mould, 48-spindle dual-color braided wiring Technology:TPE cable + aluminum shell + connector with digital display
		Blue	0.084	16	160	6954851204558	Material of the core wires:TPE core wire TPE outer cover			
		Grey	0.084	16	160	6954851204480	Product process:TPE injection + dispensing casing Output Current:9V2.2A MAX Material :TPE cable + aluminum shell + connector mould, 48-spindle dual-color braided wiring Technology:TPE cable + aluminum shell + connector with digital display			
		Purple	0.084	16	160	6954851204473	Material of the core wires:TPE core wire TPE outer cover			
Red	0.084	16	160	6954851204541	Product process:TPE injection + dispensing casing Output Current:9V2.2A MAX Material :TPE cable + aluminum shell + connector mould, 48-spindle dual-color braided wiring					
Blue	0.085	16	160	6954851204435	Material of the core wires:TPE core wire TPE outer cover					

Hot

12	REMAX Zisee Series 100W Elastic Data Cable with Digital Display RC-C032(type C-type C)			Grey	0.085	16	160	6954851204459	Technology:TPE cable + aluminum shell + connector with digital display
	Remax Platinum Pro Series 20W PD Fast Charging Data Cable RC-C050 (type C-Lightning)			Purple	0.085	16	160	6954851204442	Material of the core wires:TPE core wire TPE outer cover
	REMAX Dofon Series 20W PD Fast Charging Data Cable 1M RC-C026 (type C-Lightning)			Red	0.085	16	160	6954851204466	Product process:TPE injection + dispensing casing Output Current:20V5A MAX Material and Technology:TPE inner mould + ABS shell Structure Forming inner mould + ABS shell + nickel sheet
11	Dofon Series 20W PD Fast Charging Data Cable 2M RC-C123 C-L			Black	0.040	40	400	6954851206248	Material of the core wires:Tinned copper + TPE Function:Charging + dara transmission Output Current:9V-2.22A
				White	0.040	40	400	6954851206255	1. Textured and high-quality metal parts 2. TPE cable flexible and comfortable Material:Bare copper
				White	0.018	50	500	6954851201465	Technology: TPE casing forming laser-carved Logo Cable Length:1000MM
10	REMAX Ladon Series USB4.0 240W Fast Charging Data Cable 1M RC-C039 (type C-type C)			Purple	0.018	50	500	6954851231240	Output Current:20W 9V(2.22A)
				Blue	0.018	50	500	6954851231233	PD protocol compatible, 9V2.22A 20W,Easy plugging, reversible to use
				Black	0.018	50	500	6954851231202	Carton Size:60*33.5*49 CTN G.W:11.15KG±0.2KG Material:Lighting--TYPE-C
9	REMAX Ledy Series 65W Fast Charging Data Cable RC-C022 (type C-type C) Cable Length: 0.3m			White	0.049	25	250	6954851230397	Forming inner mould + TPE round wire + plastic shell Lighting--TYPE-C
				Blue	0.049	25	250	6954851232544	Technology:TPE cable, TYPE-C connector with plastic shell Cable Length:2M
				Purple	0.049	25	250	6954851232551	Output Current:20W Transmission Speed:480Mbps Technology: Silver-plated coaxial braided cable + anodized aluminum alloy shell + laser-carved logo Cable Length: 1000MM
8	REMAX Ranger II Series 65W Braided Aluminum Gaming Data Cable with 90° Elbow RC-C002 (type C-type C)			Black	0.077	24	240	6954851201588	Output Power: 48V5A 240W Specification: USB-C Specification of the core wires: RX TX: 30AWG (7/0.100S) D+D-: 32AWG (7/0.080TS)
				Blue	0.025	33	330	6954851222149	Technology: Bare copper + nylon wire Cable Length: 30CM
				White	0.025	33	330	6954851222132	Skin-like texture, soft and anti-stiffing. 18 thorough inspections to ensure quality. Supports PD20W fast charging.
7	REMAX Wanbo II Series 60W Hidden Fast Charging Cable Set RC-C011			Blue	0.025	33	330	6954851222125	CTN G.W:11Kg ±0.2 Kg CTN SIZE: 60*33.5*49CM
				Black	0.043	32	320	6954851240938	Technology: Bare wire braided wire casing. Large end with steel seal logo, small end without logo+forming outer mould + cog-pattern round cable TYPE-C/Lighting Fine cog patterns on the cable body, a nice texture.
				Sliver	0.043	32	320	6954851241058	Oxygen-free copper wire core, strong oxidation resistance for a longer service life. Integrated molding process, PVC material for a soft cable body.
6	REMAX Wanbo Series 60W Fast Charging Cable Set RC-190			Black	0.057	26	260	6954851242093	Materia: HDEP+PVC+ABS Cable Length: 29CM
				White	0.057	26	260	6954851242086	Output Current: C TO C 20V/3A 60W(FCP、 AFC、 QC2.0、 3.0、 USB (PD)
				Blue	0.057	26	260	6954851242079	C TO L 5V/2A 9V/2A 12V/2A 15V/2A (PD) C TO Micro 9V/2A 18W (FCP、 AFC、 QC2.0、 VIVO) A TO C 9V 2A 18W (FCP、 AFC、 QC2.0、 3.0)
6	REMAX Wanbo Series 60W Fast Charging Cable Set RC-190			White	0.069	40	400	6954851239680	Material:PVC+ABS Technology laser-carved LOGO+lightning mark Cable Length:29CM
				Pink	0.069	40	400	6954851211921	Structure: USB AM TO C USB AM TO I5 TYPE C TO C TYPE C TO I5 TYPE C TO MK Material of the core wires:HDPE
				Blue	0.069	40	400	6954851239673	Function: Charging+Datatransmission Transmission Speed: USB 2.0 480Mbps

5	REMAX Raython Series 65W Portable Lanyard Data Cable RC-140a (type C-type C)				Type C-Type C-Tarnish	0.023	32	320	6954851223207	Material: TPE+braided process+Pure copper Structure: Outer shell injection molding,casing Output Current: 5V/3A 9V/2A 20V/3.25A Cable Length: 120mm Easy to carry, tangle-free, hang it everywhere Twist and pull, easy to use
	REMAX Raython Series 20W Portable Lanyard Data Cable RC-140i (type C-Lightning)				Type C-Lightning-Tarnish	0.023	32	320	6954851223191	Fast charging for most devices CTN G.W 9.81kg±0.2kg Material and Technology: TPE Material of the core wires:PE+tinned copper Specification: tinned copper
4	REMAX Chaining Series II PD 20W Fast Charging Data Cable RC-198i (type C-Lightning)				Type C-Lightning-White	0.037	20	200	6954851255833	Cable Length: 1Metre Output Current: 5A MAX 5V/4.5A 4.5V/5A TPE cable, original texture Specification: tinned copper
	REMAX Chaining Series II 5A Fast Charging Data Cable RC-198a type c				Type C-White	0.037	20	200	6954851255826	Supports PD 65W output, faster charging. Aluminum alloy protection for the connector. Material: Aluminum alloy + TPE outer mold, black mesh + TPE round cable + TYPE-C stretched shell + ordinary USB
3	REMAX Chaining Series II PD 65W Fast Charging Data Cable RC-198 (type C-type C)				Type C-Type C-White	0.037	20	200	6954851255673	Material of the core wires: Tinned copper+nylon cable Output Current: 20V-3.25A Lengthened, reinforced cable tail, bending-resistant and anti-broken Thickened tinned copper core faster charging and data
	REMA Lesu Series PD 65W Fast Charging Data Cable RC-195 (type C-type C)				Type C-Type C-Black	0.035	30	300	6954851214014	Material: Two-color TPE inner molding outer mold Fish silk + braided round cable + high conductivity USB connector/fast TYPE-C connector Anti-bending, more durable. 1M length, 480MB/s CE/FCC/Rosh available CTN G.W:13.76KG Material: TPE Cable Length: 2M Output Current:5V2A / 9V3A /15V2A
3	REMAX Lesu Pro 5A Aluminum Alloy Fast Charging Cable RC-188a type C				Type C-Black	0.038	32	320	6954851243335	1.Extended design, convenient use; Fast charging, safer and more efficient 2.TPE material, soft touch 3.Stylish and fashionable CTN G.W: 20.1KG±0.2kg Material:TPE Technology Injection molding Cable Length:1M Output Current:5V2A / 9V3A /15V2A
	REMAX Lesu Pro PD20W Aluminum Alloy Fast Charging Cable RC-188i (type C-Lightning)				Type C-Lightning-Black	0.035	32	320	6954851243250	1.TPE material, soft touch 2.Extended SR design, bending resistant 3.30W fast charging for iPh15 CTN G.W: 14.1KG±0.2kg Technology: Injection molding LOGO of inner injection molding+TPE Material of the core wires:tinned copper Cable Length: 1m Output Current: 20V-3.25A Specification: 1M/OD:4.0 Lengthened cable design, efficient fast charge, safe and convenient.
3	REMAX Lesu Pro 100W Aluminum Alloy Fast Charging Cable RC-187c (type C-type C)				Type C-Type C-Black	0.037	32	320	6954851243328	Material: TPE Cable Length: 2M Output Current:5V2A / 9V3A /15V2A 1.Extended design, convenient use; Fast charging, safer and more efficient 2.TPE material, soft touch 3.Stylish and fashionable CTN G.W: 20.1KG±0.2kg Material:TPE Technology Injection molding Cable Length:1M Output Current:5V2A / 9V3A /15V2A
	Marlik Series 30W PD Fast Charging Data Cable RC-C021 C-C 2M				White	0.62	28	280	6954851215547	1.TPE material, soft touch 2.Extended SR design, bending resistant 3.30W fast charging for iPh15 CTN G.W: 14.1KG±0.2kg Technology: Injection molding LOGO of inner injection molding+TPE Material of the core wires:tinned copper Cable Length: 1m Output Current: 20V-3.25A Specification: 1M/OD:4.0 Lengthened cable design, efficient fast charge, safe and convenient.
2	Marlik Series 30W PD Fast Charging Data Cable 1M RC-C021 C-C				White	0.039	30	300	6954851235736	Material: TPE Cable length: 1000 mm Output Current: 5A max 22.5W CTN/ G.W:11.6kg CTN Size:60*33.5*49
	REMAX Marlik Series PD 65W Fast Charging Cable RC-191 type-c to type-c				Type C-Type C-White	0.042	22	220	6954851214458	Material: TPE Output current: 5V= 4.5A 4.5V= 5A 11V= 6A Length: 2m Data transmission + Charging CE, FCC, RoHS available CTN G.W:13.45±0.2KG CTN SIZE: 60*33.5*49cm
2	REMAX Marlik Series 5A Fast Charging Cable with Full Compatibility RC-183a 2M (A-C)				USB-Type-C-2m-White	0.060	18	180	6954851206316	Material: TPE Cable length: 1000 mm Output Current: 5A max 22.5W CTN/ G.W:11.6kg CTN Size:60*33.5*49
	REMAX Marlik Series PD 100W Fast Charging Cable RC-183c 2M (C-C)				Type C-Type C-2m-White	0.060	18	180	6954851205906	Material: TPE Cable length: 1000 mm Output Current: 5A max 22.5W CTN/ G.W:11.6kg CTN Size:60*33.5*49
2	REMAX Marlik Series PD 20W Fast Charging Cable RC-183i 2M (C-L)				Type C-Lightning-2m-White	0.060	18	180	6954851205807	Material: TPE Cable length: 1000 mm Output Current: 5A max 22.5W CTN/ G.W:11.6kg CTN Size:60*33.5*49
	REMAX Marlik Series 6A Fast-charging Cable with Fully Compatibility RC-175a 1M (A-C)				USB-Type C-1m-White	0.052	18	180	6954851297758	Material: TPE Cable length: 1000 mm Output Current: 5A max 22.5W CTN/ G.W:11.6kg CTN Size:60*33.5*49
2	REMAX Marlik Series 100W PD Fast-charging Data Cable RC-175c 1M (C-C)				Type C-Type C-1m-White	0.048	18	180	6972174150017	Material: TPE Cable length: 1000 mm Output Current: 5A max 22.5W CTN/ G.W:11.6kg CTN Size:60*33.5*49
	REMAX Marlik Series 100W PD Fast-charging Data Cable RC-175c 1M (C-C)				Type-C to Lightning-1m-White	0.047	30	300	6972174150000	Material: TPE Cable length: 1000 mm Output Current: 5A max 22.5W CTN/ G.W:11.6kg CTN Size:60*33.5*49

Basic Selling

New

1	REMAX Marlik Series 20W PD Fast-charging Data Cable RC-175i 1M (C-L)				Type-C to Lightning-1m-Black	0.047	30	300	6954851242307	Material: TPE Cable length: 1m Output : 9V-2.22A (20W) Data transmission + Charging
	REMAX Jany ses 20W PD fast charging data cable RC-171 (type C-Lightning)				Type-C to Lightning-1m-Pink	0.047	30	300	6954851242314	CTN/ G.W:11.6kg CTN Size:60*33.5*49
	REMAX Jany Series 100W PD Fast Charging Data Cable RC-172 (type C-type C)				Type-C to Lightning-1m-Blue	0.047	30	300	6954851242321	
					Type-C to Lightning-1m-Purple	0.047	30	300	6954851203452	
					Type C-Lightning-Black	0.060	30	300	6954851206392	Material: Fish silk + braided round cable Output current: 5V/3A;9V/2.22A;12V/1.65A Length: 1m Data transmission + Charging
					Type C-Lightning-Silver	0.060	30	300	6954851206385	CE, FCC, RoHS available CTN G.W:13.9±0.2KG CTN SIZE: 60*33.5*49cm
					Type C-Type C-Black	0.060	30	300	6954851206637	
					Type C-Type C-Silver	0.060	30	300	6954851206644	

2.4A Standard Data Cable (12 Models)


























New 12	Wefon Series 66W All-Compatible Zinc-Alloy Elastic 3-in-1 Data Cable with Light RC-C126				Black	0.138	10	100	6954851222774	Material: TPE cable + TPE plug material + PVC plug material + USB connector + Micro connector + Type-C connector + IP5 connector Cable Length: 1.2M Output Current: gross output:11V/6A MAX Micro:5V/2.4A MAX Type-C:10V/5A MAX IP 5V/2.4A MAX 1.iphone5/5C/5S iphone6/6s/6plus iphone7/7plus
					White	0.138	10	100	6954851222781	
New 11	Moka Series 3A Glowing Fast Charging Data Cable 1M RC-C122 A-C				Black	0.047	25	250	6.95485E+12	Material:TPE molding Technology:After welding the AM/TYPE-C connectors, the inner and outer molds are formed Cable Length:1.0M Output Current:5V/3A 15W(MAX) 1.Two-color molding structure, novel exterior 2.Braided wire, wear-resistant, durable and practical 3.Lights on double sides, easy to recognize, more convenient to use at night CTN G.W: 14.33KG±0.2kg CTN SIZE:60*33.5*49cm
					White	0.047	25	250	6954851218777	
					Purple	0.047	25	250	6954851218784	
					Blue	0.047	25	250	6954851218791	
					Black	0.047	25	250	6954851218470	
					White	0.047	25	250	6954851218548	
10	Moka Series 2.4A Glowing Fast Charging Data Cable 1M RC-C121 A-L				Purple	0.047	25	250	6954851218630	Material: TPE cable+ TPE material+ connector+ aluminum shell Technology:TPE cable+ TPE connector+ aluminum shell Cable Length:1M Output Current:5V3A Function:Charging + data transfer 1.TPE material, soft cable with high quality 2.Tangle-free cable for convenient storage
					Blue	0.047	25	250	6954851218715	
					Black	0.047	25	250	6954851218371	
					White	0.047	25	250	6954851218449	
					Purple	0.047	25	250	6954851218456	
					Blue	0.047	25	250	6954851218463	
10	Moka Series 2.4A Glowing Fast Charging Data Cable 1M RC-C121 A-M				Black	0.049	25	250	6954851220299	Material: TPE cable+ TPE material+ connector+ aluminum shell Technology:TPE cable+ TPE connector+ aluminum shell Cable Length:1M Output Current:5V3A Function:Charging + data transfer 1.TPE material, soft cable with high quality 2.Tangle-free cable for convenient storage
					White	0.049	25	250	6954851220305	
					Purple	0.049	25	250	6954851220336	
					Blue	0.049	25	250	6954851220329	
					Green	0.049	25	250	6954851220343	
					Black	0.049	25	250	6954851220152	
10	Lyoncai Series 3A Fast Charging Data Cable 1M RC-C136 A-C				White	0.049	25	250	6954851220169	Material: TPE cable+ TPE material+ connector+ aluminum shell Technology:TPE cable+ TPE connector+ aluminum shell Cable Length:1M Output Current:2.4A Function:Charging + data transfer 1.TPE material, soft cable with high quality 2.Tangle-free cable for convenient storage 3.Flexible cable, anti-pulling, more durable use CTN G.W: 14.5KG±0.2kg CTN SIZE: 60*33.5*49cm
					Purple	0.049	25	250	6954851220275	
					Blue	0.049	25	250	6954851220176	
					Green	0.049	25	250	6954851220282	
					Black	0.049	25	250	6954851219736	
					White	0.049	25	250	6954851220060	
10	Lyoncai Series 2.4A Fast Charging Data Cable 1M RC-C135 A-M				Purple	0.049	25	250	6954851220138	Technology: molding+aluminum USB with steel stamped
					Blue	0.049	25	250	6954851220121	
					Green	0.049	25	250	6954851220145	
					Black	0.049	25	250	6954851220152	
					White	0.049	25	250	6954851220169	
					Purple	0.049	25	250	6954851220275	
10	Lyoncai Series 2.4A Fast Charging Data Cable 1M RC-C135 A-L				Blue	0.049	25	250	6954851220176	Technology: molding+aluminum USB with steel stamped
					Green	0.049	25	250	6954851220282	
					Black	0.049	25	250	6954851219736	
					White	0.049	25	250	6954851220060	
					Purple	0.049	25	250	6954851220138	
					Blue	0.049	25	250	6954851220121	
10	REMAX Kayla II Series 2.4A Elastic TPE				A-M-Black	0.039	35	350	6954851240440	Technology: molding+aluminum USB with steel stamped

9	Hot	Aluminum Data Cable RC-C008 A-M			A-M-White	0.039	35	350	6954851240433	LOGO																																													
		REMAX Kayla II Series 2.4A Elastic TPE Aluminum Data Cable RC-C008 A-L			A-L-Black	0.039	35	350	6954851240426	Material: Aluminum+TPE inner mold, TPE round cable Cable Length: 1000mm																																													
8	Hot	REMAX Kayla II Series 2.4A Elastic TPE Aluminum Data Cable RC-C008 A-C			A-L-White	0.039	35	350	6954851240419	Output Current: 5V-2.4A																																													
		REMAX Jany Series Aluminum Alloy Braided 2.4A data cable RC-124m			A-C-Black	0.039	35	350	6954851240389	Elastic TPE material, soft and durable 4A high current output																																													
		REMAX Jany Series Aluminum Alloy Braided 2.4A Data Cable RC-124i			A-C-White	0.039	35	350	6954851240372	Aluminum alloy electroplating anti-oxidation stylish Material: Aluminum alloy + TPE + Fishing silk + braided wiring of round wires																																													
		REMAX Jany Series Aluminum Alloy Braided 2.4A Data Cable RC-124a			Micro-Black	0.043	35	350	6972174153568	Cable length : 1M																																													
7	Hot	REMAX Flushing Series 2.4A Elastic Aluminum Data Cable RC-C001 A-M			Micro-Silver	0.043	35	350	6972174153575	Output Current: 5V/2.4A																																													
		REMAX Flushing Series 2.4A Elastic Aluminum Data Cable RC-C001 A-C			Lightning-Black	0.039	35	350	6972174152837	High-efficiency transmission, rapid fast charging, low impedance to reduce signal attenuation, with 2.4A charging mode for fast charging																																													
		REMAX Flushing Series 2.4A Elastic Aluminum Data Cable RC-C001 A-L			Lightning-Silver	0.039	35	350	6972174152844	6972174152851	6972174152868	6954851224983	6954851224990	6954851225003	6954851225010	6954851225027	6954851225034	6972174158303	6972174158310	6972174158327	6972174158334	6972174158280	6972174158297	6972174158389	6972174158396	6972174158341	6972174158358	6972174158365	6972174158372	6972174153490	6972174153483	6972174151106	6972174151090	6972174153476	6972174153469	6972174153001	6972174153018	6972174152066	6972174152073	6972174152080	6972174152097	6954851284451	6954851284468	6954851284482	6954851284475	6954851284611	6954851284628	6954851284642	6954851284604	6954851284598	6954851284574	6954851284581	6954851284529	6954851284512	6954851284680
REMAX Suji Pro 2.4A data cable RC-138m			Micro-Black	0.035	35	350	6972174158303	Material: PVC																																															
6	Hot	REMAX Suji Pro 2.4A data cable RC-138i			Micro-White	0.035	35	350	6972174158310	Output current 5V/2.4A																																													
		REMAX Suji Pro 2.4A data cable RC-138a			Lightning-Black	0.034	35	350	6972174158327	Length: 1M																																													
5	Hot	REMAX Lesu Pro series 2.1A Data Cable RC-160m			Lightning-White	0.034	35	350	6972174158334	Data transmission+charging																																													
		REMAX Lesu Pro series 2.1A Data Cable RC-160i			Type-C-Black	0.035	35	350	6972174158280	CTN G.W Micro: 14.Lightning:14.23kg, Tpc:14.58kg																																													
		REMAX Lesu Pro series 2.1A Data Cable RC-160a			Type-C-White	0.035	35	350	6972174158297	CTN SIZE: 60*33.5*49CM																																													
4	Hot	REMAX Platinum Pro Series 2.4a Data Cable RC-154m			Micro-Black	0.033	35	350	6972174158389	Material: PVC																																													
		REMAX Platinum Pro Series 2.4A Data Cable RC-154i			Micro-White	0.033	35	350	6972174158396	Output current:2.1 A																																													
		REMAX Platinum Pro Series 2.4A Data Cable RC-154a			Lightning-Black	0.032	35	350	6972174158341	Length: 1000mm																																													
		REMAX Colorful Light 2.4A Data Cable RC-152m			Lightning-White	0.032	35	350	6972174158358	CTN G.W.:MICRO:13.8 kg; Lightning/Type-c: 13.4kg																																													
3	Hot	REMAX Colorful Light 2.4A Data Cable RC-152i			Type-C-Black	0.032	35	350	6972174158365	CTN SIZE: 60*33.5*49CM																																													
		REMAX Colorful Light 2.4A Data Cable RC-152a			Type-C-White	0.032	35	350	6972174158372																																														
		Remax Kerolla Data Cable RC-094m 1M			Micro-Black	0.040	35	350	6972174153490	6972174153483	6972174151106	6972174151090	6972174153476	6972174153469	6972174153001	6972174153018	6972174152066	6972174152073	6972174152080	6972174152097	6954851284451	6954851284468	6954851284482	6954851284475	6954851284611	6954851284628	6954851284642	6954851284604	6954851284598	6954851284574	6954851284581	6954851284529	6954851284512	6954851284680	6954851284673	6954851284536																			
REMAX Kerolla Data Cable RC-094i 1M			Micro-White	0.040	35	350	6972174153483	Material: TPE + Plastic																																															
2	Hot	REMAX Kerolla Data Cable RC-094a 1M			Lightning-Black	0.040	35	350	6972174151106	Cable length: 1000 mm																																													
		REMAX Kerolla Data Cable RC-094m 2M			Lightning-White	0.040	35	350	6972174151090	Output Current:5V/2.4A																																													
		REMAX Kerolla Data Cable RC-094i 2M			Type-C-Black	0.040	35	350	6972174153476	CTN/ G.W:17.27kg CTN Size:60*33.5*49cm																																													
		REMAX Kerolla Data Cable RC-094m 2M			Type-C-White	0.040	35	350	6972174153469																																														
		REMAX Kerolla Data Cable RC-094i 2M			Micro-Black	0.045	22	220	6972174153001	Material: TPE																																													
		REMAX Kerolla Data Cable RC-094m 2M			Micro-White	0.045	22	220	6972174153018	Output current:2.4 A Max																																													
		REMAX Kerolla Data Cable RC-094i 2M			Lightning-Black	0.045	22	220	6972174152066	Wire Length: 1000mm																																													
		REMAX Kerolla Data Cable RC-094m 2M			Lightning-Grey	0.045	22	220	6972174152073	Transfer rate:480MB/S																																													
		REMAX Kerolla Data Cable RC-094i 2M			Type-C-Black	0.045	22	220	6972174152080	CTN G.W.:13.94 kg; CTN SIZE:60*35*50CM																																													
		REMAX Kerolla Data Cable RC-094m 2M			Type-C-Grey	0.045	22	220	6972174152097																																														
		REMAX Kerolla Data Cable RC-094i 2M			1M Micro-Black	0.025	48	480	6954851284451	Charging and syncing cable for your devices																																													
		REMAX Kerolla Data Cable RC-094m 2M			1M Micro-White	0.025	48	480	6954851284468	Material: TPE wire+ Aluminum housing+wiring																																													
		REMAX Kerolla Data Cable RC-094i 2M			1M Micro-Blue	0.025	48	480	6954851284482	Length: 1M; Input current: 2.4A Max																																													
		REMAX Kerolla Data Cable RC-094m 2M			1M Micro-Green	0.025	48	480	6954851284475	Transfer rate:480MB/S																																													
		REMAX Kerolla Data Cable RC-094i 2M			1M Lightning-Black	0.025	48	480	6954851284611	CE,FCC,ROHS approved																																													
		REMAX Kerolla Data Cable RC-094m 2M			1M Lightning-White	0.025	48	480	6954851284628	CTN/G.W.: 14.3KG; CTN Size: 60*35*50cm																																													
		REMAX Kerolla Data Cable RC-094i 2M			1M Lightning-Blue	0.025	48	480	6954851284642																																														
		REMAX Kerolla Data Cable RC-094m 2M			1M Type-C-Black	0.025	48	480	6954851284604																																														
		REMAX Kerolla Data Cable RC-094i 2M			1M Type-C-White	0.025	48	480	6954851284598																																														
		REMAX Kerolla Data Cable RC-094m 2M			1M Type-C-Blue	0.025	48	480	6954851284574																																														
		REMAX Kerolla Data Cable RC-094i 2M			1M Type-C-Green	0.025	48	480	6954851284581																																														
		REMAX Kerolla Data Cable RC-094m 2M			1M Type-C-Green	0.045	48	480	6954851284529	Charging and syncing cable for your devices																																													
		REMAX Kerolla Data Cable RC-094i 2M			2M Micro-White	0.045	48	480	6954851284512	Material: TPE wire+ Aluminum housing+wiring																																													
		REMAX Kerolla Data Cable RC-094m 2M			2M Lightning-Black	0.045	48	480	6954851284680	Length: 2M; Output current: 2.4A Max																																													
		REMAX Kerolla Data Cable RC-094i 2M			2M Lightning-White	0.045	48	480	6954851284673	Transfer rate:480MB/S																																													
		REMAX Kerolla Data Cable RC-094m 2M			2M Type-C-Black	0.045	48	480	6954851284536	CE,FCC,ROHS approved																																													

1	REMAX Armor Series Data Cable 3.0A RC-162		2M Type-C-White	0.045	48	480	6954851284543	Material: Alluminium Alloy + TPE Output current:3.0 A Max Wire Length: 1000mm With the appearance of patents CTN G.W.:12.8 kg; CTN SIZE:59*33.5*49 cm
			Lightning-Black	0.046	22	220	6972174151373	
			Lightning-Silver	0.046	22	220	6972174151380	
			Type-C-Black	0.046	22	220	6972174151397	
			Type-C-Silver	0.046	22	220	6972174151403	


All-in-One Charging Cable (17 Models)

New	17	REMAX Fantasy Series 65W 2-in-1 Luminous Gradient Fast Charging Cable RC-C003 C-C+L		Black	0.108	20	200	6954851214274	Material: Luminous wire + aluminum alloy shell Cable Length: 1.2M Output Current: C-C 60W/20V/3A C-L 30W (15V/2A) Charge at the same time:CC 60W,IP 5:5W 1.Breathing gradient light, soft and gentle, does not affect sleep, convenient use at night 2.High-transparencv pure cooper braided wire highlv
New	16	Marlik Series 3A Fast Charging Data Cable RC-C007 A-C+L+M		Black	0.048	410	410	6954851227793	Material: PVC Cable Length: 1.2M Output Current: micro:2A type-c:2A iphone:1.8A Total Output: 3A CTN G.W: 20KG±0.2kg CTN SIZE: 60*33.5*49cm
New	15	Bintrai Series 15W 3-in-1 Fast Charging Cable RC-C151 A-M+L+C		Grey	0.082	15	150	6954851222347	Material: TPE cable+ TPE plug material + aluminum shell+connector Cable Length: 1.2M Output Current: gross output:5V3A Micro 5V2A TYPE-C 5V3A Lightning:5V2.4A 1.TPE material, soft wire, higher quality 2.Not easy to knot, tangle-free; with an extended cable tail, anti-break Material: Type-C/Lightning connectors, PCB, metal casing, outer cover: braided round cable, TPE inner molding. Technology Injection-molded connectors, dispensing casing Cable Length:1.2M Output Current:C to C: Supports PD (100W/65W/40W/22.5W) Material:Type-C/Lightning connectors, PCB, metal casing, outer cover: braided round cable, TPE inner molding. Technology Injection-molded connectors, dispensing casing Cable Length:1.2M Output Current:C to C1: Supports PD (100W/65W/40W/22.5W) Material: Silicone Cable + TPE connector material + USB connector + MK connector + TPC connector + IP5 connector Length:1.2M Output Current:Micro: 5V/2.4A MAX Type-C: 11V/6A MAX Lightning: 5V/2.1A MAX Total Output: 5V/3A MAX Material:PVC + 48 spindle weaving Technology Injection molding + dispensing casing Length:1.2M
White				0.082	15	150	6954851222392		
Purple				0.082	15	150	6954851222415		
Blue				0.082	15	150	6954851222408		
New	14	Kerolla Series 100W 2-in-1 Aluminum Alloy Braided Fast Charging Data Cable RC-093t C-C+L		Black	0.112	20	200	6954851294702	
Kerolla Series 100W 2-in-1 Aluminum Alloy Braided Fast Charging Data Cable RC-092t C-C+C				Black	0.11	20	200	6954851294696	
New	13	Leya Series 66W 3-in-1 Liquid Silicone Fast Charging Cable RC-C120		Black	0.059	25	250	6954851218012	
White				0.059	25	250	6954851218210		
Purple				0.059	25	250	6954851218241		
New	12	Suxien Series 100W All-compatible 3-in-1 Data Cable with Smart Digital Display RC-C090		Blue	0.059	25	250	6954851218265	
Black				0.111	20	200	6954851217992	Output Current:USB-A To Type-C: single-port output Huawei: 5V/4.5A 10V/4A 11V/6A 20V/5A OPPO 5V/6A 10V/4A 10V/6.5A USB-A TO Lightning: Support single port 5V/2.4A, 1A when used at the same time	

New	11	Zous Series 100W Zinc Alloy 2-in-2 Reflective Braided Fast Charging Data Cable 1.2M RC-C119 A+C+C+L				White	0.113	20	200	6954851218364	Material:TPE molding + zinc alloy shell Technology: First, ensure TYPE-C TO TYPE-C, then use screws to connect the two ends of the adapter. Output Current:C-C:5A/20V 100W MAX C-L:3A/10V 30W MAX A-C:3A/9V 27W MAX A-L:2.4A/5V 12W MAX 1.4-in-1 freely switch among four interfaces Material:Aluminum alloy + TPE inner mold, TPE round wire Technology Molding+ aluminum alloy + weaving Material of the core wires: Bare copper + nylon wire Output Current:TYPE-C:5V/ 5A 11V /6A 9V /2A IP:5V 2.4A MICRO 5V 2.4A Transmission Speed:480Mhns Material:USB-A, TYPE-C, Lightning, Micro; Aluminum alloy connector with metal shell, ABS retractable, flat ribbon cable of OD1753TPE outer, TPE inner mold Technology:Connector of injection molding hardware shell, ABS retractable shell with oil injection treatment, upper and lower shells bonded by ultrasonic
New	10	REMAX Kings Series 6A All-compatible 3-in-1 Fast Charging Data Cable RC-C068				Blue	0.085	17	170	6954851220114	Material of the core wires: Bare copper + nylon wire Output Current:TYPE-C:5V/ 5A 11V /6A 9V /2A IP:5V 2.4A MICRO 5V 2.4A Transmission Speed:480Mhns Material:USB-A, TYPE-C, Lightning, Micro; Aluminum alloy connector with metal shell, ABS retractable, flat ribbon cable of OD1753TPE outer, TPE inner mold Technology:Connector of injection molding hardware shell, ABS retractable shell with oil injection treatment, upper and lower shells bonded by ultrasonic
New	9	REMAX Linon Series 15W 3-in-1 Retractable Fast Charging Cable RC-C033				Black	0.098	15	150	6954851206651	Material of the core wires: Enameled copper Output Current:Total output :15W 5V 3A Lightning 5V Material:USB-A, TYPE-C, Lightning, Micro; Aluminum alloy connector with metal shell, ABS retractable, flat ribbon cable of OD1753TPE outer, TPE inner mold Technology:Connector of injection molding hardware shell, ABS retractable shell with oil injection treatment, upper and lower shells bonded by ultrasonic
New	8	REMAX Linon Series 66W 3-in-1 All-Compatible Retractable Charging Cable RC-C029				White	0.098	15	150	6954851208044	Material of the core wires: Enameled copper Output Current:Total output :15W 5V 3A Lightning 5V Material:USB-A, TYPE-C, Lightning, Micro; Aluminum alloy connector with metal shell, ABS retractable, flat ribbon cable of OD1753TPE outer, TPE inner mold Technology:Connector of injection molding hardware shell, ABS retractable shell with oil injection treatment, upper and lower shells bonded by ultrasonic
New	7	REMAX Drip Series 15W Retractable 3-in-1 Fast Charging Cable RC-C018				Purple	0.980	15	150	6954851208051	Material of the core wires: Enameled copper Output Current:Total output :15W 5V 3A Lightning 5V Material:USB-A, TYPE-C, Lightning, Micro; Aluminum alloy connector with metal shell, ABS retractable, flat ribbon cable of OD1753TPE outer, TPE inner mold Technology:Connector of injection molding hardware shell, ABS retractable shell with oil injection treatment, upper and lower shells bonded by ultrasonic
New	6	REMAX Kerolla Series 100W Aluminum 3-in-2 Fast Charging Data Cable RC-C012				Blue	0.070	190	190	6954851242819	Retractable design, unique and easy to store Enameled copper cable core, anti-oxidation and durable Integrated molding, TPE material, soft and elastic Drip Series 15W Retractable 3-in-1 Fast Charging Cable, widely compatible CTN G.W: 15.95Kg ±0.2 Kg Technology: USB with steel-stamped LOGO, center with laser-carved TPE inner molding. + PVC This data cable features a USB to Type-C adaptor connectors in the main cable and three sub cables with Micro/Lightning/Type-C connectors. It provides faster charging and data transmission function (CtoMK 9V 2A 18W/CtoLighting:9V 3A 20W/CtoType-c:20V 5A 100w). Technology: Fish silk + braiding process + forming inner mold + aluminum alloy Cable Length: 1200mm USB-C1/C2 cable PD output: 5V/3A, 9V/3A, 15V/3A, 20V/3A, 20V/5A USB-C1/C2 cable QC output: 5V/3A, 9V/2A, 12V/1.5A USB-C1/C2 cable FCP output: 5V/3A, 9V/2A Charging and syncing cable for your devices (Lightning port)
New	6	REMAX Kerolla Series 100W Aluminum Fast Charging Cable RC-092t type-c to type-c+type-c				Sliver	0.070	190	190	6954851242802	Charging and syncing cable for your devices (Lightning port)
New	6	REMAX Kerolla Series 100W Aluminum Fast Charging Cable RC-092t type-c to type-c+type-c				Blue	0.070	190	190	6954851242802	Charging and syncing cable for your devices (Lightning port)
New	6	REMAX Kerolla Series 100W Aluminum Fast Charging Cable RC-092t type-c to type-c+type-c				Green	0.084	19	190	6954851200062	Charging and syncing cable for your devices (Lightning port)
New	6	REMAX Kerolla Series 100W Aluminum Fast Charging Cable RC-092t type-c to type-c+type-c				Green	0.083	19	190	6954851294696	Charging and syncing cable for your devices (Lightning port)
New	6	REMAX Kerolla Series 100W Aluminum Fast Charging Cable RC-092t type-c to type-c+type-c				Black	0.096	20	200	6954851293101	Charging and syncing cable for your devices (Lightning port)
New	6	REMAX Kerolla Series 100W Aluminum Fast Charging Cable RC-092t type-c to type-c+type-c				White	0.096	20	200	6954851293118	Can only charging for your device(Micro&Type-c ports)
New	6	REMAX Kerolla Series 100W Aluminum Fast Charging Cable RC-092t type-c to type-c+type-c				Green	0.096	20	200	6954851293132	Can only charging for your device(Micro&Type-c ports)
New	6	REMAX Kerolla Series 100W Aluminum Fast Charging Cable RC-092t type-c to type-c+type-c				Blue	0.096	20	200	6954851293125	Can only charging for your device(Micro&Type-c ports)
New	5	REMAX Jany Series 3.1A 3-in-1 Charging Cable RC-124th				Black	0.062	30	300	6972174154893	Can only charging for your device(Micro&Type-c ports)
New	5	REMAX Jany Series 3.1A 3-in-1 Charging Cable RC-124th				Silver	0.062	30	300	6972174154909	Can only charging for your device(Micro&Type-c ports)

Hot	4	REMAX Whirly Series 5A 3-in-1 Fast Charging Cable RC-199th				Blue	0.080	19	190	6954851238713	Technology: TPE molding center joint with laser engraving LOGO USB connector with stamped LOGO Material of the core wires: Braided cable + bare copper + nylon wires Structure: TPE outer molding Cable Length: 1200mm(0.8+0.4) Output Current: :5V/3.5A MAX MK:5V/2.1AMAX Material: Braided wire + TPE plug material + USB connector + MK connectorial + TPC connector + IP5 connectorial
	3	REMAX SPEED Series 3-in-1 2.1A Charging Cable RC-186th				Black	0.051	30	300	6954851204589	Structure: forming outer mold with aluminum casing Technology: braided cable+TPE outer mold totalOutput :5V/3A MK Output :5V/2.1A TPC Output :5V/2.1A IP5 Output :5V/1A One for three all charging
	2	REMAX Sury 2 Series 3-in-1 3A Charging Cable RC-070th				Golden	0.051	30	300	6954851204510	Support simultaneous charging for device iPh/Android/Type-C 2A output ; 1200mm Cable length
	1	REMAX Gitton Series 3 in 1 Charging Cable RC-131th				White	0.065	27	270	6972174156781	CTN/ G.W: 17.65kg; CTN Size 60*33.5*49cm
						Black	0.050	20	200	6954851295556	Only charging cable for your devices. Material: PVC Length: 1.15M; Output current: 2.8A Max CE,FCC,ROHS approved
						Blue	0.050	20	200	6954851295563	CTN/G.W.:12.3kg; CTN Size: 60*35*50cm

Audio Adapter (2 Models)

Hot	2	REMAX Sury Series Audio Jack Splitter 3.5AUX to Lightning (15CM) RL-LA13i				Tarnish	0.189	38	380	6954851254119	Material: Woolen woven outer casing + aluminum alloy shell + lightning connector + DC3.5 base Technology: TPE molding + aluminum alloy casing + woolen braiding Material of the core wires: pure copper Original IC, plug and play, free use upon system upgrading Woolen braiding more durable use Material: ABS
		REMAX REMINE Series Phone Adapter 2 Lightning to lightning+lightning RL-LA12i				White	0.012	45	450	6954851277712	Technology: Ultrasonic compression Charging port: lightning With CE/ROSH Charging and audio playback at once, more enjoyment. Original iPh powder metallurgy connector, wear-resistant and durable. 3.5mm plug supports voice call. Connect a sound card Material: ABS
	1	REMAX REMINE Series Phone Adapter 2 Type-C to 3.5AUX+TypeC RL-LA11				White	0.012	45	450	6954851277705	Technology: Ultrasonic compression Charging port: type-c With CE/ROSH Charging and audio playback at once, more enjoyment. ABS material, compact and portable. 30W protocol, fast charging for your phone. Compatible with mainstream type-c mobile phones Material: ABS
	REMAX REMINE Series Phone Adapter 2 Type-C to TypeC+TypeC RL-LA11a				White	0.012	45	450	6954851277682	Technology: Ultrasonic compression Charging port: type-c With CE/ROSH Charging and audio playback at once, more enjoyment. ABS material, compact and portable. 30W protocol, fast charging for your phone. Compatible with mainstream type-c mobile phones	

Fast Charging/ Standard/ Outdoor Series Power Bank

My Device My Life

No.	MODEL NO.	Full Color PIC	Detail of PIC	PACKAGING	COLOR/ PATTERN	G.W./PCS (KG)	MOQ/PCS	PCS/CTN	Bar Code	SPECIFICATIONS
Fast Charging Cabled Power Bank (25 Models)										
25	REMAX Cynlle Series 20W+22.5W Power Bank with 2 Fast Charging Cables 10000mAh RPP-679				Black	0.245	66	66	6954851235873	Material and Technology (fireproof): ABS+PC V0 Battery Capacity: 10000mAh
					White	0.245	66	66	6954851235927	Real Capacity Rate Power: 10000mAh/3.7V/37Wh Rated Capacity: 5200mAh(5V-3A)
					Blue	0.245	66	66	6954851235934	Input Voltage: Type-C: 5V-2A/9V-2A/12V-1.5A 18W(Max) Output Voltage: USB1: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)
					Purple	0.245	66	66	6954851235941	Type-C builtin Type-C cable output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A Material and Technology (fireproof): ABS+PC V0
25	REMAX Cynlle Series 20W+22.5W Power Bank with 2 Fast Charging Cables 20000mAh RPP-680				Black	0.482	44	44	6954851236016	Battery Capacity: 20000mAh Real Capacity Rate Power: 20000mAh/3.7V/74Wh
					White	0.482	44	44	6954851236023	Rated Capacity: 10500mAh(5V-3A) Input Voltage: Type-C: Type-C: 5V-2A/9V-2A/12V-1.5A 18W(Max) Output Voltage: USB1: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)
					Blue	0.482	44	44	6954851236030	Type-C builtin Type-C cable output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A Material and Technology:V1
24	REMAX Riuchy Series 20W+22.5W PD+QC Power Bank with 2 Fast Charging Cables 10000mAh RPP-635				White	0.191	60	60	6954851213673	Battery Capacity:10000mAh
					Gray	0.191	60	60	6954851213710	Rated Capacity:5000mAh(5V-2A)
					Black	0.191	60	60	6954851213680	Input Voltage: Type-C: 5V/2A 9V/2A Gross Input:5V/2A 9V/2A 18W(Max)
					Purple	0.191	60	60	6954851213697	Output Voltage: Type-C 5V/2A 9V/2.22A Type-C Cable Output: 5V/2A;4.5V/5A;9V/2A;12V/1.5
23	REMAX Resion Series 20W+22.5W PD+QC Power Bank with 2 Fast Charging Cables 10000mAh RPP-651				Light Ash Gray	0.219	45	45	6954851213499	Lightning Cable Output: 5V2A 9V2.22A 20W(Max) Material: V1+PC Battery Capacity:10000mAh Rated Capacity:5200mAh (5V=3A)
					Space Gray	0.219	45	45	6954851213482	Input Voltage: Type-C :5V= 2A 9V= 2A 18W(Max) Output Voltage:USB A output: 5V= 4.5A 4.5V= 5A 5V= 3A 9V= 2A 12V= 1.5A 22.5W(Max)
						0.219	45	45	6954851213482	Type-C cable output: 5V= 4.5A 4.5V= 5A 5V= 3A 9V= 2A 12V= 1.5A 22.5W(Max)
22	REMAX Iceydy Series 20W+22.5W PD+QC Cabled Fast Charging Power Bank 10000mAh RPP-652				White	0.220	40	40	6954851213505	Material: PC/fireproof V0 Battery Capacity:10000mAh
					Purple	0.220	40	40	6954851213529	Rated Capacity:5300mAh(5V/3A) Input Voltage: Type-C port Input: 5V/3A 9V/2A 12V/1.5A
					Blue	0.220	40	40	6954851213512	Lightning port Input: 5V/2A Gross Input:18W max
21	REMAX Resiang Series 20W+22.5W PD+QC Power Bank with 2 Fast Charging Cables 10000mAh RPP-605				Grey	0.220	40	40	6954851213536	Output Voltage:Built-in Type-C cable output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
					Black	0.208	40	40	6954851213604	Material: V0 level ABS+PC shell +silicone cable Input Voltage: Type-C: 5V-3A/9V-2A/12V-1.5A 18W (Max)
					White	0.208	40	40	6954851213611	Gross Input: 18W Output Voltage:USB:USB:4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)
					Blue	0.208	40	40	6954851213628	Type-C: 4.5V-5A/5V-4.5A/5V-3A/9V-2.25A/12V-1.5A 22.5W (Max) Lightning: 5V-3A/9V-2.22A/12V-1.67A 20W (Max)
20	REMAX Potent Pro Series 20W+22.5W PD+QC Suction-Cup Cabled Power Bank 10000mAh RPP-582				Purple	0.208	40	40	6954851213635	Gross output: 5V3A (max) Material : ABS+PC V0 fireproof
					Black	0.198	48	48	6954851209195	Real Capacity: 10000mAh
					White	0.198	48	48	6954851209201	Input Voltage: Type-C: 5V-2A/9V-2A/12V-1.5A Output Voltage: Type-C: 4.5v-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)
					Purple	0.198	48	48	6954851209294	IPH cable output: 5V-3A/9V-2.22A/12V-1.67A 20W(Max)
20	REMAX Potent Pro Series 20W+22.5W Suction-Cup Cabled Power Bank 20000mAh RPP-581				Blue	0.198	48	48	6954851209218	1. The builtin Type-C cable supports 22.5W super fast charging; builtin IPH cable supports PD20W output: the Type-C cable is detachable and the IPH Material and Technology (fireproof):ABS+PC V0 fireproof
					Black	0.398	40	40	6954851218869	Battery Capacity:20000mAh
					White	0.398	40	40	6954851218876	Real Capacity Rate Power:20000mAh/3.8V/76Wh Rated Capacity:10500mAh(5V-3A) Input Voltage: Type-C: 5V-2A/9V-2A/12V-1.5A 18W(Max) Output Voltage:Built-in Type-C cable output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)
					Blue	0.398	40	40	6954851218883	Built-in IPH cable output: 5V-3A/9V-2.22A/12V-1.67A 20W (Max)

19	REMAX Stervui Series 20W+22.5W PD+QC Power Bank with 2 Fast Charging Cables 10000mAh RPP-619				Black	0.239	45	45	6954851210887	Material: ABS+PC V0 Real Capacity: 10000mAh Input Voltage: Type-C: 5V-2A/9V-2A/12V-1.5A IPH: 5V-2A/9V-2A/12V-1.5A
		White	0.239	45	45	6954851210894	Output Voltage: USB1: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)			
18	REMAX Stervui Series 20W+22.5W PD+QC Power Bank with 2 Fast Charging Cables 20000mAh RPP-620				Purple	0.239	45	45	6954851211037	Built-in Type-C cable output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Material: ABS+PC V0
		Blue	0.239	45	45	6954851210900	Real Capacity: 20000mAh Input Voltage: Type-C: 5V-2A/9V-2A/12V-1.5A IPH: 5V-2A/9V-2A/12V-1.5A Output Voltage: USB1: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)			
17	REMAX Sucha Pro Series PD 20W+QC 22.5W Power Bank with 2 Fast Charging Cables 10000mAh RPP-602				Black	0.415	36	36	6954851211044	Type-C: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Builtin Type-C cable output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A Material and Technology : (fireproof)V0
		White	0.415	36	36	6954851211051	Real Capacity:10000mAh Rate Power : 37Wh Input Voltage:iPh port input): 5V/2A (Type-C port input): 5V/3A 9V/2A 12V/1.5A Output Voltage:USB1: USB_A: 4.5V/5A 5V/3A 9V/2A 12V/1.5A			
16	REMAX Sucha Pro Series PD 20W+QC 22.5W Power Bank with 2 Fast Charging Cables 20000mAh RPP-603				Black	0.235	36	36	6954851209690	Type-C(Built-in Type-C cable): 4.5V/5A 5V/3A 9V/2A 12V/1.5A Lightning/Built-in Lightning cable): 5V/3A 9V/2A(Max) 12V/1 67A Material and Technology : (fireproof)V0
		White	0.235	36	36	6954851209706	Real Capacity:20000mAh Rate Power : 37Wh Input Voltage:iPh port input): 5V/2A (Type-C port input): 5V/3A 9V/2A 12V/1.5A Output Voltage:USB1: USB_A: 4.5V/5A 5V/3A 9V/2A 12V/1.5A			
15	REMAX Explore Pro Series PD20W+QC22.5W Cabled Fast Charging Power Bank 10000mAh RPP-591				Purple	0.235	36	36	6954851209713	Type-C(Built-in Type-C cable): 4.5V/5A 5V/3A 9V/2A 12V/1.5A Lightning/Built-in Lightning cable): 5V/3A 9V/2A(Max) 12V/1 67A Material and Technology :ABS+PC V0(fireproof)
		Black	0.390	18	18	6954851209720	Real Capacity:10000mAh/3.7V Rate Power : 37Wh Input Voltage:Type-C: 5V-2A/9V-2A/12-1.5A Output Voltage:USB1: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)			
14	REMAX Walking-Phantom Series PD20W+QC22.5W Cabled Magnetic Wireless Charging Power Bank 10000mAh RPP-580				White	0.283	36	36	6954851212744	(builtin Type-C cable output): 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Material and Technology :ABS V0+ tempered glass Real Capacity:10000mAh/3.85V/38.5Wh
		Purple	0.283	36	36	6954851212751	Input Voltage:Type-C: 5V2A/9V2A/12V1.5A 18W(max) Gross Input: 5V-3A(max)			
13	REMAX Tape Series PD20W+QC22.5W Power Bank with Builtin iPh Cable 5000mAh RPP-512				Black	0.248	60	60	6954851208648	Output Voltage:USB-A: 5V3A/9V2A/12V1.5A 18W (max) Type-C cable output: 5V3A/9V2A/12V1.5A/4.5V5A/5V4.5A 22.5W(max) iPh cable output: 5V2.4A/9V2.22A 20W (max) Large capacity long battery life Material and Technology (fireproof) PC fireproof (V0) Real Capacity Rate Power:5000mAh/3.7V/18.5Wh
		Black	0.163	57	57	6954851206811	Input Voltage:Type-C input:DC5V-2.5A/9V-2.0A/12V-1.5A 18W(Max) Output Voltage:USB output:DC5V-4.5A/5V-3.0A/9V-2.0A/12V-1.5A 22.5W(Max) iPh cable output DC5V-3.0A/9V-2.23A/12V-1.67A Total output: 5V-3A Input Voltage/Quantity:Type-C*1 Material and Technology (fireproof):ABS+PC V0 fireproof glass with UV process			
12	REMAX Lesu II Series PD20W+QC22.5W Cabled Fast Charging Power Bank 6000mAh RPP-565				White	0.248	60	60	6954851208631	Real Capacity Rate Power:33000mAh(5V-3A) Input Voltage:Type-C input: 5V-2A/9V-2A/12V-1.5A 18W(Max) IPH input: 5V-2A/9V-2A/12V-1.5A 18W(Max)
		Black	0.248	60	60	6954851208655	Output Voltage: USB1 output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Builtin Type-C output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W Material and Technology (fireproof):ABS+PC V0 fireproof glass with UV process			
11	REMAX Lesu II Series PD20W+QC22.5W Cabled Fast Charging Power Bank 8000mAh RPP-566				Blue	0.248	60	60	6954851208662	Real Capacity Rate Power:44000mAh(5V-3A) Input Voltage:Type-C1/Type-C2 input: 5V-2A/9V-2A/12V-1.5A 18W(Max) IPH input: 5V-2A/9V-2A/12V-1.5A 18W(Max)
		Purple	0.248	60	60	6954851214625	Micro input: 5V-2A/9V-2A/12V-1.5A 18W(Max) Output Voltage: USB3 output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Material and Technology :ABS V0 Real Capacity:10000mAh/37Wh			
10					White	0.219	42	42	6954851207580	

New

COST-EFFECTIV

12	<p>REMAX Prime Series PD20W+QC22.5W Cabled Fast Charging Power Bank 10000mAh RPP-572</p>   	Black	0.219	42	42	6954851207597	Input Voltage:Type-C input: 5V2A/9V2A/12V1.5A 18W(Max) Gross Input: 18W(Max) Output Voltage:USB-A: 5V3A/9V2A/12V1.5A/4.5V5A/5V4.5A 22.5W(Max)
		Blue	0.219	42	42	6954851229384	Built-in Type-C cable output: 5V3A/9V2A/12V1.5A/4.5V5A/5V4.5A 22.5W(Max) Material : ABS
		Purple	0.219	42	42	6954851229391	Rated Capacity Rate Power:10000mAh/3.7V/37Wh
		white	0.230	46	46	6954851210405	Input Voltage: Type-C input: 5V-3A/9V-2A/12V-1.5A 18W(Max) lightning input: 5V-2.4A/9V-2A/12V-1.5A 18W(Max)
	<p>REMAX Icyal Series PD20W+QC22.5W Cabled Fast Charging Power Bank 10000mAh RPP-579</p>   	Black	0.230	46	46	6954851210528	Output Voltage: Type-C output: 5V-3A/9V-2.22A/12V-1.67A 20W(Max) Cabled Type-C output: 4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)
		Blue	0.230	46	46	6954851208624	lightning output: 5V= 2.4A/9V= 2.22A/12V= 1.67A 20W (Max)
		Purple	0.230	46	46	6954851210498	Material and Technology : ABS+PC V0 fireproof Battery Capacity: 20000mAh
11	<p>REMAX Icyal Series 20W+22.5W PD+QC Cabled Fast Charging Power Bank 20000mAh RPP-663</p>   	Black	0.303	48	48	6954851218890	Real Capacity Rate Power: 20000mAh/3.7V/74Wh Rated Capacity: 11600mAh(5V-3A)
		White	0.303	48	48	6954851218944	Input Voltage: Type-C: 5V-3A/9V-2A/12V-1.5A 18W(Max)
		Purple	0.303	48	48	6954851218951	Lightning: 5V-2.4A/9V-2A/12V-1.5A 18W(Max)
		Blue	0.303	48	48	6954851218968	TYPE-C port supports QC2.0/QC3.0/FCP/AFC/SFCP/PE1.1/PE2.0 fast charge input
		Black	0.259	72	72	6954851206897	Material and Technology (fireproof):ABS+PC V0 fireproof Real Capacity Rate Power:10000mAh/3.8V/38Wh
10	<p>REMAX Tape Series PD20W+QC22.5W Cabled Fast Charging Power Bank 10000mAh RPP-533</p>   	Purple	0.259	72	72	6954851220862	Input Voltage:Type-C: 5V-2A/9V-2A/12V-1.5A IPH: 5V-2A/9V-2A/12V-1.5A Output Voltage:USB output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)
		White	0.674	24	24	6954851207542	built-in Type-C cable output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Material and Technology (fireproof):ABS+PC V0 fireproof
	<p>REMAX Voyage Series PD20W+QC22.5W Cabled Fast Charging Power Bank 30000mAh RPP-571</p>   	Blue	0.674	24	24	6954851207559	lens UV process Real Capacity Rate Power:30000mAh/3.7V/111Wh Input Voltage:Type-C: 5V-2A/9V-2A/12V-1.5A 18W(Max)
9	<p>REMAX Voyage Series PD20W+QC22.5W Cabled Fast Charging Power Bank 20000mAh RPP-535</p>   	Blue	0.48	32	32	6954851203155	IPH: 5V-2A/9V-2A/12V-1.5A 18W(Max) Output Voltage:USB1: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)
		White	0.48	32	32	6954851203094	Type-C: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max) Material and Technology :ABS+PC V0 fireproof
		Blue	0.47	34	34	6954851206606	Mirror surface with UV process Real Capacity:20000mAh/3.7V/6.84Wh Input Voltage:Type-C: 5V-2A/9V-2A/12V-1.5A 18W(Max)
8	<p>REMAX Riji II Series PD20W+QC22.5W Cabled Fast Charging Power Bank With Colored Screen 20000mAh RPP-561</p>   	White	0.47	34	34	6954851206507	IPH: 5V-2A/9V-2A/12V-1.5A 18W(Max) Output Voltage:USB : USB: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)
		Blue	0.47	34	34	6954851213055	Type-C: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max) Material and Technology (fireproof):ABS V0
		White	0.47	34	34	6954851206507	Gross Battery Power:74Wh Gross Input:18W(max)
		Blue	0.687	24	24	6954851203063	Input Voltage:Lightning: 5V-2A Type-C: 5V-2A/9V-2A/12V-1.5A 18W(max) Type-C cable: 5V-2.6A/9V-2A/12V-1.5A 18W(max)
		White	0.687	24	24	6954851203056	Gross Output 5V-3A(max) Output Voltage:USB-A1: 5V-3A/ 9V-2A/12V-1.5A/4.5V-5A/5V-4.5A Material and Technology :ABS+PC V0 fireproof
	<p>REMAX Suji Series PD 20W+QC 22.5W Fast Charging Cabled Power Bank 30000mAh RPP-550</p>   	Blue	0.687	24	24	6954851203063	Real Capacity/Rate Power:30000mAh/3.7V/111Wh Input Voltage:Type-C: 5V-3A/9V-2A/12V-1.5A 18W(Max)
		White	0.687	24	24	6954851203056	Micro: 5V-3A/9V-2A/12V-1.5A 18W(Max) Output Voltage:USB 1: 4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)
		Dark Blue	0.488	32	32	6954851202264	USB 2: 5V-3A(Max) TYPE-C cable:4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Material : ABS+PC V0 fireproof
7	<p>REMAX Suji Series PD 20W+QC 22.5W Fast Charging Cabled Power Bank 20000mAh RPP-513</p>   	White	0.488	32	32	6954851220107	Input Voltage: Type-C: 5V-3A/9V-2A/12-1.5A 18W Micro: 5V-3A/9V-2A/12-1.5A 18W Output Voltage: USB Output : 4.5V-5.0A/5V-4.5A/9V-2A/12V-1.5A 22.5W(Max)
		Dark Blue	0.267	48	48	6954851233299	built in Type-C cable output: :4.5V5.0A/5V4.5A/9V-2A/12V-1.5A 22.5W built in Lightningcable output 5V-2.4A/9V-2.22A 20W Total output: 5V-3A (Max)
	<p>REMAAX Suji Series PD20W+QC22.5W Fast Charging Cabled Power Bank</p>   	Purple	0.267	48	48	6954851220107	Material : ABS+PC+V0 fireproof Type-C Input: 5V-3A/9V-2A/12-1.5A 18W(Max) Micro Input: 5V-3A/9V-2A/12-1.5A 18W(Max) USB Output : 4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5(Max)

New

Hot

New

Fast Charging Cabled Power Bank 10000mAh RPP-500

REMAX Lecho Series 20W+22.5W PD+QC Cabled Magnetic Wireless Fast Charging Power Bank 10000mAh RPP-527

REMAX Lecho Series PD 20W+QC 22.5W Cabled Magnetic Wireless Fast Charging Power Bank 20000MAH RPP-519

REMAX Fly Series PD20W+QC22.5W Cabled Fast Charging Power Bank 10000mAh RPP-507

REMAX Fly Series PD20W+QC22.5W Multi-Compatible Cabled Power Bank 20000mAh RPP-189

REMAX Amber Series PD20W+QC22.5W Fast Charging Cabled Power Bank 10000mAh RPP-301

REMAX Pinjur Series PD20W+QC22.5W Fast Charging Cabled Power Bank 10000mAh RPP-300

REMAX Sucha Series QC 22.5W + PD 18W Fast Charging Cabled Power Bank 10000mAh RPP-285

REMAX Sucha Series QC 22.5W + PD 18W Fast Charging Cabled Power Bank 20000mAh RPP-51



Fresh Blue	0.267	48	48
White	0.267	48	48
Black	0.262	45	45
White	0.262	45	45
Blue	0.262	45	45
Purple	0.262	45	45
White	0.408	32	32
Blue	0.408	32	32
Blue	0.249	56	56
Green	0.249	56	56
Pink	0.249	56	56
Green	0.391	36	36
Blue	0.391	36	36
White	0.216	44	44
Blue	0.216	44	44
White	0.271	50	50
Blue	0.271	50	50
Blue	0.235	30	30
Black	0.235	30	30
Blue	0.380	16	16
Black	0.380	16	16

6954851220091 Type-C Output: 5V-3A/9V-2.22A/12V-1.67A 20W(Max)
TYPE-C Cable Output :4.5V-5.0A/5V-4.5A/9V-2A/12V-1.5A 22.(Max)
Lightning Cable Output: 5V-2.4A
over Output : 5V-3A(Max)
Material: ABS+PC V0 fireproof

6954851233305 5V-2.4A
Battery Capacity:10000mAh
Rated Capacity:5300mAh(5V-3A)
Input Voltagl: Type-C: 5V-3A/9V-2A/12V-1.5A 18W
lightning: 5V-2.4A/9V-2A/12V-1.5A 18W
Gross Input:5V-2A 10W
Output Voltage:USB: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W
(Max)
Material and Technology :ABS+PC V0 fireproof

6954851202219 5V-3A/9V-2A/12V-1.5A 18W
6954851202226 5V-2.4A/9V-2A/12V-1.5A 18W
6954851216926 4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W
(Max)
Real Capacity:20000mAh/3.7V/6.84Wh
Input Voltage:Type-C: 5V-3A/9V-2A/12V-1.5A 18W
iPh: 5V-2.4A/9V-2A/12V-1.5A 18W
Output Voltage:USB : 4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W
(Max)

6954851202233 4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W
iPh: 5V-2.4A /9V-2.22A/12V-1.67A 20W
Material and Technology :ABS+PC V0

6954851206484 Input Voltage:Type-C: 5V-2A/9V-2A/12V-1.5A 18W(Max)
(PD3.0 PD2.0 QC3.0 QC2.0 Apple 2.4A BC1.2)

6954851206491 iPh: 5V-2A/9V-2A/12V-1.5A 18W(Max) (PD3.0 PD2.0 Apple 2.4A)
Output Voltage:USB1: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A
22.5W(Max)(QC3.0 QC2.0 FCP SCP AFC Apple 2.4A BC1.2 VOOC)

6954851202028 Type-C cable output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A
22.5W(Max)(QC3.0 QC2.0 FCP SCP AFC BC1.2 VOOC)
Material: ABS+PC V0 fireproof exterior with paint coating processing
Input Voltage: Type-C: 5V-3A/9V-2A/12-1.5A
iPh: 5V-2A/9V-2A/12-1.5A
Output Voltage: USB1: 4.5v-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W
(Max)

6954851227069 Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W (Max)
Built-in Type-C cable of 22.5W super fast output, built-in iPH cable of 5V-
2.4A output.
Material : ABS+PC V0

6954851200512 Type-C Input : 5V-3A/9V-2A/12-1.5A
Type-C Output: 5V-4.5A/4.5V-5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)
Type-C Output: 5V-3A/9V-2.22A/12V-1.67A 20W (Max)
Input Type/Quantity: Type-C*1

6954851200529 Output Type/Quantity: Type-C*1 iPH*1 Type-C*1
Compact to hold in one hand, Two built-in cables, charging 3 devices at
once. The chargine cables are detachable
Material : ABS+fireproof PC

6954851211808 Type-C Input: 5V/2A, 9V/2A,12V/1.5A 18W(Max)
lightning Input: 5V/2A, 9V/2A,12V/1.5A 18W(Max) AFC/FCP/SFCP
USB/Type -COutput: 4.5V/5A,5V/4.5A,5V/3A,9V/2.22A,12V/1.67A
22.5W(Max) QC2.0/QC3.0/AFC/FCP/SFCP/SCP/MTK/VOOC;

6954851211822 LightningOutput : 5V/3A,9V/2.22A,12V/1.67A 20W(Max)
QC2.0/QC3.0/AFC/FCP/SFCP/SCP/MTK/PD2.0/PD3.0
With 2 inputs/3 outputs support up to 18W input and multiple
Material : PC/V0 fireproof

6954851229353 Battery Capacity: 10000mAh/3.7V
Gross Input: 18W(max)
Input Voltage: 5V 2A 9V 2A 12V 1.5A QC2.0AFCPCPMTK
Gross Output: 22.5W (max)

6954851229346 Output Voltage: USB-A:
4.5V 5A /5V 3A/9V 2A/12V 1.5A
Support QC2.0 QC3.0 AFC SCP SFCP MTK
Material and Technology
(fireproof):PC+V0
Gross Battery Power: 74WH
Gross Input: 18W MAX
Input Voltage: 5V 2A 9V 2A 12V 1.5A
Gross Output: 22.5W MAX
Output Voltage:USB_A:4.5V 5A/5V 3A/9V 2A/12V 1.5A
SupportQC2.0 QC3.0 AFC SCP SFCP MTK

Fast Charging Power Bank (27 Models)

REMAX Kiyuan Series 20W+22.5W PD+QC Fast Charging Power Bank



White	0.228	68	68
Purple	0.228	68	68

6954851236689 Material and Technology (fireproof): ABS+PC V0 fireproof
Battery Capacity: 10000mAh
6954851236733 Real Capacity Rate Power: 10000mAh/3.7V37Wh
Rated Capacity: 5800mAh(5V-3A)

New

26

New

New

REMAX Wefon Series 20W Ultrathin Metal Fast Charging Power Bank 10000mAh RPP-5



REMAX Wefon Series 20W+22.5W PD+QC Ultrathin Metal Fast Charging Power Bank 20000mAh RPP-637



REMAX Recluy Series 20W+22.5W PD+QC Fast Charging Power Bank 20000mAh RPP-672 (With USB -C Cable-30CM)



REMAX Dinba Series 110W Fast Charging Power Bank 20000mAh RPP-669



REMAX Dinba Series 140W+22.5W PD+QC Fast Charging Power Bank 25200mAh RPP-662



REMAX Upine Series 33W+22.5W PD+QC Fast Charging Power Bank 10000mAh RPP-656



REMAX Upine Series 65W+22.5W PD+QC Fast Charging Power Bank 20000mAh RPP-653



REMAX Upine Series 20W+22.5W PD+QC Fast Charging Power Bank 20000mAh RPP-655



REMAX Yadrea Series 20W+22.5W PD+QC Fast Charging Power Bank 10000mAh RPP-666



Dark Blue	0.228	68	68	6954851236696	Input Voltage: Type-C: 5V-3A/9V-2A/12V-1.5A 18W (Max) IPH: 5V-2.4A/9V-2A/12V-1.5A 18W (Max)
Far Peak Blue	0.228	68	68	6954851236740	TYPE-C port supports QC2.0/QC3.0/FCP/AFC/SFCP/PE1.1/PE2.0 fast input IPH port supports Apple1.0A/Apple2.4A/Apple PD18W fast input
Gray	0.302	39	39	6954851213895	Material and Technology (fireproof): Aluminium alloy Battery Capacity: 10000mAh
Silver	0.302	39	39	6954851213925	Real Capacity Rate Power: 10000mAh/3.85V/38.5Wh Rated Capacity: 5800mAh (5V2.4A)
Purple	0.302	39	39	6954851213901	Input Voltage: Type-C: 5V-2.4A,9V-2A,12V-1.5A 18W(Max)
Blue	0.302	39	39	6954851213918	supported protocols: Apple2.4A ,Samsung-5V-2A QC3.0,DCP-1.5A,QC2.0, Samsung-AFC Huawei-FCP MTK-PE-2.0 PD3.0 Material and Technology (fireproof): Aluminium alloy
Gray	0.443	39	39	6954851213932	Battery Capacity: 20000mAh Real Capacity Rate Power: 20000mAh/3.85V/77Wh Rated Capacity: 11600mAh (5V2.4A)
Blue	0.443	39	39	6954851213949	Input Voltage: Type-C: 5V-2.4A,9V-2A, 12V-1.5A 18W(Max) supported protocols: Apple2.4A ,Samsung-5V-2A,QC3.0,DCP- 1.5A,QC2.0,Huawei-FCP, VOOC/DASH/WARP-3.3~5.5V,MTK-PE+2.0,PD3.0
Black	0.468	30	30	6954851214564	PPS Material and Technology :ABS V0 Battery Capacity: 20000mAh (10000mAh*2) 3.7V Rated Capacity Rate Power: 12000mAh (5V-3A) Gross Battery Power: 74Wh Gross Input: 20W (Max)
White	0.468	30	30	6954851214571	Input Voltage: iPh: 5V2.4A/9V2.22A 20W (Max) Type-C: 5V3A/9V2A/12V1.5A 18W (Max) (Charge supports FCP, AFC, SCP and PD protocols) Material and Technology : V0 Battery Capacity:20000mAh Rated Capacity:12000mAh(5V-3A)
Black	0.733	24	24	6954851207627	Real Capacity:20000mAh/3.7V/74Wh Gross Battery Power:74Wh Gross Input:45W Input Voltage:TYPE-C1/C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A Output Voltage:TYPE-C1/C2 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A Material and Technology : V1
Blue	0.645	30	30	6954851214557	Battery Capacity: 25200mAh(4200mAh*6) Real Capacity Rate Power:25200mAh(4200mAh*6)/3.6V/ 88.56Wh Rated Capacity:15000mAh(5V/3A) Input Voltage: 5V3A、9V3A、12V3A、15V3A、20V5A、28V5A、 140W(Max) Output Voltage:Type-C1/C2 :5V3A、9V3A、12V3A、15V3A、20V5A、 Material and Technology (fireproof): V0
White	0.185	44	44	6954851214984	Battery Capacity: 10000mAh Rated Capacity: 5800 (5V-3A) Real Capacity Rate Power: 3.85V/38Wh Input Voltage: Type-C:5V== 3A 9V== 3A 12V== 2.5A 15V== 2A 30W(Max) Output Voltage: Type-C:5V-3A 9V-3A 12V-2.8A 15V-2A 20V-1.5A 33W(Max) USB Outout:4.5V== 5A 5V== 4.5A 5V== 3A 9V== 2A 12V== 1.5A 22.5W(Max) Material and Technology (fireproof): V0
White	0.400	30	30	6954851215004	Battery Capacity: 20000mAh Rated Capacity: 11600mah (5V-3A) Real Capacity Rate Power: 3.85V/76Wh Input Voltage: Type-C:5V-3A 9V-3A 12V-3A 15V-3A 20V-3A 60W(Max) Output Voltage: Type-C:5V== 3A 9V== 3A 12V== 3A 15V== 3A 20V== 3.25A USB Output:4.5V== 5A 5V== 4.5A 5V== 3A 9V== 2A 12V== 1.5A Gross outout 5V-3A Material and Technology (fireproof): V0
Black	0.347	30	30	6954851214915	Battery Capacity: 20000mAh Rated Capacity: 11000mAh (5V-3A) Real Capacity Rate Power: 3.85V/76Wh Input Voltage: Type-C Input:5V== 3A 9V== 2A 12V== 1.5A 18W(Max) Output Voltage: Type-C Output:5V== 3A 9V== 2.22A 12V== 1.67A 20W(Max) USB Output:4.5V== 5A 5V== 4.5A 5V== 3A 9V== 2A 12V== 1.5A 22.5W(Max) Material and Technology :Material and Technology
White	0.347	30	30	6954851214922	Battery Capacity:20000mAh Rated Capacity:10500mAh(5V-3A) Input Voltage:Type-C: 5V-3A/9V-2A/12V-1.5A 18W(Max) Output Voltage:USB1/USB2: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)
White	0.23	72	72	6954851220589	
Black	0.23	72	72	6954851220480	
Blue	0.23	72	72	6954851220626	

21	REMAX Yadrea Series 20W+22.5W PD+QC Fast Charging Power Bank 20000mAh RPP-667		Purple	0.23	72	72	6954851220664	Type-C port output: 5V-3A/9V-2.22A/12V-1.67A 20W(Max) Total output: 5V-3A(Max) Material and Technology :Material and Technology
			White	0.415	44	44	6954851220732	Battery Capacity:10000mAh Rated Capacity:5200mAh(5V-3A)
			Black	0.415	44	44	6954851220671	Input Voltage:Type-C: 5V-3A/9V-2A/12V-1.5A 18W(Max) Output Voltage: USB1/USB2: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)
			Blue	0.415	44	44	6954851220749	Type-C port output: 5V-3A/9V-2.22A/12V-1.67A 20W(Max) Total output: Total output: 5V-3A(Max) Material and Technology (fireproof):ABS V1
			Purple	0.415	44	44	6954851220756	Battery Capacity:10000mAh/3.7V/37Wh (5000mAh*2) Rated Capacity Rate Power:5000mAh (5V-3A) Gross Battery Power:37Wh
New	REMAX Container Series 20W+22.5W Outdoor Power Bank with Light 10000mAh RPP-673		Silver	0.223	42	42	6954851236382	Input Voltage:Type-C 5V3A/9V2A/12V1.5A 18W(Max) Gross Input: 18W(Max) Output Voltage: Type-C 5V3A/9V 2.22A/12V1.67A 20W (Max) USB Output: 5V/4.5A 9V/2A 12V/1.5A 22.5W (Max) Material and Technology (fireproof):ABS V1
			Silver	0.391	30	30	6954851236399	Battery Capacity:20000mAh (5000mAh*4) 3.7V Rated Capacity Rate Power:12000mAh (5V-3A) Gross Battery Power:74Wh Input Voltage:Type-C 5V3A/9V2A/12V1.5A 18W (Max) Gross Input: 18W(Max) Output Voltage: Type-C 5V3A/9V 2.22A/12V1.67A 20W (Max) USB Output: USB-A 5V/4.5A 9V/2A 12V/1.5A 22.5W (Max) Material: ABC+PC+VO
			Green	1.275	12	12	6954851214670	Battery Capacity:60000mAh Rated Capacity:5V/2A 36000mAh 133.3Wh Input Voltagl: ype-C port supports QC2.0/QC3.0/FCP/AFC/SFCP/PE1.1/PE2.0/PD2.0/PD3.0 fast input.
			Gray	1.275	12	12	6954851214687	Type- C-1 port supports 5V-2.4A/9V-2A/12V-1.5A (18W) input. Type-C-2 port supports 5V-2.4A/9V-2A/12V-1.5A (18W) input. Gross Input:Single port output 5V/2.4A 9V/2A 12V/1.5A (18W MAX) Material and Technology :V1
			White	0.115	108	108	6954851213772	Battery Capacity:5000mAh Rated Capacity:2500mAh(5V-2A) Input Voltage: 5V-2A 10W Gross Input:5V-2A 10W
Hot	Capsule series 2A 1Ph Emergency Direct Charging Power Bank 5000mAh RPP-633		Gray	0.115	108	108	6954851213789	Output Voltage 5V/2A Gross Output 5V/2A 10W Input Type/Quantity:Type-c*1 Material: V1
			Pink	0.115	108	108	6954851213796	put Voltage and Current: 5V-2A 10W Gross Input:5V-2A 10W Output Voltage 5V/2A
			Blue	0.115	108	108	6954851213802	Total Output: 5V-3A (Max) Gross Output: 5V/2A 10W Input Type/Quantity : Type-c/1
			White	0.115	108	108	6954851213727	Output Tpe/Quantity:TYPE-C port/1PC Material: V1+PC Real Capacity: 40000mAh Rated Capacity:20000mAh (5V-3A)
			Gray	0.115	108	108	6954851213765	Input Voltagl: TypeC1: 5V/2.6A, 9V/2A,12V/1.5A 18W max TypeC2:5V-2.6A 9V-2A 12V-1.5A 18W(Max) Gross Input:18W max
Hot	Capsule series 2A Type-C Emergency Direct Charging Power Bank 5000mAh RPP-632		Pink	0.115	108	108	6954851213734	Output Voltage 5V/2A Total Output: 5V-3A (Max) Gross Output: 5V/2A 10W Input Type/Quantity : Type-c/1
			Purple	0.115	108	108	6954851213741	Output Tpe/Quantity:TYPE-C port/1PC Material: V1+PC Real Capacity: 40000mAh Rated Capacity:20000mAh (5V-3A)
			Blue	0.115	108	108	6954851213758	Input Voltagl: TypeC1: 5V/2.6A, 9V/2A,12V/1.5A 18W max TypeC2:5V-2.6A 9V-2A 12V-1.5A 18W(Max) Gross Input:18W max
			White	0.925	20	20	6954851210863	Output Voltage:TypeC1:5V/3A 9V/2.2A /12V/1.67A (Max) 20W TpeC2: 5V/3A 9V/2.2A /12V/1.67A (Max) 20W Material: V1+PC
			Yellow	0.925	20	20	6954851210870	Input Voltagl: Type: 5V3A 9V2A Output Voltage:USB: 5V4.5A 4.5V5A 5V3A 9V2A 12V1.5A Type-C: 5V3A 9V2.22A 12V1.67A
Hot	REMAX Fluorite Series 20W+22.5W PD+QC Outdoor Colorful LED Fast Charging Power Bank 40000mAh RPP-596		Gray	0.925	20	20	6954851210856	Gross output: 5V3A (max) Input Type/Quantity:Type-C Output Type/Quantity:Type-c+USB/ 1.Minimalist design lightweight and nortable ideal for traveling Material: ABS VO Real Capacity: 10000mAh Rated Capacity:5000mAh (5V-3A)
			White	0.264	56	56	6954851213468	Input Voltage:Type-C: 5V2.6A/9V2A/12V1.5A, 18W max Supported protocols PD2.0/3.0, AFC, FCP Lightning Input: 5V 2A
			Blue	0.264	56	56	6954851213475	Output Voltage: Type-C output 5V 2.4A/9V 2.2A/12V1.67A 20W max FCP AFC QC2.0 QC3.0 PD2.0 PD3.0
			Gray	0.264	56	56	6954851213451	
			White	0.225	41	41	6954851213550	
15	REMAX Resion Series 20W+22.5W PD+QC Fast Charging Power Bank 10000mAh RPP-616		Grey	0.225	41	41	6954851213543	
			Yellow	0.225	41	41	6954851213574	
			Green	0.225	41	41	6954851213581	
			Purple	0.225	41	41	6954851213598	
			Pink	0.225	41	41	6954851213567	

Hot	14	REMAX Cynlle Series PD 20W+QC 22.5W Fast Charging Power Bank 10000mAh RPP-622				Black	0.266	72	72	6954851212553	Material : ABS+PC V0(fireproof) Input Voltage: Type-C: 5V-3A/9V-2A/12V-1.5A Output Voltage: USB1/USB2: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A
			White	0.266	72	72	6954851212560	22.5W(Max)			
			Purple	0.266	72	72	6954851212584	Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W(Max) The Type-C port supports two-way fast charging and PD20W output.			
			Blue	0.266	72	72	6954851212577	Multi-compatible, 22.5W super fast charging, (Huawei P30 Pro/Mate30 super fast charging fully charged in 60min)			
Hot	13	REMAX Cynlle Series PD 20W+QC 22.5W Fast Charging Power Bank 20000mAh RPP-623				Back	0.472	40	40	6954851212607	Material : ABS+PC V0(fireproof) Input Voltage: Type-C: 5V-3A/9V-2A/12V-1.5A Output Voltage: USB1/USB2: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A
			White	0.472	40	40	6954851212614	22.5W (Max)			
			Purple	0.472	40	40	6954851212638	(Type-C port output): 5V-3A/9V-2.22A/12V-1.67A 20W(Max) 1. Large capacity, long battery life			
			Blue	0.472	40	40	6954851212621	2. Multi-compatible, 22.5W super fast charging 3. Type-C port supports two-way fast charging PD20W output			
Hot	12	REMAX Capsule Series 2A IPH Emergency Direct Charging Power Bank 2500mAh RPP-576				Pearl White	0.086	84	84	6954851229834	Material and Technology (fireproof): ABS+PC V0 fireproof Real Capacity Rate Power:2500/3.7V/9.25Wh Input Voltage:Type-C input: 5V-3
			Pearl Blue	0.086	84	84	6954851230632	Output Voltage: Lightning port output: 5V-3A Total output: 5V= 2.1A (Max)			
			Pearl Green	0.086	84	84	6954851230489	Input Type/Quantity:Type-C*1 Output Type/Quantity:Lightning port *1			
			Pearl Black	0.086	84	84	6954851229827	1. Simple appearance, light and portable, easy to carry; Material and Technology (fireproof): ABS+PC V0 fireproof Real Capacity Rate Power:2500/3.7V/9.25Wh			
Hot	11	REMAX Capsule Series 2A Type-C Emergency Direct Charging Power Bank 2500mAh RPP-575				Pearl white	0.086	84	84	6954851229780	Output Voltage: TYPE-C port output:5V-3A Total output: 5V-2.1A (Max)
			Pearl Blue	0.086	84	84	6954851229810	Input Type/Quantity:Type-C*1			
			Pearl Green	0.086	84	84	6954851229803	Output Type/Quantity:Type-C port *1 1. Simple appearance, light and portable, easy to carry;			
			Pearl Black	0.086	84	84	6954851229773	2. Support 5V3A fast charging; Material and Technology (fireproof):ABS+PC V0 fireproof Real Capacity Rate Power:10000mAh/3.7V/37Wh			
Hot	10	REMAX Cybo Series PD 20W+QC 22.5W Punk-Style Fast Charging Power Bank 10000mAh RPP-570				Pearl Purple	0.086	84	84	6954851229797	2. Support 5V3A fast charging; Material and Technology (fireproof):ABS+PC V0 fireproof Real Capacity Rate Power:10000mAh/3.7V/37Wh
			Gray	0.245	72	72	6954851205890	Input Voltage:Type-C input: 5V-3A/9V-2A/12V-1.5A 18W(Max) IPH input: 5V-2A/9V-2A/12V-1.5A 18W(Max) Micro input: 5V-2A/9V-2A/12V-1.5A 18W(Max)			
			Blue	0.245	72	72	6954851205692	Output Voltage:USB1/USB2 output: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Type-C output: 5V-3A/9V-2.22A/12V-1.67A 20W(Max)			
			Green	0.260	40	40	6954851228233	Material: ABS +PC V0 fireproof Real Capacity: 10000mAh/3.7V/37Wh Input Voltage: IPH input DC5V-2.5A/9V-2.0A/12V-1.5A			
Hot	9	REMAX Mini Radio Shape PD 20W+QC 22.5W Fast Charging Power Bank 10000mAh RPP-209				Blue	0.260	40	40	6954851228257	Type-C input:DC5V-2.5A/9V-2.0A/12V-1.5A(supported protocols: QC2.0/3.0、FCP、AFC) Output Voltage: Type-C output DC5V-3.0A/9V-2.23A/12V-1.67A
			White	0.260	40	40	6954851228240	USB output:DC5V-4.5A/5V-3.0A/9V-2.0A/12V-1.5A(supported protocols: QC2.0/3.0、FCP、AFC、VOOC) Total output: 5V-3A Material and Technology(fireproof) :ABS+PC V1 Rated Capacity Rate Power:10000mAh/3.7V/37Wh			
			Blue	0.222	60	60	6954851205715	Input Voltage:Type-C: 5V-3A/9V-2A/12V-1.5A 18W(Max) Micro: 5V-2A/9V-2A/12V-1.5A 18W(Max) Output Voltage:USB: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)			
			White	0.260	40	40	6954851228240	Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W (Max) Total output: 5V-3A (Max) Material : V1 TYPE-C1 Input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A TYPE-C1 Output : 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A (
New	8	REMAX Explore Series PD 20W+QC 22.5W Fast Charging Power Bank 10000mAh RPP-551				Blue	0.222	60	60	6954851205715	TYPE-C2 Output: 5V/2.4A,9V/2A,12V/1.5A (QC2.0 QC3.0) Supports multiple fast charging protocols, like PD2.0, PD3.0, QC2.0, QC3.0, AFC, FCP, SCP, 2.4A, BC1.2. High-power output, C1 supports PD 65W two-way fast charge, and the USB port super fast charging. Material and Technology (fireproof):ABS+PC V0 Battery Capacity:60000mAh (22.2V/222WH) Real Capacity: (10000*6) 60000mAh Rated Capacity Rate Power:33000mAh (5V3A) Input Voltage:TYPE-C1: 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-5A 100W(Max)
			White	0.967	21	21	6954851200079	Output Voltage:TYPE-C1: 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-5A 100W(Max) Output Voltage:USB-A: 5V-3A, 9V-2A, 10V-2.25A(SCP),12V-1.5A 22.5W(Max) protocol: (QC2.0/QC3.0/AFC/FCP/SCP/APPLE2.4A/DCP1.5A) Material and Technology (fireproof):ABS+PC V0 fireproof Real Capacity Rate Power:10000mAh/3.7V/37Wh			
			White	1.45	12	12	6954851236375				
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 65W PD+QC Fast Charging Power Bank 40000mAh RPP-310				White	0.967	21	21	6954851200079	
			White	1.45	12	12	6954851236375				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White	1.45	12	12	6954851236375	
			White	0.272	48	48	6954851201922				
Hot	8	REMAX Dinba Series 100W PD+QC Fast Charging Power Bank 60000mAh RPP-650				White					

COST-EFFECTIV

Hot

REMAX Bole Series PD20W+QC22.5W Fast Charging Power Bank 10000mAh RPP-520



REMAX Bole Series PD20W+QC22.5W Fast Charging Power Bank 20000mAh RPP-521



REMAX Bole Series PD20W+QC22.5W Fast Charging Power Bank 30000mAh RPP-522



REMAX Noah Series PD20W+QC22.5W Fast Charging Power Bank 20000mAh RPP-316



REMAX Noah Series PD20W+QC22.5W Fast Charging Power Bank 30000mAh RPP-506



REMAX Hunch Series PD20W+QC18W Fast Charging Power Bank 10000mAh RPP-502



REMAX Chinen Series PD20W+QC22.5W Fast Charging Power Bank with LED Light 30000mAh RPP-320



REMAX Chinen Series PD20W+QC22.5W Fast Charging Power Bank with LED Light 50000mAh RPP-321



REMAX Chinen Series PD20W+QC22.5W Multi-compatible Fast Charging Power Bank with LED Light 80000mAh RPP-291



REMAX Gallop Series PD20W+QC22.5W Fast Charging Power



Blue	0.272	48	48	6954851201939	Input Voltage:Type-C: 5V-3A/9V-2A/12V-1.5A 18W(Max) Micro: 5V-3A/9V-2A/12V-1.5A 18W(Max)
Green	0.272	48	48	6954851201946	Type-C:QC2.0/QC3.0/FCP/AFC/SFCP/PE1.1/PE2.0/PD2.0/PD3.0 Micro:QC2.0/QC3.0/FCP/AFC/SFCP/PE1.1/PE2.0
Pink	0.272	48	48	6954851201953	Output Voltage:USB 1/2: 4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Material and Technology (fireproof): ABS+PC V0 fireproof Real Capacity/Rate Power:20000mAh/3.7V/6.84Wh
White	0.472	32	32	6954851201960	Input Voltage:Type-C: 5V-3A/9V-2A/12V-1.5A 18W(Max) Micro: 5V-3A/9V-2A/12V-1.5A 18W(Max)
Blue	0.472	32	32	6954851206521	Type-C:QC2.0/QC3.0/FCP/AFC/SFCP/PE1.1/PE2.0/PD2.0/PD3.0 Micro:QC2.0/QC3.0/FCP/AFC/SFCP/PE1.1/PE2.0
Green	0.472	32	32	6954851206514	Output Voltage:USB 1/2: 4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max) Material and Technology (fireproof):ABS+PC V0 fireproof Real Capacity/Rate Power:30000mAh/3.7V/111Wh
Pink	0.472	32	32	6954851206538	Input Voltage:Type-C: 5V-3A/9V-2A/12V-1.5A 18W(Max) Micro: 5V-3A/9V-2A/12V-1.5A 18W(Max)
White	0.681	24	24	6954851201854	Type-C:QC2.0/QC3.0/FCP/AFC/SFCP/PE1.1/PE2.0/PD2.0/PD3.0 Output Voltage:USB 1/2: 4.5V-5.0A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)
Blue	0.681	24	24	6954851201861	Material : ABS+PC V0 fireproof Type-C Input Voltage: 5V/3A, 9V/2A, 12V/1.5A Micro Input Voltage: 5V/2A, 9V/2A, 12V/1.5A
Blue	0.461	36	36	6954851233503	USB Output Voltage: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max)
White	0.461	36	36	6954851233541	TYPE-C Output Voltage : 5V-3A/9V-2.22A/12-1.67A 20W(Max) QC22.5W+PD20W super fast charging PD two-way fast charge. 2 fast inouts and 2 fast outouts Material : ABS+PC V0 fireproof
Blue	0.659	24	24	6954851244424	Type-C Input Voltage: 5V/3A, 9V/2A, 12V/1.5A Micro Input Voltage: 5V/2A, 9V/2A, 12V/1.5A USB Output Voltage: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)
White	0.659	24	24	6954851244417	TYPE-C Output Voltage : 5V-3A/9V-2.22A/12-1.67A 20W(Max) QC22.5W+PD20W super fast charging PD two-way fast charge 2 fast inouts and 2 fast outouts Material : ABS+PC
White	0.320	48	48	6954851200840	Type-C Input : DC5V/3A, DC9V/2A: 12V/1.5A Lightning Input : DC5V/2A, USB Output: DC5V3A, DC9V/2A, DC12V/1.5A: Type-C Output: DC5V/3A, DC9V/2.22A, DC12V/1.67A
Black	0.320	48	48	6954851200833	Input Type/Quantity: Type-C*1 Lightning*1 Output Type/Quantity: USB*1 Lightning*1 Simple and stylish lightweight portability. Material: ABS+PC
Blue	0.680	24	24	6954851243052	Type-C Input: 5V-3A/9V-2.A 18W(Max) MicroInput : 5V-2A/9V-2A 18W(Max)
White	0.680	24	24	6954851243045	USB1/USB2 Output: 5V-4.5A/4.5V-5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Type-C Output : 5V-3A/9V-2.22A/12V-1.67A 20W(Max) Output: 5V-4.5A(Max)
Black	0.680	24	24	/	Input Tvoe/Quantitv: Tvoe-C*1 Micro*1 Material: ABS+PC
Black	1.077	17	17	6954851208730	Type-C Input: 5V-3A/9V-2.A 18W(Max) MicroInput : 5V-2A/9V-2A 18W(Max)
Blue	1.077	17	17	6954851243038	USB1/USB2 Output: 5V-4.5A/4.5V-5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max) Type-C Output : 5V-3A/9V-2.22A/12V-1.67A 20W (Max)
White	1.077	17	17	6954851243021	Output: 5V-4.5A (Max) Input Tvoe/Quantitv: Tvoe-C*1 Micro*1 Material : ABS
White	1.818	8	8	6954851240020	Input Voltage: Type-c/Micro/IPH:5V-3A/9V-2A/12V-1.5A 18W(Max) Gross Output: 18W Output Voltage: USB2-4:5V-3A USB1:4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Input Type/Quantity: Input:Micro/Type-C/iphone Output Type/Quantity: Output: 4 USB+Type-c Laree caoactiv. multiole outout ports. fast chargeine. Material: ABS+fireproof PC
White	0.478	30	30	6954851211549	Type-C Input : DC5V/3A, DC9V/2A DC12V/1.5A: Lightning/Micro Input : DC5V/2A,DC9V/2A USB1Output : DC4.5V/5A, DC5V/4.5A, DC5V3A, DC9V/2A,










2	Bank 2000mAh RPP-292				Blue	0.478	30	30	6954851200789	DC12V/1.5A; USB2/3Output 5V/3A; Type-COutput : DC5V/3A、DC9V/2.22A、DC12V/1.67A Supports various fast charging protocols: PPS, PD3.0, PD2.0, FCP, SCP, Material: ABS+PC V0 fireproof
	REMAX Kiren Series PD20W+QC22.5W Multi-compatible Fast Charging Power Bank 10000mAh RPP-293				Black	0.258	72	72	6954851241577	Input Voltage: Type-C: 5V-3A/9V-2A/12-1.5A Micro: 5V-2A/9V-2A/12-1.5A
2	REMAX Kiren Series PD20W+QC22.5W Fast Charging Power Bank 2000mAh RPP-180				Purple	0.258	72	72	6954851229698	Output Voltage: USB1/USB2: 5V-4.5A/4.5V-5A/5V-3A/9V-2A/12V-1.5A 22.5W(Max) Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W(Max) Over Output : 5V-3A(Max)
	REMAX Kiren Series PD20W+QC22.5W Fast Charging Power Bank 2000mAh RPP-180				Blue	0.258	72	72	6954851241577	Input Type/Quantity: type-c*1Micro*1 Material and Technology (fireproof) ABS+PC+V0 fireproof materials
2	REMAX Kingkong II QC 22.5W + PD 18W Multi-compatible Power Bank 10000mAh RPP-201				Blue	0.470	32	32	6954851226345	Output Voltage USB1 /5v/ 4.5A /4.5v/ 5A/ 5v/ 3A/9v/2A/12v/1.5 (22.5W) USB2/5v/4.5A/4.5v/5A/5v/3A/9v/2A/12v/1.5 (22.5W) TPC/5V/3A/9V/2.22A/12/1.67A (20W)
	REMAX Kingkong II QC 22.5W + PD 18W Multi-compatible Power Bank 2000mAh RPP-129				Black	0.470	32	32	6954851230816	USB1+USB2+TPC=22.5W(5V/4.5A/4.5V/5A) (22.5w) Both USB ports support 22.5W, Huawei SCP/oppo VOOC; C port supports 20W fast charge and other protocols.
2	REMAX Kingkong II QC 22.5W + PD 18W Multi-compatible Power Bank 2000mAh RPP-129				White	0.470	32	32	6954851226338	C port supports 20W output. Material and Technology ABS+PC+Fireproof V0+Aluminum alloy USB2/5v/4.5A/4.5v/5A/5v/3A/9v/2A/12v/1.5 (22.5W) TPC/5V/3A/9V/2A/12/1.5A (18W)
	REMAX Kingkong II QC 22.5W + PD 18W Multi-compatible Power Bank 2000mAh RPP-129				Green	0.287	60	60	6954851241348	Power digital display Support multi protocols Compact as a palm size, more portable. CTN G.W.:17.85KG
1	REMAX Tape QC 22.5W + PD 18W Fast Charging Power Bank 10000mAh RPP-158				Grey	0.287	60	60	6954851241324	Material: ABS+PC+Fireproof V0+Aluminum alloy USB2/5v/4.5A/4.5v/5A/5v/3A/9v/2A/12v/1.5(22.5W) USB1+USB2+TPC=22.5W(5V/4.5A/4.5V/5A) (22.5w) With display screen Support multi-protocols CTN G.W.: 17.75KG; CTN SIZE: 32*39*19cm
	REMAX Tape QC 22.5W + PD 18W Fast Charging Power Bank 10000mAh RPP-158				Green	0.480	36	36	6954851241317	Material:ABS+PC fireproof material (V0 grade) Real Capacity: 10000mAh/3.8V Input: Micro/Type-C/Lightning:DC5V/9V-2.0A Output: USB1/Type-C DC5V-3A/9V-2.0A USB2:DC5V-4.5A/9V-2.0A Input:Micro*1,Lightning*1,type-c*1 Output:USB*2,Type-c*1 CTN/ G.W.:9.27kg±0.2kg CTN Size:36*32.5*22CM
Hot	REMAX Tape QC 22.5W + PD 18W Fast Charging Power Bank 10000mAh RPP-158				Grey	0.480	36	36	6954851241294	
1	REMAX Tape QC 22.5W + PD 18W Fast Charging Power Bank 10000mAh RPP-158				Black	0.255	36	36	6972174154848	

Fast Charging Magnetic or Suction-Cup Wireless Power Bank (9 Models)

9	REMAX Vocard Series 20W Magnetic Wireless Charging Power Bank 5000mAh RPP-2				Gray	0.203	66	66	6954851236986	Material and Technology (fireproof):V0 Battery Capacity:5000mAh/3.85V
					Blue	0.203	66	66	6954851236955	Rated Capacity Rate Power:3000mAh (5V/2A) ≥13.5Wh Real Capacity 5000mAh
8	REMAX Magneto Series 5-in-1 Folding Holder Wireless Charging Power Bank 10000mAh RPP-589				Green	0.203	66	66	6954851236962	Gross Battery Power:19.25Wh Input Voltage:Type-C: 5V/3A; 9V/2A; 18W(Max) Gross Input:18W
					Purple	0.203	66	66	6954851236979	Output Voltage:Type-C: 5V/3A; 9V/2.22A; 12V/1.67A 20W(Max) Material and Technology (fireproof):ABS+PC V0
7	REMAX Resion Series 20W+22.5W PD+QC Magnetic Wireless Charging Power Bank 10000mAh RPP-615				Green	0.381	22	22	6954851216933	Battery: lithium polymer/lithium battery:Lithium Polymer Battery Capacity:10000mAh Rated Capacity Rate Power:6000mAh (5V-3A) Input Voltage:Type C Input: 5V2.5A 9V2A 12V1.5A
					Gray	0.381	22	22	6954851216940	Micro Input: 5V2A 9V2A 12V1.5A Gross Input: 18W
7	REMAX Resion Series 20W+22.5W PD+QC Magnetic Wireless Charging Power Bank 10000mAh RPP-615				White	0.233	60	60	6954851213345	Output Voltage: Type C: 5V2.4A 9V2.22A 12V1.67A Material and Technology:V1+PC Battery Capacity:10000mAh
					Gray	0.233	60	60	6954851213338	Rated Capacity:5200mAh (5V3A) Input Voltage: Type-C: 5V3A 9V2A
					Blue	0.233	60	60	6954851213352	Output Voltage: USB A : 5V4.5A 4.5V5A 5V3A 9V2A 12V1.5A Type-C output: 5V3A 9V2.22A 12V1.67A
					Yellow	0.233	60	60	6954851213369	Wireless charging output: 5W 7.5W 10W 15W Total output: 5V3A(max)

Hot	6	REMAX Walking Series PD20W+QC22.5W Cyberpunk Magnetic Wireless Charging Power Bank 10000mAh RPP-558				Black/Blue	0.329	36	36	6954851205746	Material and Technology :VO ABS Lightning: 5V 2A Type-C: 5V3A/9V2A/12V1.5A 18W(Max) Lightning input: 5V 2A Type-C input: 5V3A/9V2A/12V1.5A 18W(Max) Output Voltage:Type-C: 5V3A/9V 2.22A/12V 1.67A 20W(Max) USB-A: 5V4.5A/9V2.2A/12V1.67A 22.5W(Max) Total output: 5V-3A(Max) Material and Technology (fireproof):ABS V0
	5	REMAX Potent Series PD20W+QC22.5W Suction-Cup Wireless Fast Charging Power Bank with Color Display 10000mAh RPP-539				Mousse White	0.213	69	69	6954851203414	Gross Battery Power:38.2Wh Gross Input:18W max Input Voltage:Type-C: 5V3A/9V2A/12V1.5A 18W(Max) Gross Output 5V-3A(Max) Output Voltage:Type-C: 5V3A/9V2.22A/12V1.67A 20W(Max) USB-A: 5V4.5A/9V2.2A/12V1.67A 20W(Max)
	4	REMAX Yantor Series PD 20W+QC 22.5W Magnetic Wireless Fast Charging Power Bank with Color Display 10000mAh RPP-525				Sierra Blue	0.213	69	69	6954851203438	Input Type/Quantity:Type-C*1 Material and Technology :ABS Input Voltage:Type-C 5V3A/9V2A/12V1.5A 18W(Max) Gross Input: 18W (Max) Output Voltage:USB : 5V4.5A/9V2.2A/12V1.67A 22.5W(Max) TYPE-C: 5V3A/9V2.22A/12V1.67A 20W(Max) Total output:5V-3A (Max)
	3	REMAX Fantasy Series PD20W +QC22.5 Magnetic Wireless Fast Charging Power Bank 5000mAh RPP-509				White	0.275	38	38	6954851202325	Input Type/Quantity:Type-C*1 Material and Technology :ABS Input Voltage:Type-C 5V3A/9V2A/12V1.5A 18W(Max) Gross Input: 18W (Max) Output Voltage:USB : 5V4.5A/9V2.2A/12V1.67A 22.5W(Max) TYPE-C: 5V3A/9V2.22A/12V1.67A 20W(Max) Total output:5V-3A (Max)
	2	REMAX Aurora Series PD 20W+QC 22.5W Magnetic Wireless Fast Charging Power Bank 10000mAh RPP-531				Black	0.157	76	76	6954851206545	Output Type/Quantity:Type-C *1 Material : ABS Rated Capacity Rate Power:2800mAh(5V-2A) Input Voltage: Type-C:5V-2.6A/9V-2A/12V-1.5A 18W(Max) Output Voltage: Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W(max) Gross Input: 18W(max) Total output: 5V-3A(Max) Gross Battery Power: 19.25wh Input Type/Quantity:Type-C*1 Material and Technology :ABS+PC V0 fireproof Rate Power:3.8V/38Wh Input Voltage:IPH: 5V-2A/9V-2A/12V-1.5A Type-C: 5V-3A/9V-2A/12V-1.5A Output Voltage:USB: 5V-4.5A/4.5V-5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max)
	1	REMAX Usion Series PD 20W Magnetic Wireless Fast Charging Power Bank 10000mAh RPP-65				Purple	0.289	40	40	6954851203032	Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W (Max) Wireless Charging: 5V-1A(5W)/5V-1.5A(7.5W)/9V-1.12A(10W)/9V- Material : VO Gross Battery Power:37W Gross Input amd Gross Output : 20W Input Voltage: 5V3.0A/9V2.23A/12V1.67A Output Voltage: PD 5V3A/9V2.23A/12V1.67A Wireless Charging: 5W 7.5W 10W 15W Original appearance design, smooth feel and large capacity PD20W, 15W wireless output CTN G W :12.66kg+0.2 Kg
	Hot					Blue	0.289	40	40	6954851203049	Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W (Max) Wireless Charging: 5V-1A(5W)/5V-1.5A(7.5W)/9V-1.12A(10W)/9V- Material : VO Gross Battery Power:37W Gross Input amd Gross Output : 20W Input Voltage: 5V3.0A/9V2.23A/12V1.67A Output Voltage: PD 5V3A/9V2.23A/12V1.67A Wireless Charging: 5W 7.5W 10W 15W Original appearance design, smooth feel and large capacity PD20W, 15W wireless output CTN G W :12.66kg+0.2 Kg
	Hot					White	0.208	60	60	6954851257110	Wireless Charging: 5W 7.5W 10W 15W Original appearance design, smooth feel and large capacity PD20W, 15W wireless output CTN G W :12.66kg+0.2 Kg
						Pink	0.208	60	60	6954851243397	Wireless Charging: 5W 7.5W 10W 15W Original appearance design, smooth feel and large capacity PD20W, 15W wireless output CTN G W :12.66kg+0.2 Kg
						Purple	0.208	60	60	6954851243403	Wireless Charging: 5W 7.5W 10W 15W Original appearance design, smooth feel and large capacity PD20W, 15W wireless output CTN G W :12.66kg+0.2 Kg
						Blue	0.208	60	60	6954851243434	Wireless Charging: 5W 7.5W 10W 15W Original appearance design, smooth feel and large capacity PD20W, 15W wireless output CTN G W :12.66kg+0.2 Kg

Fast Charging Cabled Power Bank with Wall Charger (9 Models)

New	9	REMAX Boundless Series 20W+22.5W iPH Cabled Fast Charging Power Bank(Charger) 10000mAh RPP-36				Black	0.265	28	28	6954851215905	Material: ABS+PC (V1) Battery Capacity: 4800mAh*2 Real Capacity:10000mAh(nominal) 37Wh 9600mAh (rated) 3.7V/35.52Wh
						White	0.265	28	28	6954851215912	Rated Capacity Rate Power:5500mAh(5V2.4A) Input Voltage:adapter mode: 100-240V/AC,50/60Hz,0.3A (Max) power bank mode): TYPE-C input: 5V-2.5A 9V-2A 12V-1.5A 18W(Max) Output Voltage adapter mode:USB-A output: 5V-2A (Max) Material and Technology (fireproof): ABS+PC (V1)
						Purple	0.265	28	28	6954851215882	Battery Capacity: 4800mAh*2 Real Capacity:10000mAh(nominal) 37Wh 9600mAh (rated) 3.7V/35.52Wh
	8	REMAX Boundless Series 20W+22.5W TYPE-C Cabled Fast Charging Power Bank(Charger) 10000mAh RPP-35				Blue	0.265	28	28	6954851215899	Rated Capacity Rate Power:5500mAh(5V2.4A) Input Voltage:adapter mode: 100-240V/AC,50/60Hz,0.3A (Max) power bank mode):TYPE-C input: 5V-2.5A 9V-2A 12V-1.5A 18W (Max) Material and Technology: V1
						Black	0.265	28	28	6954851215806	Battery Capacity: 4800mAh*2 Real Capacity:10000mAh(nominal) 37Wh 9600mAh (rated) 3.7V/35.52Wh
						White	0.265	28	28	6954851215875	Rated Capacity Rate Power:5500mAh(5V2.4A) Input Voltage:adapter mode: 100-240V/AC,50/60Hz,0.3A (Max) power bank mode):TYPE-C input: 5V-2.5A 9V-2A 12V-1.5A 18W (Max) Material and Technology: V1
	8	REMAX Boundless Series 22.5W Type-C Cabled Fast Charging Power Bank/Adapter/Holder 5000mAh RPP- 627				Purple	0.265	28	28	6954851215929	Battery Capacity: 5000mAh Real Capacity: 5000mAh/3.6V/18Wh Rated Capacity Rate Power: 2880mAh (5V-2A) Input Voltage: Adapter mode: AC input:100~240VAC,50/60Hz; 0.3A Max Power bank mode: Type-C port input: 5V/2.5A, 9V/2A 12V1.5A 18W Output Voltage: Adapter mode: Type-C cable output: 5V/2A; Type-C port output: 5V/2A Total output: 5V/2A Max (no protocol, fixed at 5V/2A)
						Blue	0.265	28	28	6954851215936	Rated Capacity Rate Power:5500mAh(5V2.4A) Input Voltage:adapter mode: 100-240V/AC,50/60Hz,0.3A (Max) power bank mode):TYPE-C input: 5V-2.5A 9V-2A 12V-1.5A 18W (Max) Material and Technology: V1
						Silvery-white	0.24	36	36	6954851217671	Battery Capacity: 5000mAh Real Capacity: 5000mAh/3.6V/18Wh Rated Capacity Rate Power: 2880mAh (5V-2A) Input Voltage: Adapter mode: AC input:100~240VAC,50/60Hz; 0.3A Max Power bank mode: Type-C port input: 5V/2.5A, 9V/2A 12V1.5A 18W Output Voltage: Adapter mode: Type-C cable output: 5V/2A; Type-C port output: 5V/2A Total output: 5V/2A Max (no protocol, fixed at 5V/2A)
					Inky	0.24	36	36	6954851217688	Battery Capacity: 5000mAh Real Capacity: 5000mAh/3.6V/18Wh Rated Capacity Rate Power: 2880mAh (5V-2A) Input Voltage: Adapter mode: AC input:100~240VAC,50/60Hz; 0.3A Max Power bank mode: Type-C port input: 5V/2.5A, 9V/2A 12V1.5A 18W Output Voltage: Adapter mode: Type-C cable output: 5V/2A; Type-C port output: 5V/2A Total output: 5V/2A Max (no protocol, fixed at 5V/2A)	

New







Hot

Hot




New

Hot

7	REMAX Boundless Series 20W iPh Cabled Fast Charging Power Bank/Adapter/Holder 5000mAh RPP-628			Silvery-white	0.24	36	36	6954851217695	Material and Technology : V1 Battery Capacity: 5000mAh Real Capacity: 5000mAh/3.6V/18Wh Rated Capacity Rate Power: 2880mAh (5V-2A) Input Voltage: Adapter mode: AC input: 100~240VAC.50/60Hz;0.3A Max Power bank mode: Type-C port input: 5V/2.5A, 9V/2A 12V1.5A 18W (Max) Output Voltage: Power Bank Mode: Type-C Port Output: 5V/3A, 9V/2.2A, 12V/1.67A, 20W(Max) (Compatible protocols: QC2.0, QC3.0, Material: ABS+PC V1 fireproof
6	REMAX Boundless Series PD 45W+QC 22.5W Cabled Fast Charging Digital Display Power Bank RPP-588 15000mAh (Support charging laptops)			Inky	0.24	36	36	6954851217701	Real Capacity: 15000mAh Input Voltage: AC input: 100~240V,Max (5V/2.4A fixed) Type-C cable input and output: 5V/3A, 9V/3A, 12V/3A, 15V/3A 20V/2.25A Output Voltage: Charger mode: Type-C cable output: 5V/2.4A Lightning cable output: 5V/2.4A
5	Infinity 5 Series PD 20W+QC 22.5W Magnetic Wireless Charger Power Bank(Adapter) with 2 Fast Charging Cables 10000mAh RPP-621			Black	0.332	24	24	6954851212973	Real Capacity: 15000mAh Input Voltage: AC input: 100~240V,Max (5V/2.4A fixed) Type-C cable input and output: 5V/3A, 9V/3A, 12V/3A, 15V/3A 20V/2.25A Output Voltage: Charger mode: Type-C cable output: 5V/2.4A Lightning cable output: 5V/2.4A
4	REMAX Boundless Series PD 27W+QC 22.5W Cabled Fast Charging Power Bank (Charger) 2000mAh RPP-553			White	0.332	24	24	6954851212980	Type-C output: 5V/2.4A Power bank mode: Type-C port output: 5V/2.4A 9V/2A 12V/1.5A 18W Material and Technology : V1 Real Capacity: 10000mAh Rate Power : 6000mAh (5V-3A) Input Voltage: 1.AC mode: CN single-phase plug AC100V-240V, 50/60Hz, 0.3A (Max.) 2. Power bank mode: TYPE-C port input: 5V/2A; 9V/2A (18W Max) compatible protocol (FCP AFC PD2.0 PD3.0) 2. TYPE-C port input: 5V/2A 9V/2A (18W Max) Material and Technology(fireproof) :ABS+PC V1
3	REMAX Janyo Series PD 20W+QC 22.5W Cabled Power Bank with Charger (IPH cable) 5000mAh RPP-157			Purple	0.33	24	24	6954851213642	Real Capacity: Capacity:20000mAh/3.85V/77Wh Input Voltage:AC:100~240V AC.50/60Hz;0.36A Max (5V/2.4A) Type-C 5V/2.4A、9V/2A、12V/1.5A 18W(Max) Gross Input: 18W (Max) Output Voltage:USB :Adapter status:Type-C 5V/2.4A 12W(Max); Lightning:5V/2.4A 12W(Max);Type-C 5V/2.4A 12W(Max) Total output:5V/2.4A(Max) Material and Technology (fireproof):ABS V0+PC Real Capacity Rate Power:5000mAh 18.5Wh Input Voltage:1.AC: 100~240V, 50-60Hz, 0.6A(Max) Charge the power supply:20W (Max) 2.DC Type-C: 5V-3A/9V-2A/12V-1.5A This product does not support same-time AC and DC input. Output Voltage Mobile power output mode: Type-C port: 5V-3A/9V-2.22A/12V-1.67A 20W (Max) Material and Technology (fireproof):ABS V0+PC Input Voltage:1.AC input: 100~240V, 50-60Hz, 0.6A(Max) Charge the power supply 20W (Max) 2. Enter Type-C: 5V-3A/9V-2A/12V-1.5A for DC The AC and DC input to the power supply is not supported This product does not support same-time AC and DC input Output Voltage Mobile power output mode: Cables delivered with Type-C: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A Material and Technology : v0 Battery Capacity:10000mAh Real Capacity Rate Power:3.85V/38.5Wh Rated Capacity:5800mAh (5V-3A) Input Voltage:Adapter mode (10W power when charging the product) AC Input: 100V-240V~50/60Hz 0.6A Power bank mode Type-C input: 5V-3A,9V-2A,12V-1.5A 18W(Max) Output Voltage:Adapter Mode Type-C Output: 5V-2A Material ABS V0 fireproof +PC Output Voltage IPH cable output: 5V-2A Power bank mode: USB1: 4.5v-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max) Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W (Max) Type-C cable output: 5V-3A/9V-2A/12V-1.5A 18W (Max) IPH cable output: 5V-2A Total output: 5V-3A (Max) Real Capacity: 15000mAh Material:ABS+PC (V1) Input: 1.AC100V-240V, 47Hz-63Hz, 0.3A(Max.) 2.TYPE-C: 5V/2.7A 3.1A;9V/1.5A-2.1A (18W MAX) Output:1.Type-C 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) 2.Type-C(w/ cable) 5.0V±0.25V /3A (Max) 3. Lightning(w/ cable) 5.0V±0.25V /2.4A (Max) 4.USB-A 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) Digital Display of remaining capacity
2	REMAX Janyo Series PD 20W+QC 22.5W Cabled Power Bank with Charger (Type-C cable) 5000mAh RPP-516			White	0.17	40	40	6954851202141	Charge the power supply 20W (Max) 2. Enter Type-C: 5V-3A/9V-2A/12V-1.5A for DC The AC and DC input to the power supply is not supported This product does not support same-time AC and DC input Output Voltage Mobile power output mode: Cables delivered with Type-C: 4.5V-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A Material and Technology : v0 Battery Capacity:10000mAh Real Capacity Rate Power:3.85V/38.5Wh Rated Capacity:5800mAh (5V-3A) Input Voltage:Adapter mode (10W power when charging the product) AC Input: 100V-240V~50/60Hz 0.6A Power bank mode Type-C input: 5V-3A,9V-2A,12V-1.5A 18W(Max) Output Voltage:Adapter Mode Type-C Output: 5V-2A Material ABS V0 fireproof +PC Output Voltage IPH cable output: 5V-2A Power bank mode: USB1: 4.5v-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max) Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W (Max) Type-C cable output: 5V-3A/9V-2A/12V-1.5A 18W (Max) IPH cable output: 5V-2A Total output: 5V-3A (Max) Real Capacity: 15000mAh Material:ABS+PC (V1) Input: 1.AC100V-240V, 47Hz-63Hz, 0.3A(Max.) 2.TYPE-C: 5V/2.7A 3.1A;9V/1.5A-2.1A (18W MAX) Output:1.Type-C 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) 2.Type-C(w/ cable) 5.0V±0.25V /3A (Max) 3. Lightning(w/ cable) 5.0V±0.25V /2.4A (Max) 4.USB-A 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) Digital Display of remaining capacity
7	REMAX Trigal Series 20W+22.5W PD+QC Multi-compatible Cabled Charger Power Bank 10000mAh RPP-670			Black	0.27	34	34	6954851220039	Battery Capacity:10000mAh Real Capacity Rate Power:3.85V/38.5Wh Rated Capacity:5800mAh (5V-3A) Input Voltage:Adapter mode (10W power when charging the product) AC Input: 100V-240V~50/60Hz 0.6A Power bank mode Type-C input: 5V-3A,9V-2A,12V-1.5A 18W(Max) Output Voltage:Adapter Mode Type-C Output: 5V-2A Material ABS V0 fireproof +PC Output Voltage IPH cable output: 5V-2A Power bank mode: USB1: 4.5v-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max) Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W (Max) Type-C cable output: 5V-3A/9V-2A/12V-1.5A 18W (Max) IPH cable output: 5V-2A Total output: 5V-3A (Max) Real Capacity: 15000mAh Material:ABS+PC (V1) Input: 1.AC100V-240V, 47Hz-63Hz, 0.3A(Max.) 2.TYPE-C: 5V/2.7A 3.1A;9V/1.5A-2.1A (18W MAX) Output:1.Type-C 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) 2.Type-C(w/ cable) 5.0V±0.25V /3A (Max) 3. Lightning(w/ cable) 5.0V±0.25V /2.4A (Max) 4.USB-A 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) Digital Display of remaining capacity
6	REMAX Trigal Series All-In-One QC 22.5W + PD 20W Multi-Compatible Power Bank 2000mAh RPP-267			White	0.426	32	32	6954851255130	Output Voltage IPH cable output: 5V-2A Power bank mode: USB1: 4.5v-5A/5V-4.5A/5V-3A/9V-2A/12V-1.5A 22.5W (Max) Type-C: 5V-3A/9V-2.22A/12V-1.67A 20W (Max) Type-C cable output: 5V-3A/9V-2A/12V-1.5A 18W (Max) IPH cable output: 5V-2A Total output: 5V-3A (Max) Real Capacity: 15000mAh Material:ABS+PC (V1) Input: 1.AC100V-240V, 47Hz-63Hz, 0.3A(Max.) 2.TYPE-C: 5V/2.7A 3.1A;9V/1.5A-2.1A (18W MAX) Output:1.Type-C 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) 2.Type-C(w/ cable) 5.0V±0.25V /3A (Max) 3. Lightning(w/ cable) 5.0V±0.25V /2.4A (Max) 4.USB-A 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) Digital Display of remaining capacity
5	REMAX Infinity 1 QC 22.5W + PD 18W All-in -one Series Power Bank (with cable/charger/ phone holder) 15000mAh RPP-20			Black	0.480	36	36	6972174152585	Material:ABS+PC (V1) Input: 1.AC100V-240V, 47Hz-63Hz, 0.3A(Max.) 2.TYPE-C: 5V/2.7A 3.1A;9V/1.5A-2.1A (18W MAX) Output:1.Type-C 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) 2.Type-C(w/ cable) 5.0V±0.25V /3A (Max) 3. Lightning(w/ cable) 5.0V±0.25V /2.4A (Max) 4.USB-A 5V/3.0A, 9V/2A, 12V/1.5A;18W(max) Digital Display of remaining capacity

1	REMAX Infinity 2 QC 22.5W + PD 18W Fact Wireless Power Bank (Charger with cable) 10000mAh RPP-145				Blue	0.326	36	36	6954851244356	capacity: 10000mah (37WH) material: ABS+PC 100-240V AC input, 18W max output 2 input 4 output, Type-C*1/AC*1 in, Type-C/USB/Type-C/Lightning/ out CTN/G.W.:12.2KG; CTN/Size:42*33.5*38CMCM
					Green	0.326	36	36	6954851244349	
					Black	0.384	24	24	6954851277743	Material ABS+PC (V1) Input Voltage CN plug: AC100V-240V, 50/60Hz, 0.3A(Max.)
					White	0.384	24	24	6954851277736	type-C port input: 5V/2A;9V/2A (18W max) Charger mode 1.USB-A output 5V/2A(max) 2./Type-C cable output 5V/2A(max) 3.Lightning cable output 5V/2A(max)
	REMAX Infinity Series III All-In-One QC 22.5W + PD 20W Multi-Compatible Digital display Power Bank 15000mAh RPP-276				Purple	0.384	24	24	6954851200932	

Fast Charging Power Bank with Wall Charger (1 Models)

1	REMAX Glory series PD 20W+QC 22.5W Fast Charger Power Bank 10000mAh RPP-532 (without Cabled)				Black	0.272	36	36	6954851209072	Material : ABS+PC V0(fireproof) Input Voltage: Type-C Input DC5V-2.5A/9V-2.0A/12V-1.5A Type-C Input: DC5V-2.5A/9V-2.0A/12V-1.5A Output Voltage: Adapter mode output: Type-C output: DC5V-2.0A USB output: DC5V-2.0A; gross output: Type-C+USB: 5V-2A(Max) Power bank mode output: Type-C output: DC5V-3.0A/9V-2.23A/12V-1.67A USB output: DC5V-5A/5V-3.0A/9V-2.0A/12V-1.5A
					White	0.272	36	36	6954851209089	
					Purple	0.272	36	36	6954851209102	
					Blue	0.272	36	36	6954851209096	

Standard Power Bank (13 Models)

13	Lango II Series 2.4A Power Bank 10000mAh RPP-23				Black	0.245	52	52	6954851215677	Material and Technology (fireproof): ABS+PC V0 Battery Capacity: 10000mAh Real Capacity Rate Power: 10000mAh/3.7V/37Wh Rated Capacity: 5500mAh(5V-2A)
					White	0.245	52	52	6954851215684	Input Voltage: Type-C: 5V-2.4A (Max) Micro: 5V-2A (Max) Output Voltage: USB: 5V-2.4A (Max) Type-C: 5V-2.4A (Max) Gross output): 5V-2.4A (Max)
					Blue	0.245	52	52	6954851215691	Input Type/Quantity: Type-c*1 Micro*1 Material and Technology (fireproof): ABS+PC V0
					Purple	0.245	52	52	6954851215721	Battery Capacity: 20000mAh Real Capacity Rate Power: 20000mAh/3.7V/74Wh Rated Capacity: 11000mAh(5V-2A)
12	Lango II Series 2.4A Power Bank 20000mAh RPP-26				Black	0.443	30	30	6954851215738	Input Voltage: Type-C: 5V-2.4A (Max) Micro: 5V-2A (Max) Output Voltage: Type-C: 5V-2.4A (Max) Micro: 5V-2A (Max) Gross output): 5V-2.4A (Max)
					White	0.443	30	30	6954851215745	Input Type/Quantity: Type-c*1 Micro*1 Material and Technology (fireproof): ABS+PC V0 (fireproof)
					Blue	0.443	30	30	6954851215752	Battery Capacity: 10000mAh Real Capacity Rate Power: 10000mAh/3.7V/37Wh Rated Capacity: 5500mAh(5V-2A)
					Black	0.273	66	66	6954851236047	Input Voltage: TYPE-C1 (Outside Port) Input: 5V -2.1A (Max) Built-in A cable input: 5V-2.1A(Max) Support DCP/BC1.2 input Output Voltage:USB: 5V -2.1A (Max)
11	REMAX Reyluck Series 2.1A Cabled Power Bank 10000mAh RPP-683				White	0.273	66	66	6954851236054	Type-C2 (Middle Port): 5V -2.1A (Max) Material and Technology (fireproof): ABS+PC V0 (fireproof)
					Purple	0.273	66	66	6954851236078	Battery Capacity: 20000mAh Real Capacity Rate Power: 20000mAh/3.7V/74Wh Rated Capacity: 11000mAh(5V-2A)
					Blue	0.273	66	66	6954851236061	Input Voltage: TYPE-C1 (Outside Port) Input: 5V -2.1A (Max) Built-in A cable input: 5V-2.1A(Max) Support DCP/BC1.2 input Output Voltage:USB: 5V -2.1A (Max)
					Black	0.472	34	34	6954851236351	Type-C2 (Middle Port): 5V -2.1A (Max) Material and Technology (fireproof): ABS V1
11	REMAX Reyluck Series 2.1A Cabled Power Bank 20000mAh RPP-686				Black	0.472	34	34	6954851236351	Battery Capacity:5000mAh (2500mAh*2) 3.7V Rated Capacity Rate Power:2600mAh (5V-2.1A) Real Capacity 5000mAh
					White	0.472	34	34	6954851236368	Gross Battery Power: 18.5Wh Micro、Type-C Input: Type-C: 5V2.1A Gross Input: 5V2.1A(Max) Gross Output: 5V2.1A(Max)
					Black	0.142	60	60	6954851236405	Material and Technology (fireproof):ABS V1
					White	0.142	60	60	6954851236412	Battery Capacity:5000mAh (2500mAh*2) 3.7V Rated Capacity Rate Power:2600mAh (5V-2.1A) Real Capacity 5000mAh
11	REMAX Xiaoxiao 2.1A iPh Cabled Power Bank 5000mAh RPP-676				Blue	0.142	60	60	6954851236429	Gross Battery Power: 18.5Wh Micro、Type-C Input: Type-C: 5V2.1A Gross Input: 5V2.1A(Max) Gross Output: 5V2.1A(Max)
					Purple	0.142	60	60	6954851236436	Material and Technology (fireproof):ABS V1
					Black	0.142	60	60	6954851236443	Battery Capacity:5000mAh (2500mAh*2) 3.7V Rated Capacity Rate Power:2600mAh (5V-2.1A) Real Capacity 5000mAh
					White	0.142	60	60	6954851236450	Gross Battery Power: 18.5Wh Micro、Type-C Input: Type-C: 5V2.1A
11	REMAX Xiaoxiao 2.1A Type-C Cabled Power Bank 5000mAh RPP-677				Blue	0.142	60	60	6954851236467	
					Black	0.142	60	60	6954851236467	

New

Reliaen Series 2.4A Cabled Fast Charging Power Bank 10000mAh RPP-657



Purple

0.142

60

60

6954851236474

Gross Input: 5V2.1A(Max)
Gross Output: 5V2.1A(Max)
Material and Technology: ABS V0
Battery Capacity: 10000mAh 3.7V
Rated Capacity Rate Power:6000mAh (5V-3A)
Gross Battery Power:37Wh
Input Voltage:TypeC port input 5V/2.1A Micro input 5V/2.1A
Gross Input:5V 2.1A max
Output Voltage:USB-A1/A2 5V/2.4A
Builtin Type-C cable output: 5V/2.4A
Material and Technology: ABS V0
Battery Capacity: 20000mAh 3.7V
Rated Capacity Rate Power:18000mAh (5V-3A)
Gross Battery Power:111Wh
Input Voltage:TypeC port input 5V2.1A Micro input 5V/2.1A
Gross Input:5V 2.1A max
Micro input 5V/2.1A
Output Voltage:USB-A1/A2 5V/2.4A
Material and Technology: ABS V0
Battery Capacity: 30000mAh 3.7V
Rated Capacity Rate Power:12000mAh (5V-3A)
Gross Battery Power:74Wh
Input Voltage:TypeC port input 5V2.1A Micro input 5V/2.1A
Gross Input:5V 2.1A max
Micro input 5V/2.1A
Output Voltage:USB-A1/A2 5V/2.4A
Material: ABS+PC V0
Real Capacity: 10000mAh
Rated Capacity:5500mAh(5V-2A)
Input Voltage: Type-C: DC5V-2A
Micro: DC5V-2A
Output Voltage: USB1/USB2: DC5V-2.1A
Gross output: DC5V-2.1A (Max)
Battery Brand:CVATOP
Material: ABS+PC V0
Real Capacity: 20000mAh
Rated Capacity:11000mAh(5V-2A)
Input Voltage: Type-C: DC5V-2A
Micro: DC5V-2A
Output Voltage: USB1/USB2: DC5V-2.1A
Gross output: DC5V-2.1A (Max)
Battery Brand:CVATOP
Material and Technology (fireproof): ABS+PC V0 fireproof
Real Capacity Rate Power: 5000mAh/3.7V/18.5Wh
Input Voltage: Type-C: 5V-2A
Output Voltage: USB : 5V-2A
Input Type/Quantity: Type-C*1
Output Type/Quantity: USB2.0*1 USB2.0*1
Mini power bank, small and smart, plug and charge
Instick size easy to carry bring it outdoors
Material: ABS+PC V0 fireproof
Input Voltage: Micro/Type-C: 5V-2A
Output Voltage: USB1/USB2: 5V-2.1A
Input Type/Quantity: Micro*1, type-c*1
Output Type/Quantity: USB*2
Simple and stylish, lightweight portability.
2 inputs and 2 outputs, charge 2 devices at once.
2.1A fast charging.
Material: ABS+PC V0 fireproof
Input Voltage: Micro/Type-C: 5V-2A
Output Voltage: USB1/USB2: 5V-2.1A
Input Type/Quantity: Micro*1, type-c*1
Output Type/Quantity: USB*2
Simple and stylish, lightweight portability.
2 inputs and 2 outputs, charge 2 devices at once.
2.1A fast charging
Gross Battery Power: 74Wh
Gross Input and Input Voltage or Gross Output : 5V/2A
Output Voltage: 5V/2A does not support the protocol
Micro cable, 2A output
TYPE-C cable, 2A output
IPH cable, 2A output
The product has built-in charging cables.
The product supports digital display. Vertical patterning on the surface.

Black

0.233

48

48

6954851217770

White

0.233

48

48

6954851217787

Black

0.42

30

30

6954851217862

White

0.42

30

30

6954851217879

Black

0.607

21

21

6954851217886

White

0.607

21

21

6954851217893

White

0.255

72

72

6954851212706

Blue

0.255

72

72

6954851212713

Grey

0.255

72

72

6954851212720

White

0.456

44

44

6954851212737

Blue

0.456

44

44

6954851213000

Grey

0.456

44

44

6954851213109

Red

0.105

100

100

6954851204657

Hot

REMAX Landon Series 2.1A Power Bank 10000mAh RPP-295



Black

0.260

72

72

6954851208853

White

0.260

72

72

6954851289739

Blue

0.260

72

72

6954851289890

Black

0.482

40

40

6954851209119

White

0.482

40

40

6954851211532

Blue

0.482

40

40

6954851289746

REMAX Landon Series 2.1A Power Bank 20000mAh RPP-296



REMAX Lesu Series 2A Cabled Power Bank 20000mAh RPP-102




White

0.485







26










26

6954851205166

<p>Hot</p> <p>Best Seller</p>	4	REMAX Astro Series 2A Power Bank (With Cable) 10000mAh RPP-222				White	0.278	48	48	6954851227731	Material and Technology (fireproof) ABS+PC+fireproof material (VO grade) Input Voltage mk/5v/2a Output Voltage MK/TPC/IPH/5V/2A Output Type/Quantity:USB*1 (with cable)TPC*1/MK*1/IPH*1 With Micro/Type-C/IPh/USB cables, more convenient. With Flashlight. light up your daily life. Material: ABS+PC V0 fireproof material Output Voltage: USB DC5V-2.1A Type-C/IPh/Micro: DC5V-2.1A Light and portable, three detachable charging cables, widely applicable.
	3	REMAX Lefen Series 2.1A Cabled Power Bank with Suction Cups 20000mah RPP-297				White	0.492	30	30	6954851211525	Limited octopus-mouth suction cups, stable gripping of your phone. 2.1A high current, long battery life, built-in digital display, clear battery status. Integrated design with multiple inputs and outputs. Multiple protection, safer to charge. Material: ABS+PC fireproof materials Input Voltage: DC5V/2.0A(MAX) Output Voltage: DC5V/2.1A(MAX) Multiple protection chips, safe and reliable. Multiple inputs and outputs, for all your charging needs. High-quality polymer batteries, stable performance. CTN G.W.:5.31Kg ±0.2 Kg CTN SIZE:33*23*17cm
	3	REMAX Lefen Series 2.1A Cabled Power Bank with Suction Cups 10000mAh RPP-27				White	0.275	18	18	6954851257097	Material: ABS + PC V0 fireproof material Shell of electroplating / paint coating process Input Voltage: Micro/Type-C: 5V-2A USB cable input: 5V-2A Output Voltage: USB1/USB2: 5V-2A Micro/Type-C/IPH cable output: 5V-2A Total output: 5V-2A(Max) With a built-in lanyard, convenient to carry Multiple outputs and inouts to meet all your charging needs 3 inputs & 2 outputs
	2	REMAX Janker Series 2A Cabled Power Bank 10000mAh RPP-286				Green	0.291	28	28	6954851239970	Real Capacity:30000mAh Rated Capacity:18600mAh(5V-2.1A) Rate Power:111Wh Battery Model/ the quantity of battery 9373129*3PCS Input Voltage:DC5V/2.1A Input: micro*1 type C*1 lightning*1 Output Voltage:DC5V/2.1A Output: USB*2 CTN G.W.:8.36kg±0.2kg CTN SIZE: 33*23*17CM
	2	REMAX Lango Power Bank 30000mAh 2USB RPP-167				Purple	0.291	28	28	6954851239963	2 inputs & 2 outputs Real Capacity:20000mAh Rated Capacity:12000mAh(5V-2.1A) Rate Power:74Wh Battery Model/ the quantity of battery:1260110*2PCS Input Voltage:DC5V/2.1A Input: micro*1 type C*1 Output Voltage:DC5V/2.1A Output: USB*2 CTN G.W.:7.94kg±0.2kg CTN SIZE: 33*23*17CM
	1	REMAX Lango Power Bank 20000mAh 2USB RPP-166				Black	0.291	28	28	6954851239918	Material: fireproof ABS + PC Real Capacity: 10000mAh Input: 5V-2A (max) Output: 5V-2.1A (max) Input: Micro*1,Type-c*1 Output:USB*2 CTN/ G.W 6.56kg CTN Size:33*23*17cm
	1	REMAX Lango Power Bank 30000mAh 2USB RPP-167				Black	0.663	12	12	6972174154879	Real Capacity:10000mAh Input: 5V-2A (max) Output: 5V-2.1A (max) Input: Micro*1,Type-c*1 Output:USB*2 CTN/ G.W 6.56kg CTN Size:33*23*17cm
	1	REMAX Lango Power Bank 20000mAh 2USB RPP-166				White	0.663	12	12	6972174154886	Real Capacity:30000mAh Rated Capacity:18600mAh(5V-2.1A) Rate Power:111Wh Battery Model/ the quantity of battery 9373129*3PCS Input Voltage:DC5V/2.1A Input: micro*1 type C*1 lightning*1 Output Voltage:DC5V/2.1A Output: USB*2 CTN G.W.:8.36kg±0.2kg CTN SIZE: 33*23*17CM
1	REMAX Lango Power Bank 20000mAh 2USB RPP-166				Black	0.595	16	16	6972174154855	Real Capacity:20000mAh Rated Capacity:12000mAh(5V-2.1A) Rate Power:74Wh Battery Model/ the quantity of battery:1260110*2PCS Input Voltage:DC5V/2.1A Input: micro*1 type C*1 Output Voltage:DC5V/2.1A Output: USB*2 CTN G.W.:7.94kg±0.2kg CTN SIZE: 33*23*17CM	
1	REMAX Lango Series 10000mAh 2USB Power Bank RPP-96				White	0.595	16	16	6972174154862	Material: fireproof ABS + PC Real Capacity: 10000mAh Input: 5V-2A (max) Output: 5V-2.1A (max) Input: Micro*1,Type-c*1 Output:USB*2 CTN/ G.W 6.56kg CTN Size:33*23*17cm	
1	REMAX Lango Series 10000mAh 2USB Power Bank RPP-96				Blue	0.260	24	24	6972174153513	Material: fireproof ABS + PC Real Capacity: 10000mAh Input: 5V-2A (max) Output: 5V-2.1A (max) Input: Micro*1,Type-c*1 Output:USB*2 CTN/ G.W 6.56kg CTN Size:33*23*17cm	

Outdoor Series Power Station (3 Models)







3	REMAX Dynasty Series 1200W Multifunctional Portable Power Station RPP-568 27000mAh				Green	10.5	1	1	6954851207573	Material : PC+ABS (UL94 V-0) Real Capacity: 27000mAh/3.7V/999Wh Input Voltage:DC IN:1.Type-C1 input: 5V/3A、 9V/3A、 12V/3A、 15V/3A、 20V/3A、 20V/5A 100W(Max) (supported protocols: PD2.0,PD3.0,BC1.2,PPS) 2.DC7909 input: 12-28V/8A 200W(Max) Gross Output: 1540W(Max) Output Voltage: 1.AC1/AC2 output: 220Vac 1200W Surge mode to drive Material : PC+ABS (UL94 V-0)
2	REMAX Dynasty Series 600W Multifunctional Portable Power Station RPP-567 16800mAh				Green	8.500	1	1	6954851207566	Real Capacity: 16800mAh/3.2V/537.6Wh Input Voltage:DC IN:1.Type-C1 input: DC5V/3A、 9V/3A、 12V/3A、 15V/3A、 20V/3A、 20V/5A 100W(Max) (supported protocols: PD2.0,PD3.0,BC1.2,PPS) 2.DC7909 input: DC12-24V/5A 120W(Max) Gross Output: 940W(Max) Output Voltage: AC: 1.AC1/AC2 output: 220V/600W

1	REMAX Pathfinder Series 300W Multifunctional Portable Power Station RPP-515 70000mAh				Tarnish		2.440	4	4	6954851206460	Material : ABS Real Capacity: 70000mAh/3.7V/259Wh Input Voltage:DC IN:15V/2A(30W) charging voltage range 12V~30V Output Voltage: AC: 220V/300W USB1 5V/2.4A 12W (Max) USB2 5V3A/9V2A/12V1.5A 18W(Max) Type-C 5V3A/9V2A/12V1.5A 18W(Max)
Power Bank Display Stand											
1	REMAX L-shaped Multi-purpose Plexiglass Power Bank Display Stand DJ-01				/		1.329	30	30	/	/
Power Bank Adapter											
1	Infinity-Boundless Series Adapter RP-U156				UK-White UK-Black EU-White EU-Black		0.023 0.023 0.023 0.023	126 126 126 126	126 126 126 126	6954851219781 6954851219774 6954851219767 6954851219750	Material and Technology PC





































Tempered Glass & iPhone Case & Tablet Case

My Service My Life




































































No.	MODEL NO.	Full Color PIC	Detail of PIC	PACKAGING	COLOR/ PATTERN	G.W./PCS (KG)	MOQ/PCS	PCS/CTN	Bar Code	SPECIFICATIONS
REMAX Tempered glass-IPAD (1 Model)										
New 1	REMAX Rike Series HD Tempered Glass Screen Protector GL-82 for Ipad				iPad 10.2	0.226	70	70	6954851202936	Material:high aluminum Technology:electroplating Thickness:0.33mm All-screen protection, better drop performance Neat against fingerprints, scratch-resistant use CTN G.W:17.12/16.2KG±0.2 KG CTN SIZE:50*40*28CM
					iPad Air4/Air5 10.9	0.225	70	70	6954851202950	
					iPad Pro 11	0.226	70	70	6954851202967	
					iPad Pro 12.9	0.300	50	50	6954851202974	
REMAX Tempered glass - iphone15 (7 Models)										
New 7	REMAX Pansh Series Privacy Tempered Glass Screen Protector GL-53				iPh15 6.1	0.082	20	200	6954851214120	Material: Xuhong High Aluminum Glass Technology: Electroplated AF Color : Anti-peeking Thickness: 0.4mm 1. Rock-firm glass, super hardness 2. Full-screen covering, all protected 3. HD view on the front, anti-peeking on the side 4. Oleophobic coating, anti-fingerprint Material: Xuhong High Aluminum Glass Technology: Electroplated AF Color : Anti-peeking Thickness: 0.33mm
					iPh15 Pro 6.1	0.082	20	200	6954851214526	
					iPh15 Plus 6.7	0.082	20	200	6954851214397	
New 6	REMAX Emperor Series Privacy Tempered Glass Screen Protector GL-35				iPh15 Promax 6.7	0.082	20	200	6954851214540	1. Anti-peeking, privacy protected 2. HD view on the front, anti-peeking on the side 3. Tempered glass, scratch- and wear-resistant 4. Oleophobic coating, strong anti-fingerprint
					iPh15 6.1	0.082	20	160	6954851214939	
					iPh15 Pro 6.1	0.081	20	160	6954851214953	
Hot 5	REMAX Sino Series HD Tempered Glass Screen Protector GL-56				iPh15 Plus 6.7	0.084	20	160	6954851214946	High aluminum curved process, secondary hardening, better drop performance and light transmittance. CTN G.W: 6.1-14.24kg/6.8-15.16kg±0.2kg) CTN SIZE: 52*33.6*38.5cm
					iPh15 Promax 6.7	0.086	20	160	6954851214960	
					iPh15 6.1	0.086	20	160	6954851210375	
Hot 4	REMAX Monarch Series 9D HD Tempered Glass Screen Protector GL-32				iPh15 Pro 6.1	0.086	20	160	6954851210382	High light transmittance, anti-fingerprint 9D curved surface, full-screen covering Tempered glass, scratch- and wear-resistant Oleophobic coating, strong anti-fingerprint High-definition view, lossless picture quality ctn size: 60*33.5*49cm. ctn weight: 6.1±17.76kg/6.7±26.8kg
					iPh15 Plus 6.7	0.086	20	160	6954851210399	
					iPh15 Promax 6.7	0.086	20	160	6954851210412	
New 3	ERMAX Pansh Series HD Tempered Glass Screen Protector GL-51				iPh15 6.1	0.157	20	160	6954851210191	High light transmittance, anti-fingerprint 9D curved surface, full-screen covering Tempered glass, scratch- and wear-resistant Oleophobic coating, strong anti-fingerprint High-definition view, lossless picture quality ctn size: 60*33.5*49cm. ctn weight: 6.1±22.4kg/6.7±26.8kg
					iPh15 Pro 6.1	0.157	20	200	6954851210238	
					iPh15 Plus 6.7	0.157	20	200	6954851210245	
New 2	Corning HD Tempered Glass Screen Protector for iPh 15 Series GL-83				iPh15 Promax 6.7	0.157	20	200	6954851210252	Material:Corning glass Technology:Electroplated AF Thickness:0.4mm thickness 1. Super curved edges, full-screen covering 2. Tempered glass, wear-resistant 3. Oleophobic coating, anti-fingerprint 4. Clear viewing, lossless picture quality CTN G.W: 25KG/25.7KG±0.2kg
					iPh15 6.1	0.13	30	180	6954851212157	
					iPh15 Pro 6.1	0.13	30	180	6954851212171	
Back-Order	REMAX NEW Privacy Tempered				iPh15 Plus 6.7	0.135	30	180	6954851212188	Material: High aluminum glass Technology: Electroplated AF/Xuhong High Aluminum Glass Color : Anti-privacy Thickness: 0.4mm
					iPh15 Promax 6.7	0.135	30	180	6954851212164	
					iPh15 6.1	0.153	30	180	6954851215011	
					iPh15 Pro 6.1	0.153	30	180	6954851215035	

1	Glass Screen Protector GL-27				iPh15 Plus 6.7		0.153	30	180	6954851215028	<ul style="list-style-type: none"> 1. Super curved edges, full-screen covering 2. Tempered glass, wear-resistant 3. Oleophobic coating, anti-fingerprint 4. Clear on the front anti-peeking on the side Material: high aluminum glass Color : transparent Thickness: 0.44mm Super curved edges, full-screen covering Full-screen covering, thorough protection Oleophobic coating, strong anti-fingerprint High-definition view, lossless picture quality CTN G.W:6.1-29.27kg/6.8-29.76kg±0.2kg
	REMAX NEW HD Tempered Glass Screen Protector GL-27				iPh15 Promax 6.7		0.153	30	180	6954851215073	
					iPh15 6.1		0.157	30	180	6954851210153	
					iPh15 Pro 6.1		0.157	30	180	6954851210160	
					iPh15 Plus 6.7		0.157	30	180	6954851210177	
					iPh15 Promax 6.7		0.157	30	180	6954851210184	

Camera Lens Protector for iPhone 15 (2 Models)

2	REMAX Integrated Anti-glare Fully Covered Lens Protector for iPh15 /iPhone 15 Plus GL-87 (Dual-lens, Triple-lens)				iPh15 6.1		0.016	38	228	6954851234951	Material:SGS High Alumina Technology:Acrylic with Glass Thickness:Glass: 0.33mm thickness 1.Full-covering protector, visible lens care 2.Accurate hole position, easy aligning 3.Tempered glass, anti-broken and wear-resistant 4.High-definition view, lossless picture CTN G.W: 8.75KG±0.2kg
					iPh15 Pro 6.1		0.016	38	228	6954851234968	
					iPh15 Plus 6.7		0.017	38	228	6954851234951	
					iPh15 Promax 6.7		0.017	38	228	6954851234968	
					iPh15 6.1/iPh15 Plus-Black		0.017	38	228	6954851234975	
					iPh15 6.1/iPh15 Plus-Geen		0.017	38	228	6954851235057	
1	Eagle Eye Fully Covered Lens Protector for IPH 15 /IPH 15 Plus Series GL-89 (Dual-lens)				iPh15 6.1/iPh15 Plus-Blue		0.017	38	228	6954851235002	Material: SGS High Alumina Technology:Aluminum frame + glass + acrylic Thickness:Glass: 0.33mm thickness 1. Aluminum frame + glass, professional lens protection 2. High-gloss CD pattern, high-end style 3. Tempered glass, wear-resistant CTN G.W: 9.25KG±0.2kg CTN SIZE: 48.5*33.6*36.2cm
					iPh15 6.1/iPh15 Plus-Pink		0.017	38	228	6954851234982	
					iPh15 6.1/iPh15 Plus-Yellow		0.017	38	228	6954851234999	
					iPh15 Pro 6.1/iPh15 Promax 6.7-Black		0.017	38	228	6954851235101	
					iPh15 Pro 6.1/iPh15 Promax 6.7-Blue		0.017	38	228	6954851235248	
					iPh15 Pro 6.1/iPh15 Promax 6.7-Silver		0.017	38	228	6954851235156	

Camera Lens Protector (3 Models)

3 Creation Series	REMAX Creation Series Lens Protector GL-59				iPh14/14 Plus 6.1 Grey		0.195	36	360	6954851203223	Material:Metal+Glass, Metal+Glassprofessional lens protection High-gloss CD pattern, high-end style Tempered glass, more wear-resistant High-definition view, lossless picture CTN G.W:8.52±0.2kg Carton Size:60*33.5*49CM
					iPh14/14 Plus 6.1 Silver		0.195	36	360	6954851203230	
					iPh14/14 Plus 6.1 Blue		0.195	36	360	6954851203247	
					iPh14/14 Plus 6.1 Pink		0.195	36	360	6954851203254	
					iPh14 Pro/14 Promax7 Grey		0.203	36	360	6954851203261	
					iPh14 Pro/14 Promax7 Purple		0.203	36	360	6954851203278	
	REMAX Creation Series Lens Protector GL-59				iPh14 Pro/14 Promax7 Silver		0.203	36	360	6954851203285	
					iPh14 Pro/14 Promax7 Golden		0.203	36	360	6954851203292	
					iPh13Mini 5.4/13 6.1/ Black		0.019	36	360	6954851225690	
					iPh13Mini 5.4/13 6.1/ Silver		0.019	36	360	6954851225683	
					iPh13Mini 5.4/13 6.1/ Blue		0.019	36	360	6954851225676	
					iPh13Pro 6.1/Promax7 Black		0.021	36	360	6954851225720	
	Remax Creation Series Tempered Glass Camera Len Protector GL-59 (Dual-lens, Triple-lens)				iph13pro 6.1/promax7 Silver		0.021	36	360	6954851226123	
					iPh13Pro 6.1/Promax7 Blue		0.021	36	360	6954851226130	
					iPh12Mini/iPh12-Green		0.019	36	360	6972174159515	
					iPh12Mini/iPh12-Grey		0.019	36	360	6972174159522	
					iPh12Mini/iPh12-Silver		0.019	36	360	6972174159539	
					iph12pro 6.1-green		0.019	36	360	6972174159621	
			iPh12Pro 6.1-Grey		0.019	36	360	6972174159638			
			iph12pro 6.1-silver		0.019	36	360	6972174159645			
			iPh 12 Pro max 6.7-Green		0.019	36	360	6972174159683			
			iPh 12 Pro max 6.7-Grey		0.019	36	360	6972174159690			
			iPh 12 Pro max 6.7-Silver		0.019	36	360	6972174159706			

2	REMAX Flash drill metal Tempered Glass Camera Len Protector GL-68 (Dual-lens, Triple-lens)				iPh13Mini 5.4/13 6.1 (Dual-Lens)	0.020	36	360	6954851223320	Metal+Diamond+Tempered Glass Titanium Alloy frame with diamond CTN G.W:9.4±0.2kg CTN SIZE 60*33.5*49CM
	REMAX Sino Series Tempered Glass Lens Protector GL-57				iPh13 6.1/6.7(Triple-Lens)	0.020	36	360	6954851223337	
1 Sino series	REMAX Sino Series Tempered Glass Camera Len Protector GL-57 (Dual-lens, Triple-lens)				iPh14/14 Plus 6.1	0.002	30	300	6954851203209	Material:Acrylic+Xuhong High Aluminum Glass Technology:CNC carved molding Glass: 0.33mm thick Full-covering protector Accurate hole position, easy aligning Tempered glass, anti-broken and wear-resistant High-definition view, lossless picture CTN G.W:4.88kg/5.24kg±(0.2kg)
					iPh14 Pro/14 Promax 6.7	0.004	30	300	6954851203216	
					iPh12 Mini 5.4-Clear	0.020	30	300	6972174159348	
					iPh12 6.1 -Clear	0.020	30	300	6972174159355	
					iPh12 Pro 6.1-Clear	0.020	30	300	6972174159379	
iPh12 Pro max 6.7-Clear	0.020	30	300	6972174159362						
iPh13Mini 5.4/13 6.1 (Dual-Lens)	0.018	30	300	6954851223351						
iPh13 6.1/6.8 (Triple-Lens)	0.019	30	300	6954851223344						

Tempered glass (13 Models)(All models which is not mentioned in the list can accept orders with MOQ 1000pcs)

13	REMAX MiMaestro Series HD Tempered Glass with Magnetic Sticking Case GL-81				iPh14/13/13 Pro 6.1	0.148	16	160	6954851202868	Material:High aluminum glass Technology:Electroplating AF/Xuhong high aluminum glass Thickness:0.84mm With a sticking case, dust-free completion Precise aligning, instant sticking Easy to install with a sticking case, mastering the craft CTN G.W:(6.1)25.2kg/(7)27kg±0.2kg CTN SIZE 60*33.5*51cm
					iPh14 Pro 6.1	0.148	16	160	6954851202875	
					iPh14Plus/13Pro max 6.7	0.157	16	160	6954851202882	
12	REMAX Zoyel Series Anti-Dust Washable Tempered Glass Screen Protector GL-80				iPh14 Pro max 6.7	0.157	16	160	6954851202899	
					iPh14/13/13 Pro 6.1	0.080	20	160	6954851200970	Material:Xuhong high aluminum glass Technology:electroplating process Thickness:0.33mm Vacuum coating, anti-fingerprint Smoothly ventilated, automatic sticking Tempered glass, durably wear-resistant CTN G.W:6.1(14.3kg)/6.8(14.96kg)±0.2kg CTN SIZE 51.8*34.3*44.1cm
					iPh14 Pro 6.1	0.080	20	160	6954851200987	
11	REMAX Nano fiber silicone edges Tempered Glass Screen Protector GL-59				iPh14 Plus/13 Pro max 6.7	0.084	20	160	6954851201113	
					iPh14 Pro max 6.7	0.084	20	160	6954851201120	
					iPhone7/8-Black	0.142	25	150	6972174155661	
					iPhone7/8-White	0.142	25	150	6972174155678	
					iPhone7/8 Plus-Black	0.147	25	150	6972174155685	
					iPhone7/8 Plus-White	0.147	25	150	6972174155692	
					iPhone 11Pro/ X/XS-Black	0.143	25	150	6972174155708	Nano fiber silicone edges, anti-broken GW: SE 4.7 inch---23.5kg
					iPhone 11/XR-Black	0.145	25	150	6972174155715	11pro/XS 5.8 inch---23.5kg
					iPhone11Pro max/ XS Max-Black	0.147	25	150	6972174155722	7/8P 5.5 inch---24.5kg
					iPhone SE-Black	0.143	25	150	6972174152912	11/XR6.1inch---24kg
					iPhone12 5.4--Black	0.145	25	150	6972174154114	11PRO MAX/XS MAX6.5 inch---24.5kg
					iPhone12 6.1x--Black	0.145	25	150	6972174154121	7/8 4.7 inch---23kg
					iPhone12 7--Black	0.145	25	150	6972174154138	CTN/ G.W: 20.3 kg; iphone12 5.4
iPh13 Mini 5.4	0.124	25	150	6954851224082	CTN/ G.W: 21.1 kg; iphone12 6.1					
iPh13/13 Pro 6.1	0.130	25	150	6954851224068	CTN/ G.W:21.8 kg; iphone12 7					
iPh13 Promax 6.7	0.136	25	150	6954851224051	CTN G.W: 20.3kg/21.1kg/21.8kg±0.2kg					
iPh 14/13/13Pro 6.1	0.129	25	250	6954851202059	CTN SIZE:43.5*35.6*36.2cm					
iPh 14Pro 6.1	0.129	25	250	6954851202066						
iPh 14 Plus13Pro max 6.7	0.130	25	250	6954851202073						
iPh 14 Pro max 6.7	0.130	25	250	6954851202127						
iPh 11/XR	0.133	15	150	6954851258353						
11Pro/X/XS	0.139	15	150	6954851259169						
iPh11 ProMax/XSMAX	0.143	15	150	6954851258346						
iPh 12 Mini 5.4	0.129	15	150	6954851277637						
iPh 12/12Pro 6.1	0.139	15	150	6954851261070						
iPh 12Pro max 6.7	0.141	15	150	6954851261063						
iPh 13 Mini 5.4	0.141	15	150	6954851225140						
iPh 13/13Pro 6.1	0.141	15	150	6954851225157						
iPh 13Pro max 6.7	0.141	15	150	6954851225171						

10 Creation Series	REMAX Creation Series Eye-Caring Tempered Glass Screen Protector GL-77 2PCS		iPh 14 6.1	0.131	15	150	6954851203162	2pcs in one packaging the most cost-effective choice CTN G.W:22.69±0.2KG(GL-70) CTN G.W:20.1kg/21.3kg/22.4kg±0.2kg(GL-77) CTN G.W:20.1kg/21.3kg/22.4kg±0.2kg(GL-73) CTN SIZE 60*33.5*49CM	
			iPh 14pro 6.1	0.131	15	150	6954851203179		
			iPh 14 Plus 6.7	0.138	15	150	6954851203186		
			iPh 14 Pro max 6.7	0.138	15	150	6954851203193		
			iPh 12 Mini 5.4	0.124	15	150	6954851240488		
			iPh 12/12Pro 6.1	0.132	15	150	6954851240594		
			iPh 12Pro max 6.7	0.139	15	150	6954851240600		
			iPh 13 Mini 5.4	0.124	15	150	6954851240617		
			iPh 13/13Pro 6.1	0.133	15	150	6954851211501		
			iPh 13ProMax 6.7	0.140	15	150	6954851240631		
REMAX Creation Series Anti-peeping Tempered Glass Screen Protector GL-73 2PCS		iPh 12 Mini 5.4	0.124	15	150	6954851229285			
		iPh 12/12Pro 6.1	0.132	15	150	6954851229292			
		iPh 12ProMax 6.7	0.139	15	150	6954851229308			
		iPh 13 Mini 5.4	0.124	15	150	6954851229315			
		iPh 13/13Pro 6.1	0.132	15	150	6954851229322			
		iPh 13ProMax 6.7	0.140	15	150	6954851229339			
	REMAX Infinity Series Anti-dust & Antibacterial HD Tempered Glass Screen Protector GL-69		iPh 13 Mini 5.4	0.081	20	200	6954851226529	Anti-dust and anti-static tempered glass, and with third-party antibacterial certification. CTN G.W:17.6kg/18.38kg/19.2kg±0.2kg CTN SIZE 60*33.5*49cm	
			iPh 13/13Pro 6.1	0.084	20	200	6954851226512		
			iPh 13ProMax 6.7	0.085	20	200	6954851226505		
			iPh12Mini 5.4	0.139	20	160	6954851239758		
		iPh12/12 Pro 6.1	0.146	20	160	6954851239741			
		iPh12 Pro max 6.7	0.153	20	160	6954851237914			
REMAX Emperor Series HD Tempered Glass Screen Protector GL-39 (two pcs packaged)			iPh12mini 5.4	0.115	20	160	6954851240501		Full-screen covering, block-free 3D viewing CTN G.W:24.3/25.3/26.6KG (GL-39) CTN G.W:20.4/20.9/21.6KG (GL-38) CTN G.W:15.6±0.2kg (GL-66) CTN SIZE: 60*33.5*49cm
			iPh12/12 Pro 6.1	0.118	20	160	6954851240495		
			iPh12 Pro max 6.7	0.122	20	160	6954851240402		
			iPh12Mini 5.4	0.079	20	160	6954851226901		
		iPh12/12 Pro 6.1	0.083	20	160	6954851226895			
		iPh12 Pro max 6.7	0.087	20	160	6954851226758			
	REMAX Emperor Series HD Tempered Glass Screen Protector for GL-38 (one pc packaged)		iPh12 5.4	0.074	20	160	6954851203315		
			iPh12/12 Pro6.1	0.078	20	160	6954851205012		
			iPh12 6.7	0.083	20	160	6954851204022		
			iPh 13 Mini 5.4	0.074	20	160	6954851205142		
		iPh 13/13Pro 6.1	0.078	20	160	6954851228677			
		iPh 13ProMax 6.7	0.083	20	160	6954851228660			
REMAX Emperor Series Frosted Tempered Glass Screen Protector GL-66			iPh12 5.4	0.075	20	160	6954851233169	With a privacy lock, zero risk of privacy leak. CTN G.W:13.28kg/13.9kg/14.65kg±0.2kg CTN SIZE 52*33.5*38.5cm	
			iPh12/12 Pro6.1	0.078	20	160	6954851233176		
			iPh12 6.7	0.084	20	160	6954851233183		
			iPh 13 Mini 5.4	0.075	20	160	6954851228653		
		iPh 13/13Pro 6.1	0.078	20	160	6954851228646			
		iPh 13ProMax 6.7	0.084	20	160	6954851228639			
	REMAX Sino Series 6D HD Tempered Glass Screen Protector with privacy lock GL-71		iPhone X/XS-Black	0.147	20	160	6954851298717		
			iPhone XR-Black	0.147	20	160	6954851298724		
			iPhone XS Max-Black	0.147	20	160	6954851298731		
			iPhone12 5.4--Black	0.122	20	160	6972174153988		
		iPhone12 6.1X--Black	0.132	20	160	6972174153995			

Hot

6
Sino series

REMAX Sino Series **HD**
Tempered Glass Screen
Protector GL-56



REMAX Sino Series **Eye-caring**
Screen Protector Tempered
Glass Screen Protector GL-60



REMAX Sino Series **Privacy**
Tempered Glass Screen
Protector GL-56




REMAX Sino series **Frosted**
Tempered Glass Screen
Protector GL-56



REMAX Pansh Series **HD**
Tempered Glass Screen
Protector GL-51



REMAX Pansh Series **Eye-caring**
Tempered Glass Screen
Protector GL-55



REMAX Pansh Series **Anti-peeping** Tempered Glass
Screen Protector GL-53



5
Pansh series

iPhone12 7--Black	0.137	20	160	6972174154107
iPh13 Mini 5.4	0.070	20	160	6954851223306
iPh13/13 Pro 6.1	0.070	20	160	6954851223016
iPh13 Promax 6.7	0.070	20	160	6954851223023
iPh 14/13/13Pro 6.1	0.075	20	160	6954851201038
iPh 14Pro 6.1	0.075	20	160	6954851201045
iPh 14 Plus13Pro max 6.7	0.078	20	160	6954851201052
iPh 14 Pro max 6.7	0.078	20	160	6954851201069
iPh 12Mini 5.4	0.017	25	150	6954851239895
iPh12/iPh12 Pro 6.1	0.021	25	150	6954851239871
iPh12 Pro max 6.7	0.025	25	150	6954851239864
iPhone X/XS-Black	0.147	25	150	6972174155562
iPhone XR-Black	0.147	25	150	6972174155579
iPhone XS Max-Black	0.147	25	150	6972174155586
iPh 12Mini 5.4	0.017	25	150	6954851233107
iPh12/iPh12 Pro 6.1	0.021	25	150	6954851233350
iPh12 Pro Max 6.7	0.025	25	150	6954851233312
iP13Mini 5.4	0.074	20	160	6954851224129
iPhone13/13 Pro 6.1	0.076	20	160	6954851224112
iPhone13 ProMax 6.7	0.080	20	160	6954851224099
iPh 14/13/13Pro 6.1	0.080	20	160	6972174159485
iPh 14Pro 6.1	0.080	20	160	6972174159492
iPh 14 Plus13Pro max 6.7	0.086	20	160	6954851201380
iPh 14 Pro max 6.7	0.086	20	160	6954851201397
iPh11Pro 5.8--Black	0.130	25	150	6954851298717
iPh11 6.1-Black	0.130	25	150	6954851298724
iPh11ProMax 6.5--Black	0.130	25	150	6954851298731
iPhone12 5.4--Black	0.130	25	150	6972174153988
iPhone12 6.1X--Black	0.130	25	150	6972174153995
iPhone12 7--Black	0.130	25	150	6972174154107
iPhone X/XS-Black	0.112	20	200	6954851230809
iPhone XR-Black	0.112	20	200	6954851230823
iPhone XS Max-Black	0.112	20	200	6954851230830
iPhone12 5.4--Black	0.112	20	200	6972174153858
iPhone12 6.1X--Black	0.116	20	200	6972174153865
iPhone12 7--Black	0.120	20	200	6972174153872
iPh 13 Mini 5.4	0.079	20	200	6954851224198
iPh 13/13 Pro 6.1	0.083	20	200	6954851224204
iPh 13 ProMax 6.7	0.086	20	200	6954851224211
iPh 14/13/13Pro 6.1	0.023	20	200	6954851201267
iPh 14pro 6.1	0.023	20	200	6954851201274
iPh 14 Plus13Pro max 6.7	0.027	20	200	6954851201281
iPh 14 Pro max 6.7	0.027	20	200	6954851201304
iPhone X/XS-Black	0.109	20	200	6954851232728
iPhone XS Max-Black	0.109	20	200	6954851232704
iPhone X/XS-Black	0.109	20	200	6954851231356
iPhone XR-Black	0.109	20	200	6954851231363
iPhone XS Max-Black	0.109	20	200	6954851231370
iPh 12Mini 5.4	0.115	20	200	6954851241263
iPh12/iPh12 Pro 6.1	0.119	20	200	6954851241256
iPh12 Pro Max 6.7	0.125	20	200	6954851241249
iPh 13 Mini 5.4	0.079	20	200	6954851224228
iPh 13/13 Pro 6.1	0.083	20	200	6954851224235
iPh 13 ProMax 6.7	0.086	20	200	6954851224242
iPh 14/13/13Pro 6.1	0.081	20	200	6954851201076
iPh 14Pro 6.1	0.081	20	200	6954851201083
iPh 14 Plus/13Pro max 6.7	0.087	20	200	6954851201144
iPh 14 Pro max 6.7	0.087	20	200	6954851201151
iPhone X/XS-Black	0.112	20	200	6954851230755
iPhone XS Max-Black	0.112	20	200	6954851230779

High aluminum curved process, secondary hardening, better drop performance and light transmittance.
CTN G.W: 22.5-24KG
CTN SIZE 60*33.5*49cm

almost diamond-grade hardness, 20 times stronger against pressure and scratches, longer lifespan.
CTN/ G.W: 24.54-27kg
CTN Size:60*35*50cm

4 Chanyi Series	REMAX Chanyi Series HD Tempered Glass Screen Protector GL-50				iPhone12 5.4--Black	0.108	20	200	6972174153889	Super flexibility, free bending, light and thin as a feather, smooth and sensitive to the touch. CTN G.W:173kg/17.34g/17.81kg±0.2kg CTN SIZE 60*33.5*49CM
					iPhone12 6.1X--Black	0.112	20	200	6972174153896	
					iPhone12 7--Black	0.116	20	200	6972174153902	
					iP13Mini 5.4	0.075	20	200	6954851224181	
Hot	REMAX Chanyi Series Anti-peeping tempered Glass Screen Protector GL-52				IP13/13 Pro 6.1	0.079	20	200	6954851224174	Automatic aligning and sticking, precise and easy to master it CTN G.W:16.15kg/17.64kg/18.55kg±0.2kg CTN SIZE 60*33.5*49CM
					IP13 ProMax 6.7	0.082	20	200	6954851224167	
					iPhone X/XS-Black	0.113	20	200	6954851231424	
					iPhone XR-Black	0.113	20	200	6954851231431	
3	REMA Emperor Series HD Tempered Glass Screen Protector with Film-Sticking Organizer GL-16				iPhone XS Max-Black	0.113	20	200	6954851231509	Automatic aligning and sticking, precise and easy to master it CTN G.W:16.15kg/17.64kg/18.55kg±0.2kg CTN SIZE 60*33.5*49CM
					iPh 12Mini 5.4	0.108	20	200	6954851241225	
					iPh12/iPh12 Pro 6.1	0.110	20	200	6954851241218	
					iPh12 Pro Max 6.7	0.113	20	200	6954851241195	
Hot	REMA Emperor Series HD Tempered Glass Screen Protector with Film-Sticking Organizer GL-16				iP13Mini 5.4	0.075	20	200	6954851224181	Automatic aligning and sticking, precise and easy to master it CTN G.W:16.15kg/17.64kg/18.55kg±0.2kg CTN SIZE 60*33.5*49CM
					iP13/13 Pro 6.1	0.079	20	200	6954851224174	
					iP13 ProMax 6.7	0.082	20	200	6954851224167	
					iPh12 Mini 5.4	0.100	18	144	6954851225218	
2 Emperor Series	REMAX Emperor Series 9D HD Tempered Glass Screen Protector GL-32				iPh12/12Pro 6.1	0.110	18	144	6954851225225	Automatic aligning and sticking, precise and easy to master it CTN G.W:16.15kg/17.64kg/18.55kg±0.2kg CTN SIZE 60*33.5*49CM
					iPh12Pro max 6.7	0.120	18	144	6954851225232	
					iPh13 Mini 5.4	0.110	18	144	6954851225249	
					iPh13/13Pro 6.1	0.110	18	144	6954851225256	
Hot	REMAX Emperor Series 9D HD Tempered Glass Screen Protector GL-32				iPh13ProMax 6.7	0.110	18	144	6954851225263	Upgraded quality glass with nano-resin fiber, organic gluing with 9D processing, perfect combination to make it unparalleled CTNG.W:17.36±0.2KG/18.06±0.2KG/19.02±0.2K (GL-32) CTN G.W.: 20.3/20.9/21.8KG (GL-35) CTN SIZE 60*35*49CM
					iPhone12 5.4--Black	0.114	20	160	6954851255611	
					iPhone12 6.1X--Black	0.118	20	160	6954851255598	
					iPhone12 7--Black	0.123	20	160	6954851255581	
2 Emperor Series	REMAX Emperor Series Anti-peeping Tempered Glass Screen Protector GL-35				iPh13Mini 5.4	0.080	20	160	6954851299981	Upgraded quality glass with nano-resin fiber, organic gluing with 9D processing, perfect combination to make it unparalleled CTNG.W:17.36±0.2KG/18.06±0.2KG/19.02±0.2K (GL-32) CTN G.W.: 20.3/20.9/21.8KG (GL-35) CTN SIZE 60*35*49CM
					iPh13/13Pro6.1	0.083	20	160	6954851221043	
					iP13 Pro max 6.7	0.088	20	160	6954851210993	
					iPh 14/13/13Pro 6.1	0.084	20	160	6954851201168	
Hot	REMAX Emperor Series Anti-peeping Tempered Glass Screen Protector GL-35				iPh 14Pro 6.1	0.084	20	160	6954851201182	Upgraded quality glass with nano-resin fiber, organic gluing with 9D processing, perfect combination to make it unparalleled CTNG.W:17.36±0.2KG/18.06±0.2KG/19.02±0.2K (GL-32) CTN G.W.: 20.3/20.9/21.8KG (GL-35) CTN SIZE 60*35*49CM
					iPh 14 Plus13Pro max 6.7	0.084	20	160	6954851201199	
					iPh 14 Pro max 6.7	0.084	20	160	6954851201236	
					iP13Mini 5.4	0.079	20	160	6954851223511	
1	REMAX NEW HD Tempered Glass Screen Protector GL-27				iP13/13 Pro 6.1	0.083	20	160	6954851223696	Xuhong high-aluminum glass, super curving with tripled hardening, smooth to the touch CTNG.W:28.96±0.2KG/29.10±0.2KG/29.22±0.2KG CTN SIZE 52*34*39CM
					iP13 ProMax 6.7	0.088	20	160	6954851223689	
					iPh 12Mini 5.4	0.114	20	160	6954851233138	
					iPh12/iPh12 Pro 6.1	0.118	20	160	6954851233121	
Hot	REMAX NEW HD Tempered Glass Screen Protector GL-27				iPh12 Pro Max 6.7	0.123	20	160	6954851233114	Xuhong high-aluminum glass, super curving with tripled hardening, smooth to the touch CTNG.W:28.96±0.2KG/29.10±0.2KG/29.22±0.2KG CTN SIZE 52*34*39CM
					iPh 14/13/13Pro 6.1	0.021	20	160	6954851276418	
					iPh 14Pro 6.1	0.021	20	160	6954851276401	
					iPh 14 Plus13Pro max 6.7	0.025	20	160	6954851276395	
1	REMAX NEW Privacy Tempered Glass Screen Protector GL-27				iPh 14 Pro max 6.7	0.025	20	160	6954851276388	Material:High aluminum glass Technology:Electroplating AF/Xuhong high aluminum glass Thickness:04mm Super curved edges, full-screen covering Tempered glass, scratch- and wear-resistant Oleoiphobic coating, strong anti-fingerprint HD view on the front, anti-peeping on the side CTN G.W:6.1(29.18kg)/6.8(30.45kg)±0.2kg
					iPhone12 5.4--Black	0.150	30	180	6972174153827	
					iPhone12 6.1X--Black	0.154	30	180	6972174153834	
					iPhone12 7--Black	0.158	30	180	6972174153841	
Hot	REMAX NEW Privacy Tempered Glass Screen Protector GL-27				iPh13Mini 5.4	0.152	30	180	6954851221050	Material:High aluminum glass Technology:Electroplating AF/Xuhong high aluminum glass Thickness:04mm Super curved edges, full-screen covering Tempered glass, scratch- and wear-resistant Oleoiphobic coating, strong anti-fingerprint HD view on the front, anti-peeping on the side CTN G.W:6.1(29.18kg)/6.8(30.45kg)±0.2kg
					iPh 14/13/13Pro 6.1	0.157	30	180	6954851201243	
					iPh 14Pro 6.1	0.157	30	180	6954851201229	
					iPh 14 Plus13Pro max 6.7	0.157	30	180	6954851201175	
New	REMAX NEW Privacy Tempered Glass Screen Protector GL-27				iPh 14 Pro max 6.7	0.157	30	180	6954851201212	Material:High aluminum glass Technology:Electroplating AF/Xuhong high aluminum glass Thickness:04mm Super curved edges, full-screen covering Tempered glass, scratch- and wear-resistant Oleoiphobic coating, strong anti-fingerprint HD view on the front, anti-peeping on the side CTN G.W:6.1(29.18kg)/6.8(30.45kg)±0.2kg
					iPh 14/13/13Pro 6.1	0.154	30	180	6954851201731	
					iPh 14pro 6.1	0.154	30	180	6954851201748	
					iPh 14 Plus/13Pro max 6.7	0.161	30	180	6954851201755	
New	REMAX NEW Privacy Tempered Glass Screen Protector GL-27				iPh 14 Pro max 6.7	0.161	30	180	6954851201762	Material:High aluminum glass Technology:Electroplating AF/Xuhong high aluminum glass Thickness:04mm Super curved edges, full-screen covering Tempered glass, scratch- and wear-resistant Oleoiphobic coating, strong anti-fingerprint HD view on the front, anti-peeping on the side CTN G.W:6.1(29.18kg)/6.8(30.45kg)±0.2kg

iphone case (24 Models)

New			Crystal Clear		iPhone15 6.1	0.024	24	240	6954851215318	Material:TPU Technology: Two-color injection molding

New

New

New

New

24

Gintton Series Phone Case for
iPh15 Series RM-1692



iPh15 Pro 6.1

0.024

24

240

6954851215325

Thickness:0.8mm
1.Eco-friendly TPU, clear without yellowing
2.High light transmittance, view the original
3.Original size molding, closely seamed
4.Precise hole position, with lens protection

23

Crystal Series **Magnetic** Phone
Case for iPh15 Series RM-1690



iPh15 Plus 6.7

0.028

24

240

6954851215332

1.Eco-friendly TPU, clear without yellowing
2.Magsafe precise holing, wireless charging
3.TPU soft material, scratch-resistant
4.High light transmittance, view the original

iPh15 Promax 6.7

0.029

24

240

6954851215349

iPh15 6.1

0.017

24

240

6954851215196

iPh15 Pro 6.1

0.017

24

240

6.95485E+12

iPh15 Plus 6.7

0.018

24

240

6954851215219

iPh15 Promax 6.7

0.018

24

240

6954851215226

22

REMAX Colodon Series
Magnetic Metal-ring iPhone
Case RM-1702 for iph14 Series



iPh14 6.1 Black

0.125

14

140

6954851207122

iPh14 6.1 Green

0.125

14

140

6954851207139

iPh14 6.1 Purple

0.125

14

140

6954851207146

iPh14 6.1 Plue

0.125

14

140

6954851207153

iPh14 6.1 Silver

0.125

14

140

6954851207160

iPh 14Pro 6.1 Black

0.127

14

140

6954851207177

iPh 14Pro 6.1 Green

0.127

14

140

6954851207184

iPh 14Pro 6.1 Purple

0.127

14

140

6954851207214

iPh 14Pro 6.1Blue

0.127

14

140

6954851207221

iPh 14Pro 6.1 Silver

0.127

14

140

6954851207238

iPh 14 Plus 6.7 Black

0.130

14

140

6954851207245

iPh 14 Plus 6.7 Green

0.130

14

140

6954851207252

iPh 14 Plus 6.7 Purple

0.130

14

140

6954851207269

iPh 14 Plus 6.7Blue

0.130

14

140

6954851207276

iPh 14 Plus 6.7 Silver

0.130

14

140

6954851207283

iPh 14 Promax 6.7 Black

0.131

14

140

6954851207290

iPh 14 Promax 6.7 Green

0.131

14

140

6954851207344

iPh 14 Promax 6.7 Purple

0.131

14

140

6954851207382

iPh 14 Promax 6.7 Blue

0.131

14

140

6954851207399

iPh 14 Promax 6.7 Silver

0.131

14

140

6954851207405

Material:TPU+PC+Magnet
Technology:Injection
Thickness:1.8mm
1.Magnetic attraction, stable fitting
2.Metal ring, wear-resistant
3. Skin-friendly, anti-fall
4. Matte surface, mystical
CTN G.W:18.9kg±0.2kg
CTN G.W:19.2kg±0.2kg
CTN G.W:19.7KG±0.2kg
CTN G.W:19.8kg±0.2kg
CTN SIZE 60*33.5*51cm

21

REMAX icy Series Magsafe
Metal-Ring iPhone Case
RM-1697 for iph14



iPh14 6.1

0.119

14

140

6954851203759

Material:TPU
Technology:Injection
Thickness:1.8mm
Integrating forming, to feel the original. Metal buttons, hidden design.
Slim case, light to hold. Imported quality material, better drop performance. Inner cellular structuring, better cushioning, anti-oxidation and anti-yellowing.
CTN G.W:18.26KG/18.53KG/18.89KG/19.24KG±0.2 KG
Material:TPU

iPh 14Pro 6.1

0.121

14

140

6954851203773

iPh 14 Plus 6.7

0.124

14

140

6954851203780

iPh 14Promax 6.7

0.124

14

140

6954851203810

18

REMAX icy Series Metal-Ring
iPhone Case
RM-1696 for iph14



iPh14 6.1

0.118

14

140

6954851203643

Technology:Injection
Thickness:1.8mm
Integrating forming, to feel the original. Metal buttons, hidden design.
Slim case, light to hold. Imported quality material, better drop performance. Inner cellular structuring, better cushioning, anti-oxidation and anti-yellowing.
CTN G.W:18.03KG/18.17KG/18.79KG/18.85KG±0.2 KG
Material:TPU+PC+magnets

iPh 14Pro 6.1

0.119

14

140

6954851203650

iPh 14 Plus 6.7

0.123

14

140

6954851203698

iPh 14Promax 7

0.123

14

140

6954851203797

20

REMAX Crys Series Magsafe
Magnetic iPhone Case
RM-1690 for iph14



iPh14 6.1

0.069

24

240

6954851204794

Technology:Injection
Thickness:1.5mm
Magsafe precise holing, wireless charging
Hidden airbags, effective cushioning
TPU soft material, scratch-resistant
High light transmittance, view the original
CTN G.W:17.53KG/17.68KG/18.7KG/18.18KG±0.2
Material:TPU

iPh 14Pro 6.1

0.067

24

240

6954851204800

iPh 14 Plus 6.7

0.072

24

240

6954851204817

iPh 14Promax 6.7

0.070

24

240

6954851204824

18

REMAX Gintton Series iPhone
Case RM-1692



iPh14 6.1

0.609

25

25

6954851203803

Technology:Plastic sleeve injection
Thickness:0.8mm
Quality TPU, clear without yellowing
High light transmittance, view the original
Original size molding, closely seamed.
Precise hole position, with lens protection
CTN G.W:17KG/16.6KG/17.8KG/17.7KG±0.2 KG

iPh 14Pro 6.1

0.606

25

25

6954851203902

iPh 14 Plus 6.7

0.651

25

25

6954851203957

iPh 14Promax 6.7

0.646

25

25

6954851203964

iPh12 6.1-Clear

0.061

25

250

6954851204169

iPh12 Pro 6.1-Clear

0.060

25

250

6954851241492

iPh12 Pro max 6.7-Clear

0.064

25

250

6954851241539

iPh13 6.1-Black

0.065

25

250

6954851241201

iPh13 6.1-Blue

0.065

25

250

6954851241171

iPh13 6.1-Pink

Hot

Hot

17	Case for iphone12/13 series RM-1693		<p>iPh13 Pro 6.1-Black iPh13 pro 6.1-Blue iPh13pro 6.1-Pink iPh13pro 6.1-Clear iPh13 Promax 6.7--Black iPh13 Promax 6.7--Blue iPh13 Promax 6.7--Pink iPh13 Promax 6.7--Clear iPh12 Pro 6.1</p>	0.065 0.065 0.065 0.065 0.068 0.068 0.068 0.068 0.060	25 25 25 25 25 25 25 25 25	250 250 250 250 250 250 250 250 250	6954851241331 6954851241300 6954851241270 6954851241232 6954851205111 6954851241409 6954851205104 6954851241362 6954851240235	Anti-yellow electroplating, anti-fingerprint High light transmittance, view the original Hidden airbag, shock and drop resistance CTN G.W:17.34KG/17.3KG/18.07KG±0.2 KG CTN SIZE: 60*33.5*49cm
16	REMAX Gintton Series iphone Case RM-1692		<p>iPh12 Pro max 6.7 iPh13 Mini 5.4 iPh13 6.1 iPh13 Pro 6.1 iPh13 Promax 6.7</p>	0.065 0.058 0.063 0.064 0.066	25 25 25 25 25	250 250 250 250 250	6954851240242 6954851240259 6954851240365 6954851211457 6954851211464	
15	REMAX Crystal Series iphone Case RM-1688		<p>iPh13 6.1 iPh13 Pro 6.1</p>	0.063 0.062	25 25	250 250	6954851226567 6954851226550 6954851226543	Material:TPU+Plastic sleeve injection Thickness: 0.8mm Quality TPU, clear without yellowing High light transmittance, view the original Original size molding, closely seamed. CTN.G.W:16.28kg/17.23kg/17kg/18.1kg±0.2 KG CTN SIZE 60*33.5*49cm
14	REMAX Kellen Series iphone Case RM-1613		<p>iPh13Mini 5.4-Green iPh13Mini 5.4-White iPh13Mini 5.4-Black iPh13Pro 6.1-Green iPh13Pro 6.1-White iPh13Pro 6.1-Black iPh13Promax7-Green iPh13Promax7-White iPh13Promax7-Black</p>	0.064 0.064 0.064 0.068 0.068 0.068 0.073 0.073 0.073	25 25 25 25 25 25 25 25 25	250 250 250 250 250 250 250 250 250	6954851223382 6954851223375 6954851223368 6954851223443 6954851223436 6954851223429 6954851223474 6954851223467 6954851223450	Material:Liquid silicone Technology:Injection molding Liquid silicone, soft, drop and wear resistant. Delicate flocking lining, soft fiber. Precise hole position with original size molding. CTN/ G.W: 17.36/18.05/18.52/19.475kg CTN SIZE::60*33.5*49cm
14	REMAX Kellen Series Magsafe Magnetic iphone Case RM-1695		<p>iPh12-5.4 Black iPh12-5.4White iPh12-5.4 Green iPh12-6.1 Black iPh12-6.1 White iPh12-6.1 Green iPh12-7Black iPh12-7 White iPh12-7 Green</p>	0.063 0.063 0.063 0.065 0.065 0.065 0.071 0.071 0.071	25 25 25 25 25 25 25 25 25	250 250 250 250 250 250 250 250 250	6954851241188 6954851241164 6954851241157 6954851241140 6954851241126 6954851241119 6954851241102 6954851241010 6954851241003	Material: TPU,New liquid silicone, soft and wear-resistant. 1mm higher than the iphone to avoid scratching. Magsafe magnetic iphone case of wireless charging. CTN G.W:16.5/17.9/19.2KG CTN SIZE: 36*31.20cm
13	REMAX Jilton Series Clear Anti- drop iphone Case RM-1691		<p>iPh 13Mini5.4 iPh13 6.1 iPh13 Pro 6.1 iPh13 Promax 6.7</p>	0.059 0.064 0.065 0.069	25 25 25 25	250 250 250 250	6954851223054 6954851223061 6954851223078 6954851223085	Material: TPU+PC Technology:Plastic sleeve injection TPU eco-friendly material, crystal clear without yellowing.Military-grade drop resistant, more powerful use. Higher protection for the lens, safer to use. CTN G.W:22.3kg/24.4kg/24.5kg/26.5kg±0.2kg CTN SIZE 60*33.5*49cm
13	REMAX Jilton Series Clear Anti- drop iphone Case RM-1691		<p>iP12Mini 5.4 iP12/12 Pro 6.1 iP12 ProMax 6.7</p>	0.059 0.063 0.072	25 25 25	250 250 250	6954851227175 6954851226987 6954851226970	Material:TPU+PC.sleeve injection, integration forming. TPU eco-friendly material, clear and transparent. Thicker lens protection, a case higher than the iphone lens. Original size molding, close seaming. CTN G.W:176kg/17.38kg/19.53kg±0.2KG CTN SIZE2;60.0*33.5*49.0cm
12	REMAX Peel Series Ultrathin iphone Case RM-1700 (Back Cover+Front Tempared Glass)		<p>iPh 12/Black iPh 12/White iPh 12/Blue iPh 12 Pro /Black iPh 12 Pro /White iPh 12 Pro /Blue iPh 12 pro /Navy Blue iPh 12 Pro max/Black iPh 12 Pro max /White iPh 12 Pro max /Blue iPh 12 Pro max /Navy Blue iPh12/12 Pro 6.1-Black iPh12/12 Pro 6.1-Blue</p>	0.037 0.037 0.037 0.037 0.037 0.037 0.037 0.037 0.037 0.037 0.037 0.064 0.064	15 15 15 15 15 15 15 15 15 15 15 25 25	150 150 150 150 150 150 150 150 150 150 150 250 250	6954851292074 6954851292067 6954851286387 6954851276500 6954851276494 6954851261124 6954851252559 6954851281801 6954851281795 6954851281771 6954851252269 6954851225119 6954851225096	Material: PC+glass Technology:High pressure forming + refined ring carving An integration of screen protector and iphone case. Slim and light. Restore the original texture. AF anti-fingerprint and anti-greasy processing on the glass surface. CTN G.W: 8.2/8.5/9KG±0.2KG) CTN SIZE 60*33.5*49CM Material: TPU+PC Technology Plastic sleeve injection

11	REMAX Original Series Magnetic iPhone Case RM-1698		iPh12/12 Pro 6.1-Green	0.064	25	250	6954851224969	Thickness: 1.5mm TPU original color frame, skin-friendly texture. Laser spraying process on the back, strongly permeable and anti-fingerprint. CTN G.W 17.7/19.23 0.2KG CTN SIZE 60*33.5*49cm				
			iPh12 Pro Max 6.7-Black	0.064	25	250	6954851225102					
			iPh12 Pro Max 6.7-Blue	0.064	25	250	6954851224976					
			iPh12 Pro Max 6.7-Green	0.064	25	250	6954851224952					
			iPh12 Mini 5.4 Tarnish	0.076	25	250	6954851242468					
			iPh12 Mini 5.4 Silver	0.076	25	250	6954851242444					
			iPh12 6.1 Tarnish	0.076	25	250	6954851242437					
			iPh12 6.1 Silver	0.076	25	250	6954851242406					
			iPh12 pro 6.1 Tarnish	0.089	25	250	6954851242413					
			iPh12 pro 6.1 Silver	0.089	25	250	6954851242420					
			iPh12 Pro Max 6.7 Tarnish	0.096	25	250	6954851242291					
10	REMAX Magneto Series iPhone Case RM-1689		iPh12 Pro Max 6.7 Silver	0.096	25	250	6954851242284	Material: Aluminum alloy + glass+CNC With ALY aviation alloy raw material frame, anti-broken and lightweight. 5A-class bulletproof glass, tougher protection than ever. Nano material, hardened and tempered, sensitive fingerprint sensing, upgraded with lens protection. All-covering protection, magnetic installation. CTN G.W:21.86KG/21.1KG/18.36KG ±0.2KG CTN SIZE2:60.0*33.5*49.0cm				
			iPh12 -5.4 Pink	0.068	25	250	6954851233473					
			iPh12 5.4 Purple	0.068	25	250	6954851233428					
			iPh12 -5.4 Black	0.068	25	250	6954851233411					
			iPh12-6.1Pink	0.074	25	250	6954851233398					
			iPh12 -6.1Purple	0.074	25	250	6954851233381					
			iPh12 6.1-Black	0.074	25	250	6954851233374					
			iPh12-6.7 Pink	0.081	25	250	6954851233367					
			iPh12-6.7 Purple	0.081	25	250	6954851222224					
			iPh12-6.7 Black	0.081	25	250	6954851222101					
			9	REMAX Star Series iPhone Case RM-1686		Black	0.034		128	128	6954851240655	Material: TPU+pc(integrated) Perfectly fitting, as thin as 1.0mm. Crystal diamond decoration. All-round protection, feel the original. CTN G.W:18.52/20.16/21.82KG CTN SIZE: 60*33.5*49cm
Blue	0.034	128				128	6954851240570					
Pink	0.034	128				128	6954851240563					
Green	0.034	128				128	6954851240556					
Brown	0.034	128				128	6954851240549					
iPh12 mini 5.4-Black	0.016	25				250	6954851207320					
iPh12 Mini 5.4-White	0.016	25				250	6954851207313					
iPh12 Mini 5.4-Green	0.016	25				250	6954851207306					
iPh12/12 Pro 6.1-Black	0.020	25				250	6954851207207					
iPh12/12 Pro 6.1-White	0.020	25				250	6954851207191					
iPh12/12 Pro 6.1-Green	0.020	25				250	6954851207115					
8	REMAX MagSafe Magnetic Leather Card Case iph12 RM-1693		iPh12 Pro Max 6.7-Black	0.023	25	250	6954851207108	Material: Leather Handmade MagSafe Magnetic Leather Card Case Handmade leather case. Click and quick aligning. Strong magnets, convenient storing of your credit cards, change and ID card. CTN G.W.: 4.55KG; CTN SIZE: 33*23.2*11cm				
			iPh12 Pro Max 6.7-White	0.023	25	250	6954851207030					
			iPh12 Pro Max 6.7-Green	0.023	25	250	6954851207023					
			iPh12 Mini 5.4-Black	0.047	25	250	6972174159546					
			iPh12 Mini 5.4-White	0.047	25	250	6972174159553					
			iPh12 6.1-Black	0.048	25	250	6972174159560					
			iPh12 6.1-White	0.048	25	250	6972174159577					
			iPh12 Pro 6.1-Black	0.049	25	250	6972174159584					
			iPh12 Pro 6.1-White	0.049	25	250	6972174159591					
			iPh12 Pro Max 6.7-Black	0.050	25	250	6972174159607					
			iPh12 Pro Max 6.7-White	0.050	25	250	6972174159614					
7	REMAX Twilight Series iPhone Case For iph12 5.4/6.1X/6.8 RM-1673		iPh12 Pro Max 6.7-Black	0.071	25	250	6972174159089	Material: Liquid silicone Oil hydraulic + sanding + paint coating + laser carving Thickness: 1.2mm CTN/ G.W: 16.65kg; iPhone 12 5.4 CTN/ G.W: 17.70kg; iPhone 12/12 Pro 6.1 CTN/ G.W: 18.84kg; iPhone 12 pro max 7 SIZE 60*33.5*49cm				
			iPh12 Pro Max 6.7-White	0.071	25	250	6972174159096					
			iPh12 Mini 5.4-Black	0.071	25	250	6972174159102					
			iPh12 Mini 5.4-Gray	0.071	25	250	6972174159109					
			iPh12 Mini 5.4-Blue	0.071	25	250	6972174159119					
			iPh12/Pro 6.1-Black	0.077	25	250	6972174159119					
			iPh12/Pro 6.1-Gray	0.077	25	250	6972174159126					
			iPh12/Pro 6.1-Blue	0.077	25	250	6972174159133					
			iPh12 Pro max 6.7-Black	0.084	25	250	6972174159140					
			iPh12 Pro max 6.7-Gray	0.084	25	250	6972174159157					
			iPh12 Pro max 6.7-Blue	0.084	25	250	6972174159164					
6	REMAX Breath Series iPhone Case For iph12 5.4/6.1/6.8 RM-1678		iPhone 11 Pro-Black	0.134	15	150	6954851298946	Material: PP Ultra-thin PP material; honeycomb heat dissipation; nice texture. Proper fitting of buttons and the iPhone. CTN/ G.W: 12.725kg; iPhone 12 5.4 CTN/ G.W: 13.05kg; iPhone 12 6.1 CTN/ G.W: 13.2kg; iPhone 12 pro 6.1 CTN/ G.W: 13.45kg; iPhone 12 pro max 7 SIZE 60*33.5*49cm				
			iPhone 11 Pro-Blue	0.134	15	150	6954851298922					
			iPhone 11 Pro-Grey	0.134	15	150	6954851298939					
			iPhone 11-Black	0.136	15	150	6954851298915					
			iPhone 11-Blue	0.136	15	150	6954851298892					
			iPhone 11-Grey	0.136	15	150	6954851298908					
			iPhone 11 Pro Max-Black	0.140	15	150	6954851298885					
			5	REMAX Cheetah Series iPhone Case RM-1679		iPhone 11 Pro Max-Black	0.140		15	150	6954851298885	Material: PC TUP TPE With shock-absorbing material to fully protect your iPhone. Retro flannelette design, a skin-friendly texture. CTN/ G.W: 18.675kg; iPhone 12 5.4 CTN/ G.W: 20.2kg; iPhone 12 6.1x CTN/ G.W: 21.9kg; iPhone 12 pro max 7 SIZE 60*35*50cm
						iPhone 11 Pro Max-Blue	0.140		15	150	6954851298885	
						iPhone 11 Pro Max-Grey	0.140		15	150	6954851298885	
						iPhone 11 Pro Max-Black	0.140		15	150	6954851298885	
iPhone 11 Pro Max-Blue	0.140	15				150	6954851298885					
iPhone 11 Pro Max-Grey	0.140	15				150	6954851298885					
iPhone 11 Pro Max-Black	0.140	15				150	6954851298885					
iPhone 11 Pro Max-Blue	0.140	15				150	6954851298885					
iPhone 11 Pro Max-Grey	0.140	15				150	6954851298885					
iPhone 11 Pro Max-Black	0.140	15				150	6954851298885					
iPhone 11 Pro Max-Blue	0.140	15				150	6954851298885					

4	REMAX Su Ge Series iPhone Case for New iPhone 11, 11 Pro, 11 Pro Max RM-1680				iPhone 11 Pro Max-Blue	0.140	15	150	6954851299059	Material: PC+PU Semi transparent PC case; Fully curved protection CTN/G.W.:20.64 kg; iPhone 11 Pro CTN/G.W.:21.66 kg; iPhone 11 CTN/G.W.:22.56 kg; iPhone 11 Pro Max CTN Size: 60*35*50cm
					iPhone 11 Pro Max-Grey	0.140	15	150	6954851298878	
					iPhone 11 Pro-Black	0.122	15	150	6954851299226	
					iPhone 11 Pro-Grey	0.122	15	150	6954851299219	
3	REMAX Senhar Series iPhone Case for iPhone 12 RM-1676				iPhone 11 Pro Max-Black	0.135	15	150	6954851299301	Material:TPU+PC Perfectly fitting, as thin as 1.2mm.Crystal diamond decoration. Comfortable matte plating design. CTN/ G.W.: 21.5kg; iPhone 12 5.4 CTN/ G.W.: 23.5kg; iPhone 12 6.1x CTN/ G.W.:26kg; iPhone 12 7 SIZE:60*33.5*49cm
					iPhone 11 Pro Max-Grey	0.135	15	150	6954851299295	
					iPhone 11 Pro Max-Blue	0.135	15	150	6954851299288	
					iPh 12 5.4-Silver	0.081	24	240	6972174154497	
2	REMAX Sinyu Series iPhone Case for New iPhone 11, 11 Pro, 11 Pro Max RM-1681				iPh 12 5.4-Black	0.081	24	240	6972174154503	Material: PC+TPC 360-degree protection with soft edge design, easy to install and remove; High-end crystals and rhinestones set by hand are shining with dazzling brilliance. Accessible luxury CTN/G.W.:23.9 kg; iPhone 11 Pro CTN/G.W.:24.8 kg; iPhone 11 CTN/G.W.:25.7 kg; iPhone 11 Pro Max CTN Size: 60*35*50cm
					iPh 12 6.1X-Silver	0.092	24	240	6972174154510	
					iPh 12 6.1X-Black	0.092	24	240	6972174154527	
					iPh 12 7-Silver	0.101	24	240	6972174154534	
1	REMAX Most Series iPhone Case for New iPhone 11, 11 Pro, 11 Pro Max RM-1673				iPh 12 7-Black	0.101	24	240	6972174154541	Material: TPU Female Beloved, Mirror Quicksand CTN/G.W.:23.09kg; iPhone 11 Pro CTN/G.W.:24.84 kg; iPhone 11 CTN/G.W.:25.84 kg; iPhone 11 Pro Max CTN Size: 59*33.5*49 cm
					iPhone 11 Pro-Black	0.144	15	150	6972174150413	
					iPhone 11 Pro-White	0.144	15	150	6972174150406	
					iPhone 11-Black	0.150	15	150	6972174150437	
1	REMAX Most Series iPhone Case for New iPhone 11, 11 Pro, 11 Pro Max RM-1673				iPhone 11-White	0.150	15	150	6972174150420	Material: PC+ Silicon Gel Anti-broken, Water and drop resistance CTN/G.W.:12.4 kg; iPhone 11 Pro CTN/G.W.:12.6 kg; iPhone 11 CTN/G.W.:13.1 kg; iPhone 11 Pro Max CTN Size: 60*35*50cm
					iPhone 11 Pro Max-Black	0.156	15	150	6972174150451	
					iPhone 11 Pro Max-White	0.156	15	150	6972174150444	
					iPhone 11 Pro-Silver	0.092	25	250	6972174150468	
1	REMAX Most Series iPhone Case for New iPhone 11, 11 Pro, 11 Pro Max RM-1673				iPhone 11-Silver	0.099	25	250	6972174150482	Material: PC+ Silicon Gel Anti-broken, Water and drop resistance CTN/G.W.:12.4 kg; iPhone 11 Pro CTN/G.W.:12.6 kg; iPhone 11 CTN/G.W.:13.1 kg; iPhone 11 Pro Max CTN Size: 60*35*50cm
					iPhone 11 Pro Max-Silver	0.103	25	250	6972174150475	
					iPhone 11 Pro-Black	0.067	15	150	6954851299394	
					iPhone 11 Pro-White	0.067	15	150	6954851299387	
1	REMAX Most Series iPhone Case for New iPhone 11, 11 Pro, 11 Pro Max RM-1673				iPhone 11 Pro-Green	0.067	15	150	6972174151359	Material: PC+ Silicon Gel Anti-broken, Water and drop resistance CTN/G.W.:12.4 kg; iPhone 11 Pro CTN/G.W.:12.6 kg; iPhone 11 CTN/G.W.:13.1 kg; iPhone 11 Pro Max CTN Size: 60*35*50cm
					iPhone 11-Black	0.068	15	150	6954851299400	
					iPhone 11-White	0.068	15	150	6954851299424	
					iPhone 11-Green	0.068	15	150	6972174151335	
1	REMAX Most Series iPhone Case for New iPhone 11, 11 Pro, 11 Pro Max RM-1673				iPhone 11 Pro Max-Black	0.072	15	150	6954851299431	Material: PC+ Silicon Gel Anti-broken, Water and drop resistance CTN/G.W.:12.4 kg; iPhone 11 Pro CTN/G.W.:12.6 kg; iPhone 11 CTN/G.W.:13.1 kg; iPhone 11 Pro Max CTN Size: 60*35*50cm
					iPhone 11 Pro Max-White	0.072	15	150	6954851299448	
					iPhone 11 Pro Max-Green	0.072	15	150	6972174151342	

HUAWEI phone case (1 Model)







New 1	Far Ahead Series Phone Case for Huawei Mate60 Pro/Mate60 Pro+ RM-1705				Black	0.064	24	240	6954851223238	Material:Hardware + faux leather Technology: Faux leather adhesive Thickness: 0.8 1.High-end faux leather with an ultra-thin touch, fingerprint-resistant 2.Faux leather combined with a metal piece to restore the original phone's texture 3.Full-screen coverage for ultimate drop protection CTN G.W.:17.7KG±0.2kg	
					Silver	0.064	24	240	6954851223245		
					Green	0.064	24	240	6954851222996		
					Purple	0.064	24	240	6954851223009		
	Far Ahead Series Phone Case for Huawei Mate60 RM-1705					Black	0.064	24	240	6954851234883	Material:Hardware + faux leather Technology: Faux leather adhesive Thickness: 0.8 1.High-end faux leather with an ultra-thin touch, fingerprint-resistant 2.Faux leather combined with a metal piece to restore the original phone's texture CTN G.W.:17.4KG±0.2kg CTN SIZE 60*33.5*49cm
						Silver	0.064	24	240	6954851234890	
						Green	0.064	24	240	6954851234869	
						Purple	0.064	24	240	6954851234876	

Tablet case (3 Models)

New 3	REMAX Magnetic Rotary Detachable Case for Ipa GL-85				10.9 Blue	0.496	50	50	6954851203506	Material: PU + TPU + acrylic + rubidium iron boron magnet Thickness: 15cm 1.720° rotation 2. Anti-fall, fully protect your tablet 3. All-inclusive design, skin-friendly feeling
					10.9 Black	0.496	50	50	6954851201137	
					11 Blue	0.497	50	50	6954851235200	
					11 Black	0.497	50	50	6954851203537	

New

New



















2	REMAX Chan Series Leather Case PT-10 for iPa Mini6 8.3" PT-10				12.9 Blue 12.9 Black		0.648 0.648	40 40	40 40	6954851235408 6954851235309	<p>CTN G.W:28.8/29.1/29.8kg±0.2kg CTN SIZE 60*33.5*49CM</p>
1	REMAX Chan Series Leather Case PT-10 for iPa 2020/2021 universal 12.9" PT-10				Blue Beige Black Blue Beige		0.219 0.219 0.463 0.463 0.463	10 10 5 5 5	100 100 50 50 50	6954851227991 6954851228004 6954851228042 6954851228059 6954851228066	<p>Material: TPU+PU leather+high frequency hot pressing Thickness: 2MM Comfortable texture, wear-resistant and anti-fingerprint, more durable. Quality metal LOGO, precise hole position with original size molding. With an exclusive pen slot for Apple Pencil. Soft leather lining, lint-free with full-covering protection. CTN G.W:23.41kg±0.2kg CTN SIZE 60*33.5*49CM</p> <p>Material: TPU+PU leather+high frequency hot pressing Thickness: 2MM Comfortable texture, wear-resistant and anti-fingerprint, more durable. Quality metal LOGO, precise hole position with original size molding. With an exclusive pen slot for Apple Pencil. Soft leather lining, lint-free with full-covering protection. CTN G.W:24.65kg±0.2kg CTN SIZE 60*33.5*49CM</p>

LED Light & Selfie Sticker & Humidifier & Creative Life & & Mini Fan




My Service My Life

No.	MODEL NO.	Full Color PIC	Detail of PIC	PACKAGING	COLOR/ PATTERN		G.W./PCS (KG)	MOQ/PCS	PCS/CTN	Bar Code	SPECIFICATIONS
-----	-----------	----------------	---------------	-----------	----------------	--	---------------	---------	---------	----------	----------------

LED Light (6 Models)

6	REMAX Time II Series Eye-Caring LED Lam RT-E601				White		0.445	20	20	6954851213277	Material: ABS+PC Rated voltage: DCSV Rated power: 4W Charging port: Micro 1. Electronic perpetual calendar 2. Advanced technology, not blinding, no strobe, soft lighting for eye protection 3. Touch key to adjust brightness, convenient operation Material: ABS+aluminum alloy
5	REMAX Noah Series Smart Folding Eye-Caring Lamp RT-E615				White		1.243	15	15	6954851234470	Rated voltage: DCSV Rated power: 9W Charging port: TYPE-C 1. High brightness LED soft night light, comfortable for eyes 2. The base and the lamp connected with aluminum profiles, adjustable height 3. One service life, without blue light hazard Material: Aluminum+ABS Technology: Aluminum sandblasting+anodizing
4	REMAX Lightsee Series Aluminum Screen Lamp RT-E910				Black		0.420	20	20	6954851228561	Rated voltage: 5V Rated power: 5W Charging port: TYPE-C Stepless dimming, free brightness adjustment. Easy to install, actively adaptive displays, touch-control use. Asymmetrical non-flicker light source, more eye-caring, angle adjustable. Material: ABS Technology: handcraft
3	REMAX ReSee Series Smart Eye-Caring LED Lamp 1500mAh RT-E815				White		0.850	12	12	6954851251088	Rated voltage: DCSV/1A Rated power: 10w Charging port: 3.5port Charging time: 3-4h Working time: 3h Pen container+phone holder, more convenient.
2	REMAX Dawn Led Eye Protection Lamp RT-E195 (Plywood)				White		1.045	87	87	6954851275039	Battery Capacity: 750mAh Polymer Battery CTN G.W.: 8.4KG; CTN SIZE: 58.5*27*42CM
1	REMAX Dawn Led Eye Protection Lamp RT-E190 (Table)				White		1.045	60	60	6954851275022	Battery Capacity: 1200mAh CTN G.W.: 7.8KG; CTN SIZE: 54.5*43.0*31.5CM

Selfie and Shooting (2 Models)

2	Selfie Stick Tripod for Live Streaming 0.8m P16				Black		0.140	100	100	6954851216407	Material: ABS+ stainless steel Battery: Coin battery 1. Equipped with wireless remote control for remote shooting anytime, anywhere. 2. Integrated design, compact and portable for easy carrying. 3. Brand new long-arm phone clamp supports multiple angles, not just horizontal and vertical, enabling true 360° rotation for all-around shooting.
---	---	---	---	---	-------	--	-------	-----	-----	---------------	---






Hot	4	Selfie Stick Tripod for Live Streaming 1.3m P17				Black		0.242	80	80	6954851216797	Material: ABS+ stainless steel Battery: Coin battery 1.Equipped with wireless remote control for remote shooting anytime, anywhere. 2.Integrated design, compact and portable for easy carrying. 3.Brand new long-arm phone clamp supports multiple angles, not just horizontal and vertical, enabling true 360° rotation for all-around shooting.
	1	REMAX Inspiration Multifunction Selfie Stick P12				Black		0.315	22	22	6954851240969	Material: ABS+PC/aluminium alloy 1.3M long for a wider view,free shooting.(single battery)2.With a tripod, more stable standing. 3.For live-stream, binge-watch, video, selfie. For various uses. CTN G.W.:7.4 KG; CTN SIZE: 36.5*32*19CM

Humidifier (5 Models)




Hot	5	Huhu Humidifier (Battery Version) RT-A610				Green		0.238	60	60	6954851235842	Material: ABS+PP+Silicone Rated voltage: DC5V/0.5A Rated power: 1.5-2W Capacity: 18650 battery 1200mAh Charging time: Approx. 2h10min Working time: 3.5 hours
	4	REMAX Petit Series Space Capsule Humidifier RT-A720 Plug-in				Pink		0.238	60	60	6954851235859	1.Tank-shaped exterior design, cute and fun 2.Removable figurine for added amusement Material:ABS+PP+PC+electric parts Technology:Injection molding, electroplating, assembly, testing and packaging Rated voltage:5V=1A Rated power:2-5W Capacity:240ml Working time 6-hour auto power off Charging port Micro USB Material:ABS+PC+silicone
	3	REMAX Spacecraft Series Humidifier RT-A730				White		0.257	60	60	6954851203025	Rated voltage:DC5V/1A Rated power:1.5-2W Capacity:220ML Charging port:TYPE-C Strong misting Colorful lighting effect With a removeable astronaut ornament Material: silicone+ABS Capacity: 1.6L Rated voltage: 5V Rated power: 1.5W :Charging port : Type-c Charging time: 4H Working time: 8-12H
	2	REMAX Watery Series Humidifier RT-A700 USB Charge Port				Pink		0.257	60	60	6954851235507	Add water from the top, 2 levels of night light. 1.6L super water tank, add water once for a longer use. With aroma sponge, supports use of flower- or fruit-scent and essential oils.
	1	REMAX Requin Series Humidifier RT-A500 PRO USB Charge Port				Green		0.506	12	12	6954851225065	With digital display touch-control power button smarter use. Material: PC+ABS Technology: Injection molding Rated voltage: 5V Rated power:400mAh Capacity:1.2L Charging time: 4H Charging port: Micro USB Efficient spraying, quiet and foggy
								0.506	12	12	6954851225058	
						Doraemon-Blue		0.506	12	12	6954851225072	
						Blue		0.527	12	12	6954851223825	
						White		0.527	12	12	6954851223825	
						Green		0.527	12	12	6954851226888	

Smart Watch (4 Models)










New	4	Chitrun Series AMOLED Display Smartwatch WATCH 11				Black		0.217	46	46	6954851220930	Material: AMOLED screen+ zinc alloy frame+ IML base Technology: Electroplating Capacity: 260mAh Rated voltage: 3.7V Rated power: 0.96Wh Scope of application: Designed for health, fitness, and casual wear Charging time: 2.5 hour Working time: 5-7 Days
						white and gold		0.217	46	46	6954851221159	

New	3	Chivei Series AMOLED Display Smartwatch WATCH 10				Black	0.224	46	46	6954851221166	Material: AMOLED screen+zinc alloy frame+ IML base Technology: Electroplating Capacity: 260mAh Rated voltage: 3.7V Rated power: 0.96Wh Charging time: 2.5 hour Working time: 5-7 days Product lifespan: 3 years 1.Single-chip dual-mode, one-button for wireless connection 2.Ultra-low power consumption, 5-7 days battery life, with a standby time of 30 days	
	Hot	2	Czhiwo Smartwatch WATCH9				Silver	0.224	46	46		6954851221197
		Hot	1	REMAX Sports Smartwatch WATCH8 ULTRA				Gold with Orange Strap	0.207	100		100
		REMAX Smartwatch WATCH8				Gold with Black Strap	0.207	100	100	6954851208501	Material: Zinc alloy Technology:IML Capacity:270mAh Rated voltage:3.7V Charging time:About 3.5h Working time:3-5 days Scope of application:Wireless smartwatch 1. Chin: Realtek R762DT Material:Zinc alloy Technology:Vacuum plating/IML Capacity:270mAh Rated voltage:3.7V Charging time:3.5h Working tim:3-5 days Charging port:Wireless charging With CE/ROSH/FCC Material:Zinc alloy	
						Silver	0.196	10	100	6954851203018		
						Black	0.196	10	100	6954851202684	Technology:Vaccum electroplating Capacity:250mAh Rated voltage:3.7V Rated power 0.962wh Charging time:2.5h Working tim 5 days under normal use Charging port Wireless charging	

Creative Life (11 Models)

1	REMAX Plexiglass Smart Watch Display Stand DJ-02				/	/	/	5	5	/	/
---	--	---	---	---	---	---	---	---	---	---	---



























Creative Life (11 Models)

11	REMAX Time Capsule Mosquito Killer Lamp MC-2				Blue	0.680	24	24	/	/	Material :ABS+PC+hardware Rated voltage:5V Rated power 5W Scope of application:office/home/dorm/indoor use Charging port:TYPE-C Quadruple mosquito trap function, 360° violet light with variable frequency; imitate human breath to attract mosquitoes; bionic temperature to create an environment preferred by mosquitoes four	
10	REMAX Folding Mosquito Swatter L39				Green	0.420	18	18	/	/		Material :ABS+PC+(hardware) Rated voltage:5V Rated power:1.7W Charging time: 1.5-2h Working time: 2.5h Charging port:TYPE-C Triple mosquito trap function: double-sided violet light with variable frequency for sterilization and transformation of CO2, bionic temperature to enhance mosquito trapping effect
9	REMAX Electric mosquito repellent MC-1				Blue	0.28	60	60	6954851221425	Technology:Assembly/plating/silkscreening Capacity:1500mAh Rated voltage:5V Rated power:4.2W Charging time:2H Charging port:Type-C		
					Green	0.28	60	60	6954851222811	(1)Ceramic atomization, take effect in 60s, no mosquitoes around you		

Hot

8	REMAX Warmie Series Foot Warmer RT-H18 CN Plug				Cream Yellow	2.000	1	1	6954851205524	Material :ABS Rated voltage:AC 220V Rated power:400W Scope of application:office/home/dorm/indoor use Charging port:CN plug PTC ceramic heater, safe and efficient warming. Bottom with a moxibustion tablet slot, warming your foot with moxibustion theraov soothing the arteries and veins of your feet. Material: ABS Product process:High-gloss material +electroplating + silk screen Thickness 9mm
7	DropTag Smart Global Position Tracking Item Finder RT-G2302				White	0.008	40	400	6954851209577	1. Global positioning, does not need internet connection 2. Not limited by geographical location, precise positioning 3. No need to download an app, use the built-in iPH app for easy operation CTN G.W:21.5Kg±0.2 Kg Material+Technology: ABS+laser carving
6	REMAX Wireless 3-Mode Keyboard JP-1				Green	9.650	10	10	6954851274162	Capacity: 750mA×2=1500mAh 7#/Alkaline dry battery)
					White	9.650	10	10	6954851271451	Rated voltage: 1.5×2=3.0V Rated power: 4.5mW PC terminal: win8/win10/MAC
5	REMAX Cattie Waterproof Bag RT-W4				Pink	0.073	100	100	69548512712267	High-end design for phones and tablets, embedded slot for placement. Five-color kevcao supports 10 million times of use. 2.4G/BT1/BT2 three-Material: ABS+TPU Technology:Injection molding + high-frequency bonding Scope of application:waterproof pouch Capacity Phone of and below 7 inches High-transparent TPU, clear shooting, for various phones. IPX8 level waterproof, worry-free use.
4	Fast Charging Stylus Pen (General) AP03				Black	0.080	100	100	6954851215042	CTN G.W:7.2KG±0.2KG Material: Aluminum alloy Technology:Piano paint
					White	0.080	100	100	6954851206132	Capacity:100mA Rated voltage:3.7V
					Purple	0.080	100	100	6954851215134	Rated power 0.7W Scope of application: Electronic screen
					Green	0.080	100	100	6954851215059	Charging time: About 10 minutes Fully charged Stays on Material Plastic
3	Cyberpunk Palm Rejection Stylus Pen AP07				Tranparent	0.088	100	100	6954851217534	Technology:Technology Capacity:100mAh Rated voltage:3.7v Rated power 0.7w Charging time:About 120 minutes Charging port Magnetic iPad charging Working time 8h using time after a full charge Material: Aluminum alloy+ABS+Piano paint processing
2	REMAX Active Stylus AP01				White	0.072	100	100	6954851205135	Rated voltage: 5V,3.7V Rated power: 1W,0.0444W Scope of application: For iPad 2018 and beyond Capacity:130mAh Charging time: 1H Working time:10-13H
					Green	0.400	40	40	6954851255253	Charging port: TYPE-C Material: ABS+layers of piano paint processing+laser carving Rated voltage:3.7V Rated power:1.2W
1	REMAX Sonic Electric Toothbrush GH-07				Pink	0.400	40	40	6954851255291	Capacity 500MAH Charging time: about 8 hours Working time:35days
					White	0.400	40	40	6954851255307	Mag-lev motor, up to 31000 vibrations per minute IPX7 waterproof, 30S brushing reminder, 2min timed use

Mini Fan (12 Models)

Hot	12	REMAX Dual-Core Cooling Neckband Fan BP628				Blue	0.365	32	32	6954851234180	Material:ABS+ aluminum alloy Technology: Smooth cut on the surface, Varnish on the decorative pieces and buttons Rated voltage: DC5V Rated power: 9W Charging time: About 3.5 hours Working time: 3-12h Charging port: Type-C Material:ABS
	11	REMAX Bobbol Planet Table Clip Fan F11				White	0.298	33	33	6954851208761	Technology: PC Rated voltage: 3.7V Rated power: 3w Charging time: About 2 hours
	10	REMAX 6.6-inch Multi-purpose Portable Fan F10				Blue	0.298	33	33	6954851208778	Working time: Gear 1: 4.5 hours Gear 2: 2.5 hours Gear 3: 1.5 hours Charging port: Type-C port 1200mAh high-capacity battery Material: ABS+ alloy Technology:Injection molding + assembly Capacity: 4800mAh Rated voltage: 10V Rated power: 5W Charging time:3-5H USB fast charging, built-in battery for long-lasting battery life, enjoy the cool breeze at any time.
	9	REMAX Mecha Creative Neckband Fan F25				White	0.188	100	100	6954851233329	High speed low noise stable and quiet operation strong wind with low Material: Transparent PC+ABS+silicone Technology:Shell material, silicone spray oil Capacity: 900mAh Rated voltage: 3.7V Rated power: 2.5W Super strong wind, mecha style, wind direction adjustment, long-lasting battery life, Gear 3 for wind from another direction, cool the summer heat Please prevent it from falling, dust, water, moisture and sun
	8	REMAX Hurricane Bladeless Neckband Fan F30				Dark Green	0.420	40	40	6954851221418	Material:ABS+PC silicone electronic components Technology: Surface texturing Rated voltage: 5v
						Dark Blue	0.420	40	40	6954851227267	Rated power: 5w Charging time: 3h
						Purple	0.420	40	40	6954851225188	Working time: 6-8h
						Cheery Pink	0.420	40	40	6954851225287	Charging port: USB-Type-C High air volume, upward and downward air flow, moderate noise, long
	7	REMAX Doraemon Boqin Series Bladeless Fan F3				White	0.043	40	40	6954851211693	Material: ABS/PC/silicone/electric parts+laser carving Capacity: 1200mah Rated voltage: 3.7V-4.2V Rated power: 1.4W-3.5W
						Pink	0.043	40	40	6954851211709	This UFO Stroller Fan (General) has a 1200MA battery, with 4 wind speeds. Natural wind circulation, gentle for babies. Customizable cute dolls shaping, fine mesh cover with anti-pinch design, safer to use. CTN G.W: 13.3KG±0.2KG
	6	REMAX UFO Stroller Fan General F28				Pink	0.308	40	40	6954851242628	CTN SIZE: 51.5*41.5*36.8CM Material: ABS/PC/silicone/electric parts+laser carving Capacity: 1200mah Rated voltage: 3.7V-4.2V Rated power: 1.4W-3.5W
						White	0.308	40	40	6954851242611	This UFO Stroller Fan (General) has a 1200MA battery, with 4 wind speeds. Natural wind circulation, gentle for babies. Customizable cute dolls shaping, fine mesh cover with anti-pinch design, safer to use. CTN G.W: 13.3KG±0.2KG CTN SIZE: 51.5*41.5*36.8CM
5	REMAX Cool Pro Desktop Fan F5				White	0.450	24	24	6954851224020	Material: ABS Technology:Injection molding Rated voltage:DC5V Rated power 0.8A 5W power-off state, maximum charging current 0.8A	
					Green	0.450	24	24	6954851228926	Charging time Power off and charge <=4.5H Handheld use, USB-powered, stylish design	
4	REMAX Wristband Fan F7				Yellow	0.103	30	120	6954851224006	Brushless motor, long battery life Material: ABS, TPU, PP, PVC Technology: Injection molding, assembly	
					Light Blue	0.103	30	120	6954851223993	Capacity: Lithium polymer battery:300mAh Charging time about 2 hours	
					Blackish Green	0.103	30	120	6954851223976	Working time:1-2 hours Rated voltage: DC 5V	

3	REMAX Little Bear Series Mini Fan F12PRO				Pink		0.103	30	120	6954851223986	Rated power: 1W Simple and lightweight stylish color matching + cute silicone sticker Material: ABS
					White		0.218	60	60	6954821223627	Technology:Design / R&D / Assembly / Inspection Rated voltage:3.7V
					Pink		0.218	60	60	6954821223627	Rated power 5w Capacity:4800mAh Charging time 5h
2	REMAX Little Bear Series Mini Fan F12				Blue		0.218	60	60	6954821223603	Working time:24h-44h 20BX is an upgraded model of 20B. with 4800mAh batterv. 3 wind speeds. Material: ABS
					Blue		0.155	60	60	6954851271185	Technology:Design/R&D/Assembly/Inspection Rated voltage: 3.7V Rated power 5W Charging time: 2H Capacity ICR18650-2000mAh Working time: high level-3.5H/low level-6H
1	REMAX Cat Claw Neckband Fan F6				Pink		0.155	60	60	6954851271192	Mini and compact easy to store. Material: ABS, Silicone Technology: injection molding Capacity:1500mah Rated voltage: 3.7V Rated power 5W
					Yellow		0.224	60	60	6954851263425	Scope of application Neckban/Desktop Working time:2-9H Charging time: 2h
					Pink		0.224	60	60	6954851264041	
					White		0.224	60	60	6954851264058	

Mobile Phone Cooler(3 Models)

Hot	3	REMAX Semiconductor Magnetic Phone Cooler SL-13			Black		0.119	100	100	6954851234500	Material: ABS - aluminum alloy - ceramic Rated voltage:5V Rated power:2A
					Transparent		0.119	100	100	6954851210535	1. Magnetic semiconductor cooling with great attraction 2. Large cooling area and great efficiency to extend the using time 3. With magnetic sheet for phones and tablets
					Blue		0.119	100	100	6954851210559	CTN G.W:12.5KG±0.2KG Carton Size 53*19.5*38.5cm Material: ABS+ aluminium Technology: Electroplate Rated voltage:5V
2	REMAX Semiconductor Magnetic Phone Cooler RT-F5				Black		0.122	12	120	6954851233800	Strong magnets, stable magnetic attraction without dropping Turbocharged air duct, cool down rapidly for low temperature Low noise, low decibel, TEC refrigeration, larger covering area Digital display to show the temperature, visible efficiency
					Purple		0.122	12	120	6954851233817	CTN G.W:7KG±0.2KG Technology: Texturing Rated voltage: 5V 2A Rated power: 10W
1	REMAX Windeel Phone Cooler RT-F4				Black		0.131	12	96	6954851221487	Charging port: Type-c Magnetic semiconductor heat dissipation, strong adsorption Large cooling area, rapid cooling to extend using time Comes with cooler clips for phones without magnetic function CTN G.W:13.6KG±0.2KG

Backpack(3 Models)

New	3	REMAX Business Commuter Backpack DOUBLE-621			Black		0.61	10	10	6954851220015	Material Polyester fiber Technology Sewing Thickness:150mm
					green		0.61	10	10	6954851217176	1. Waterproof material 2. Multiple zippered pockets, a total of 5 zippered pockets 3. Anti-theft zippered pocket on the back 4. With trolley sleeve on the back
					Blue		0.61	10	10	6954851217084	CTN G.W: 8KG±0.2kg
New	2	REMAX Digital Business Backpack DOUBLE-622			Green		0.670	10	10	6954851217190	Material:210D jacquard foam Technology: Embossing Logo Thickness:100MM
					Dark Blue		0.670	10	10	6954851220022	1.Sleek exterior, suitable for business commuting 2.Made with splash-resistant and durable polyester fabric 3.Equipped with a padded pocket for up to a 15.4-inch laptop
					Light Blue		0.670	10	10	6954851217183	CTN G.W: 7.9KG±0.2kg CTN SIZE:62*53*45cm

New

1

REMAX Fashion Leisure Backpack
DOUBLE-620



Black



0.590

5

5

6954851215189

Gray

0.590

5

5

6954851219972

Green

0.590

5






















5

6954851216643

Material: Hide glue
Technology:Sewing
Sleek exterior, youthful and fashionable, suitable for business commuting.
Made with water-resistant and wear-resistant materials.
Equipped with a padded pocket for laptop storage.
CTN G.W: 4.3KG±0.2kg
CTN SIZE:53.5*43.5*31.5cm

Speaker & Microphone & Audio Adapter & Audio Cable

My Service My life

No.	MODEL NO.	Full Color PIC	Detail of PIC	PACKAGING	COLOR/PATTERN	G.W./PCS (KG)	MOQ/PCS	PCS/CTN	Bar Code	SPECIFICATIONS
Bluetooth Speaker (21 Models)										
21	REMAX Kunagile Series Wireless Portable Speaker RB-M72				Black	1.48	8	8	6954851222972	Material: ABS + Fabric Bluetooth Version/chipset : JieLi V5.1 Transmission Distance: 10m Working Voltage: 5V, 2A Impedance: 4Ω
					Blue	1.48	8	8	6954851222989	Speaker Power: 2.5-inch 16-core external magnetic square loudspeaker, 4Ω*10W—2 pieces erabud /charging case Battery (mAh): 7.4V. 2000mAh Material:Plastic + Silicone + Fabric Mesh Bluetooth Version/chipset :5.3 BP1048B2 Transmission Distance:≥10m
20	REMAX Party Light Manmong Portable Wireless Speaker RB-M77				Black	1.1	16	16	6954851220848	Working Voltage:7.4v Impedance:4Ω Speaker Power:20W*2 erabud /charging case Battery (mAh):7.4v/3600mAh Charging Time:4H Calline:12H Music Plav:6H 70% Material: ABS + Fabric Bluetooth Version/chipset:Actions, V5.3 Transmission Distance:15m
19	REMAX Venattle Series Wireless Portable Music War Drum Speaker RB-M73				Black	3.42	4	4	6954851222934	Working Voltage:5V, 2A Impedance: 4Ω Speaker Power:3-inch external magnetic square loudspeaker, 4Ω*25W—2 pieces 1.5-inch, 20-core Silk Film Tweeter. 4Ω 10W—2 pieces
18	REMAX Aircity Series Portable Wireless speaker RB-M1				Black	0.320	36	36	6954851230991	Material:ABS Bluetooth Version/chipset:V5.3/AC6965E4
					Blue	0.320	36	36	6954851231028	Working Voltage:3.3V—4.2V
					White to Pink	0.320	36	36	6954851231042	Impedance:4Ω Speaker Power:3W
					White to Blue	0.320	36	36	6954851234258	Battery (mAh):1200mAh Charging Time:H Music Play:10H Standby:80H
17	REMAX Engine Series Portable Outdoor Speaker RB-M67				Black	0.932	12	12	6954851233756	Charging port:TYPE-C Material:ABS + iron mesh Bluetooth Version/chipset:V5.3/JL AC6965A Working Voltage:5V/1A Impedance:4Ω Speaker Power:4W *2 = 8W Battery (mAh):1500mAh 3.7V Charging Time:3H Music Play:7H Standby:58H
16	REMAX Clear Mecha Wireless Speaker RB-M68				Black	0.230	11	110	6954851233985	Bluetooth Version/chipset :BluetooH V5.3 Working Voltage:5V/0.5A Impedance:4Ω Speaker Power:5W
					Orange	0.230	11	110	6954851233992	Battery (mAh):3.7V/2000MAH Charging Time:2.5H Calline:4H
15	REMAX Airship Series Home Theatre Soundbar RTS-60				Black	10.1	1	1	/	Material:Wooden box + plastic Bluetooth Version/chipset :AB5309/5.0 Impedance:8Ω+ 4Ω for subwoofer Speaker Power:20W*2+60W Working Voltage:DC20V 1.8A A great companion for TV projection, stylish and universal use Support Wireless connection/AUX/USB/optical fiber

Hot

Hot






















Hot

14	REMAX Freejoy Series Outdoor Wireless Speaker RB-M20				Black	0.835	34	34	6954851205265	Material Plastic Bluetooth Version/chipset :V5.3/SJ BP1048B2 Working Voltage:5V Impedance:4 Ω
					Blue	0.835	34	34	6954851205272	Speaker Power:20W (MAX)
					Green	0.835	34	34	6954851205289	Battery (mAh):3600mAh Charging Time:3.5h-4.0h Music Play:3h (100% volume) Standby:6 months Material: PP Bluetooth Version: 5.3/BLUETRUM SY-1925 Transmission Distance: 10M
13	REMAX Thunder Series Outdoor Square Dance Speaker RB-X8				Black+Red	5.700	4	4	6954851209140	Working Voltage: 3.7V Impedance: 6Ω Speaker Power: 15W+15W Battery (mAh):10000mAh Charging Time:8-10H Music Play:4-5H Standby:15days
										1.Wireless/FM radio/AUX/USB driver/TF card/ TWS 6 Material:ABS+cloth
12	REMAX Tuner Series Portable Wireless Speaker with earbuds RB-M17				Black	0.423	30	30	6954851202714	Bluetooth Version/chipset :5.3/ Jerry 6965 Working Voltage:5V==1A Impedance:32Ω Speaker Power:4Q5W
					Blue	0.423	30	30	6954851202707	Battery (mAh):1200mAh Charging Time:3.5h Calling: >3H Music Play:=2-3H Standby:180days Material:ABS+PVC
11	REMAX Titan Series Wireless Soundbar RTS-50				Black	2.560	2	2	6954851201786	Bluetooth Version/chipset :V5.3/AB5312B Impedance:4Ω Speaker Power:15W+15W Working Voltage:DC 15V Flashy LED light, 8 kinds of light effects, free switching Supports BT/AUX/optical fiber audio input Widely applicable (for games video playback Material:ABS+Cloth
10	REMAX Scuba Series Portable Wireless Speaker RB-M62				Blue	0.43	20	20	6954851206453	Bluetooth Version/chipset :V5.3/JL-AC6955F Working Voltage:5V Impedance:4Ω Speaker Power:3W*2
					Green	0.43	0.43	20	6954851206446	Battery (mAh):1200mAh Charging Time:1.5h Music Play:4H Standby:180days
9	REMAX Freezen Portable Wireless Speaker RB-M26				Black	1.400	12	12	6954851200673	Bluetooth Version/chipset:V5.1/AC6965A Working Voltage:5V Impedance:4Ω Speaker Power 8w Battery (mAh):1500mAh Charging Time:2.5H Calling and Music Play:4H Standby:35H
8	REMAX Navigator Portable Wireless Speaker RB-M25				Black	2.250	6	6	6954851200680	8W double loudspeaker and the sound quality is Material:ABS Bluetooth Version/chipset:V5.1+BR+EDR/AC6951C Working Voltage:5V Impedance:2Ω Speaker Power:15W Battery (mAh):3.7V 3000mAh Charging Time:4H Music Play:6H Standby:20H
					Green	0.217	10	100	6954851211259	Charging port:TYPE-C Material: ABS Supported protocols: A2DP,AVRCP,HFP,HSP
7	REMAX Zens Series Outdoor Wireless Speake RB-M15				Blue	0.217	10	100	6954851211228	Transmission Distance: 10M Working Voltage: 3.4—4.2V
					Purple	0.217	10	100	6954851211211	Speaker Power: 3W Impedance: 3Ω
					Pink	0.217	10	100	6954851211204	Charging Time: 4H Calling and Music Play: 8H
			Green	0.310	72	72	6954851200086	Material: Rubber+Metal Supported protocols: HFP A2DP AVRCP TWS		

Hot	6	REMAX Cooplay Series Portable Wireless Speaker RB-M2		Yellow	0.310	72	72	6954851200277	Transmission Distance: 10M Working Voltage: 3.7V Speaker Power: 5W Impedance: 3Ω Charging Time: ≈3.5H Calling and Music Play: 4.5H Material: ABS supported protocols: A2DP/AVRCP/HFP Bluetooth Version: V5.0 Transmission Distance: 10M Working Voltage: (USB) DC-5V Impedance: 2Ω Speaker Power: 5w A stylish design with a colorful RGB light ring. Supports various playback modes: BT/FM/USB/TF Material: ABS+Iron net Bluetooth version: 3.0 Signal noise ratio: ≧71dB Transmission distance: 10m 2 Microphone interfaces 2 Guitar interfaces Standby time: up to 30 hours Playing time: up to 7 hours Charging voltage: DC15V Rated power: 50w Colorful light effect, LED display, built-in controller Professional Karaoke system 6 levels of the knob Material: ABS Version: BT2.1+EDR Working Voltage: 18V Speaker Power 80W Battery (mAh): 15600MAH Music Play: About 6H Standby: 60days EQ mode for indoor and outdoor use. Material: ABS Bluetooth Version: V4.2 Supported protocols: V4.2+BR Battery (mAh): 3.7V 3600mAh Transmission Distance: 10m Working Voltage: DC 5V Impedance: 4Ω Speaker Power: 14W Material: ABS Bluetooth 5.0 Battery: 1500mAh Power: 9.5W Voltage: 5V Operating distance: ≤10M (free space) Play time: 5H CTN G.W.: 14.8KG; CTN SIZE: 63.8*34.8*34cm
	5	REMAX Yutry Series Handled Wireless Speaker RB-M6		Cyan	0.310	72	72	6954851200420	
	4	Remax Song K outdoor Pull Rod Bluetooth Speaker RB-X5		Blue	0.310	72	72	6954851211907	
Hot	4	Remax Song K outdoor Pull Rod Bluetooth Speaker RB-X5		Black	0.793	30	30	6954851228769	
	3	REMAX MONSTER Portable Speaker RB-H30		Black	14.5	1	1	6954851286080	
Hot	3	REMAX MONSTER Portable Speaker RB-H30		Grey	7.000	2	2	6972174154169	
	2	REMAX Jango Outdoor Portable Wireless Speaker RB-M55		Black	1.980	6	6	6954851201434	
	1	REMAX Gwens Outdoor Portable Wireless Speaker RB-M43 (support TF card and USB flash)		Black	1.700	8	8	6972174150048	






















Microphone (2 Models)

Hot	2	Ryusic Series One-to-One Live-Stream Wireless Microphone K09		iPhone Black	0.076	100	100	6954851217558	Material: ABS Capacity: 80mah Rated voltage: 3.7V Charging time: 1-1.5h Charging port: TYPE-C Working time: 6-8h Product lifespan: 3 years CTN G.W.: 8.1KG±0.2kg CTN SIZE: 43*33.8*28cm
				Type-C Black	0.076	100	100	6954851217565	
				iPhone Black	0.076	100	100	6954851217572	
				Type-C Black	0.076	100	100	6954851217589	

1	REMAX K08 Sienpin Series Computer Desktop Microphone K08				Black		0.327	40	40	6954851209584	Material: Aluminum alloy + plastic Working Voltage:DC4.8~5.4V 1.360° omnidirectional pickup, clear words 2. One-key muting to avoid accidents 3. Intelligent noise reduction against noisy environment CTN G.W.:14.44KG; CTN SIZE: 55.5*44.5*54cm
Audio Cable (3 Models)											
3	REMAX Yeelin Series HDMI Cable RC-C017a				Tarnish		0.077	26	260	6954851242765	Material Bare copper,Core wire + braiding process + aluminum alloy shell Technology:PCBA welding, connector welding, testing, injection molding, casing Cable Length: 1800mm Output Current:100ma-500ma Plug and use, smooth connection Wide compatibility Bie screen enioyment
2	REMAX Soundy Series Audio Adapter Cable RC-C015a				Tarnish		0.03	36	360	6954851242734	
Hot 1	REMAX 3.5mm Aux Audio Cable RL-L100 1m				Black		0.027	42	420	6954851236993	TPE environmental material and copper alloy shell; 3.5mm gold-plating;
					White		0.027	42	420	6954851237013	Fit for phone, computer, tablet, speaker, car devices, MP3 and MP4
					Red		0.027	42	420	6954851237020	CTN G.W.: 10.6KG; CTN SIZE: 60*35*50cm
					Black		0.035	42	420	6954851285069	TPE environmental material and copper alloy shell; 3.5mm gold-plating;
	REMAX 3.5mm Aux Audio Cable RL-L200 2m				White		0.035	42	420	6954851285076	Fit for phone, computer, tablet, speaker, car devices, MP3 and MP4;
					Red		0.035	42	420	6954851285083	CTN G.W.: 11.6KG; CTN SIZE: 60*35*50cm
Voice Recorder (1 Model)											
1	REMAX Multimedia Digital Voice Recorder RP3				Black		0.117	100	100	6954851211631	Material: Zinc alloy + Sprayed paint process Capacity: 64G Rated voltage: 3.7V Rated power: 20ma Charging time: 2.5H Charging port: TYPE C usb Ultra-thin aluminum alloy casing, dual curved glass surface 14 HD color screen, Supports voice-activated recording, timed recording, 1536kpbs ultra-clear

TWS Earbuds & Single-side/Sports BT Headset & BT Headphone

My Service My Life

No.	MODEL NO.	Full Color PIC	Detail of PIC	PACKAGING	COLOR/ PATTERN	G.W./PCS (KG)	MOQ/PCS	PCS/CTN	Bar Code	SPECIFICATIONS	
AirPods Design TWS Earbuds (10 Models)											
New	10	REMAX True Wireless Earbuds for Music & Call PD-BT430	 REMAX PD-BT430	 Trendsetting Excellent Illustration 120min 15h 200mAh 1.5L	 REMAX PD-BT430	White	0.147	50	50	/	Material:PC Bluetooth Version/chipset :BT5.4/JL6973 Transmission Distance: ≥10 m Working Voltage: 3.7V Impedance: 32Ω Speaker Power: 3mW erabud /charging case Battery (mAh): charging case battery 200MAH Charging Time: < 120min Calline: 4H Music Play: 4.5H Standbv: 120
New	9	REMAX True Wireless Earbuds for Music & Call PD-BT510	 REMAX PD-BT510	 Trendsetting Excellent Illustration 120min 15h 200mAh 1.5L	 REMAX PD-BT510	White	0.185	50	50	/	Bluetooth Version/chipset :BT5.4/JL6973 Transmission Distance:≥10m Working Voltage:3.7V Impedance:32Ω Speaker Power:3mW erabud /charging case Battery (mAh):charging case battery 300MAH Charging Time:< 120min Material:PC
New	8	REMAX ANC Noise Cancelling Earbuds for Music & Call PD-BT533N	 REMAX PD-BT533N	 Trendsetting Excellent Illustration 120min 15h 200mAh 1.5L	 REMAX PD-BT533N	White	0.194	50	50	/	Bluetooth Version/chipset :BT5.4/JL7003 Transmission Distance: ≥10 m Working Voltage: 3.7V Impedance: 32Ω Speaker Power: 3mW erabud /charging case Battery (mAh): charging case battery 300MAH Charging Time: < 120min Calline: 4H Music Play: 4H Standbv: 120
Hot	7	PRODA ENC Earbuds for Music & Call PD-BT230 (2nd AirPods)	 PRODA PD-BT230	 PRODA Original Sound Pleasant to the Ear 120min 15h 200mAh 1.5L	 PRODA PD-BT230	White	0.184	50	50	/	Bluetooth Version: V5.3/JL6973 Working Voltage:3.7V Impedance:32Ω Speaker Power:3mW Battery (mAh):Earphone: 25mA Charging Box:300mA Charging Time:1.5H Calline:3H Music Play:4H Standbv:120days Material:PC
Hot	6	PRODA ENC Earbuds for Music & Call PD-BT430 Pro (4th AirPods)	 PRODA PD-BT430 Pro	 PRODA HiFi Sound Quality To Be Empowered 120min 15h 200mAh 1.5L	 PRODA PD-BT430 Pro	White	0.194	50	50	/	Bluetooth Version: V5.3/JL6973 Working Voltage:3.7V Impedance:32Ω Speaker Power:3mW Battery (mAh):Earphone: 40mA charging Box: 300mA Charging Time:2H Calline:5.5H Music Play:6.5H Standbv:120days Material:PC
Hot	5	PRODA ANC+ENC Earbuds for Music & Call PD-BT533N Pro (5th AirPods Pro)	 PRODA PD-BT533N Pro	 PRODA Smart Denoising Immersive Listening 120min 15h 200mAh 1.5L	 PRODA PD-BT533N Pro	White	0.225	50	50	/	Bluetooth Version: 5.3/BT8922 5.3/LX 8922 Working Voltage:3.7V Impedance:32Ω Speaker Power:5mW Battery (mAh):Earphone: 40mAh charging Box: 300mAh Charging Time:2H Calline:4.5H Music Play:5.5H Standbv:120days Material:PC+ABC
	4	REMAX Air Plus Wireless Headset PD-BT360	 REMAX PD-BT360	 Pick and Play Free Enjoyment 120min 15h 200mAh 1.5L	 REMAX PD-BT360	White	0.140	20	220	/	Bluetooth Version: V5.3 Working Voltage:3.7V Impedance:32Ω Speaker Power:3mW Charging Time:2h Calling:3h Music Play:3h Standby:120days Wireless 5.3 faster and more stable signal clear calls

3	REMAX Gen-4 TWS Earbuds PD-BT888				White		0.137	14	140	/	Material: pc Bluetooth Version: v5.0 Supported protocols: A2DP\AVCTP\SBC\ACC\MSBC\CVSD\HFP\SPP Working Voltage: 3.7v Impedance: 32Ω Speaker Power: 2.5mW Battery (mAh): Headset: 30mAh Charging box: 250mAh Charging Time: 1-2h
2	REMAX AirPlus Pro Wireless Earbuds PD-BT900				White		0.150	13	130	/	Material: ABS Bluetooth version: V5.0 Earbuds: 40mAh*2 Charging Box: 250mAh Power: 2mW Effective distance: 10m Impedance: 32Ω; CTN G.W.: 21.24KG; CTN SIZE: 60*40*33.5 cm
1	REMAX Modelled ANC noise-reduced TWS V5.2 earbuds PD-BT101				White		0.147	14	140	/	Material: PC+ABS Bluetooth Version: V5.2 Transmission Distance: 10-15M Impedance: 32Ω Speaker Power: 5W Earphone: 40mA*2 charging Box): 230mA Charging Time: Earphone about: 1.0H charging Box about: 1.0H Playing time: 2.5H

TWS Earbuds (45 Models)









New	45	REMAX Kinohonor Series Zinc Alloy True Wireless Stereo Earbuds for Music & Call AlloyBuds M3			White		0.129	14	140	6954851209980	Material: Zinc alloy Bluetooth Version/chipset: V5.3/VRX6983D4 Transmission Distance: 10m Working Voltage: 5V-200mA Impedance: DCR: 32Ω±15% Speaker Power: Rating 2mW
			Blue		0.129	14	140	6954851233480	erabud /charging case Battery (mAh): 25mAh/250mAh Charging Time: Aprox. 1.5 hours Calling: Aprox. 3.2 hours (80%) Material: ABS		
New	44	REMAX Yunhia Series Dual ENC Wireless Earbuds for Music & Call CozyBuds W17			White		0.155	15	150	6954851234906	Bluetooth Version/chipset : V5.3/JL 6973D4 Transmission Distance: 10m Working Voltage: 3.7V Impedance: 32Ω Speaker Power: 3mW erabud /charging case Battery (mAh): 30mAh/420mAh Charging Time: 2-3H Calling: 3H Music Play 5H Standby: about. 100 days
			Material: PC								
New	43	REMAX Lanmoon Series Dual ENC Wireless Earbuds for Music & Call CozyBuds W16			Black		0.116	15	150	6954851222927	Bluetooth Version/chipset BT5.3/JL6973D4 Transmission Distance: ≥10M
			White		0.116	15	150	6954851222880	Working Voltage: 5V Impedance: 32Ω		
			Purple		0.116	15	150	6954851222903	Speaker Power 5mW		
New	42	REMAX Whispy Series Clip-on Bone Conduction Earbuds OpenBuds P2			Beige		0.116	15	150	6954851222842	erabud /charging case Battery (mAh): Earbud: 500909/35mAh Charging case: 701530/300mAh Material: ABS+PC
			Black		0.208	70	70	6954851221104	Bluetooth Version/chipset: BT 5.3/JL AD6973D Transmission Distance: ≥10 m Working Voltage: 5V Impedance: 8 Ω±10%		
			White		0.208	70	70	6954851221098	Speaker Power: Normal 0.5 W erabud /charging case Battery (mAh): 50mAh/400mAh Charging Time: 1.5H Calling: 4H Music Play: About 5 hours Standby: 6 months		
New	41	REMAX Interstellar Series Gaming True Wireless Earbuds for Music & Call GameBuds G6			White		0.135	11	110	6972174155067	Material: ABS+PC Bluetooth Version/chipset: V5.3/AD6983D4 Transmission Distance: 10m Working Voltage: DC5V Impedance: 32Ω Speaker Power: 3mW Erabud /charging case Battery (mAh): 30mAh/320mAh Charging Time: 2H Calling: 4H Music Play: 4-5H Standby: 6 months
			Material: ABS+PC								
	40	REMAX Cloudong Series Air Conduction Earbuds OpenBuds			Black		0.187	80	80	6954851220985	Bluetooth Version/chipset: V5.3/JL 7003D4 Transmission Distance: 10m Working Voltage: 5V-500mA

40	Conduction Earbuds OpenBuds P1				White		0.187	80	80	6954851220978	Impedance:20Ω ± 15% Ohm Speaker Power: 10mW/maximum power: 15mW erabud /charging case Battery:400mAh Charging Time:2H Calline: 9.5~10 hours (at 70% volume) Music Material:ABS+PC
39	REMAX Binchin Series Air Conduction Earbuds OpenBuds P5				Black		0.213	80	80	6954851221081	Bluetooth Version/chipset 5.3/JL AC7006F4 Transmission Distance:≥10M Working Voltage:5V Impedance:22Ω±15% Speaker Power:10mW
38	REMAX Vansiang Series Gen2 ANC+ENC Earbuds for Music & Call CozyPods W21N				White		0.213	80	80	6954851220992	erabud /charging case Battery (mAh):80mAh/800mAh Charging Time:Earbud charging time: approximately 2 hours Material: ABS
37	REMAX Crystal Series Transparent Clip-on True Wireless Earbuds for Music & Call CozyBuds W15				Black		0.157	100	100	6954851219842	Bluetooth Version/chipset:V5.3/JL 7006A8 Transmission Distance:≥15m Working Voltage:2.5V-4V Impedance:32Ω
					White		0.157	100	100	6954851219835	Speaker Power:3mW erabud /charging case Battery (mAh):40mAh/360mAh Charging Time:1-2H Calline:6-7H Music Play:6-7H Standby:116 days Material:ABS
					Black		0.094	14	140	6954851220879	Bluetooth Version/chipset:V5.3/JL 6973D4 Transmission Distance:≥10m
					Beige		0.094	14	140	6954851220879	Working Voltage:3.1V-4.2V
					Purple		0.094	14	140	6954851220886	Impedance:16Ω ± 10%
					Blue		0.094	14	140	695485122 0893	Speaker Power:3mW
					Green		0.094	14	140	6954851220947	erabud /charging case Battery (mAh):25mAh//230mAh Charging Time:≈1H Calling:≈3H Music Play:≈4H Standby:180 days Material: PC
Hot	REMAX Crystal Series ANC+ENC Earbuds for Music & Call CozyPods W10N				White		0.137	14	140	6972174155074	Bluetooth Version/chipset: 5.3 version/JieLi AD7003D8 Transmission Distance: ≥10m Working Voltage: Type-C USB/5V/less than 0.5A (charging case);PogPin/5V/100mA (single)
					Blue		0.137	14	140	6972174155906	Impedance: DCR:32Ω±15% Speaker Power: 2mW
					Black		0.163	14	140	6972174155005	erabud /charging case Battery (mAh): Charging case battery/size: Material:ABS+PC Bluetooth Version: V5.2/AB5616A Transmission Distance:≥10m Working Voltage:DC5V
					White		0.163	14	140	6972174155012	Impedance:16Ω Speaker Power:40mW
Hot	Progresax Series Metal Open-ear OWS Wireless Earphone OpenBuds P3				Black		0.163	14	140	6972174155012	Erabuds Battery (mAh) 65mAh Charging Box:300mA Material: PC+ABS
					White		0.163	14	140	6972174155012	Bluetooth Version/chipset: V5.3 Transmission Distance: ≥10M Working Voltage:3.7V
Hot	PD-BT530 ANC Earphone for Music & Call PD-BT530				White		0.149	13	130	6972174155043	Impedance:32Ω Speaker Power:3mW Earbuds Battery: 35mAh Charging case: 300mAh Material:PC+ABS
					White		0.150	13	130	6972174155050	Bluetooth Version: V5.3 Transmission Distance: ≥10M Working Voltage:3.7V
Hot	True Wireless Earbuds for Music & Call PD-BT520				White		0.150	13	130	6972174155050	Impedance:32Ω Speaker Power:3mW Erabuds Battery (mAh):35mAh Charging Box:300mA Material:PC+ABS
					White		0.129	13	130	6972174155029	Bluetooth Version: V5.3 Transmission Distance: ≥10M Working Voltage:3.7V
Hot	True Wireless Earbuds for Music & Call PD-BT420				White		0.129	13	130	6972174155029	Impedance:32Ω Speaker Power:3mW Erabuds Battery (mAh):35mAh Charging Box:300mA







Hot	31	True Wireless Earbuds for Music & Call PD-BT220				White	0.124	13	130	6972174155036	Material:PC+ABS Bluetooth Version: V5.3 Working Voltage:3.7V Impedance:32Ω Erabuds Battery (mAh):25mAh Charging Box:300mA Charging Time:3H Calling:3H Music Play:4H Standby:100H 1. Wireless 5.3. stable connection. low power consumption
	30	REMAX Bincol Series Dual ENC Wireless Earphone for Music & Call CozyBuds W18				Black White Blue Green	0.127 0.127 0.127 0.127	14 14 14 14	140 140 140 140	6972174153360 6972174153377 6972174153384 6972174153391	Material:PC+ABS Bluetooth Version: V5.3 Working Voltage:5V Impedance:32Ω Speaker Power:3mW Erabuds Battery (mAh):35mAh Charging Box:300mA Charging Time:1.2H Calling:4H Music Play:6H Standby:90 Days
	29	REMAX Astership Series Gaming True Wireless Earbuds for Music & Call GameBuds G2				Black White Tarnish	0.206 0.206 0.206	78 78 78	78 78 78	6954851209317 6954851209324 6954851209331	Material:Metal + ABS Bluetooth Version: JL 6973D4 Working Voltage:3.3-4.2V Transmission Distance:10m Impedance:32Ω Earbud Battery: 30mAh Charging Box: 50mAh Speaker Power:3mW Charging Time:2Hours
	28	REMAX Steelian Series Stereo Gaming Earphone for Music & Call GameBuds G1				Black White	0.110 0.110	14 14	140 140	6954851222590 6954851222675	Material:ABS Bluetooth Version: V5.3/JL 6973D42 Working Voltage:4.75v-5.25v Transmission Distance:10m Impedance:32Ω±15% Headset: 30mAh Charging Box: 300mAh Speaker Power:3mW Charging Time:1-2H
	27	REMAX Linung Series Clear True Wireless Earbuds for Music & Call ClearBuds C2				Black White Pink	0.102 0.102 0.102	18 18 18	180 180 180	6954851226376 6954851226307 6954851225577	Material:ABS+PC Bluetooth Version: BT5.3/Bluetrum:AB5636 Working Voltage:5V Impedance:32Ω±15% Speaker Power:3mw Battery (mAh):Headset:30mAh Charging Box:280mAh Charging Time:1.5H Calling:4H Music Play:5H Standby:180days
Hot	26	REMAX Vansiang Series ANC+ENC Earbuds for Music & Call CozyPods W8N				Black White Pink Purple Green	0.194 0.194 0.194 0.194 0.194	36 36 36 36 36	36 36 36 36 36	6954851234371 6954851234388 6954851234395 6954851234401 6954851234418	1.Wireless 5.3 low latency smooth connection Material:ABS+PC Bluetooth Version: V5.3 /JL 7006A8 Working Voltage:3.3V Impedance:32Ω Speaker Power:3mw Battery (mAh):Headset:40mAh Charging Box:360mAh Charging Time:1.5H Calling:4H Music Play:5H Standby:180days
Hot	25	REMAX Czhiyin Series ENC Earphone for Music & Call CozyBuds W13				Purple White Blue Tarnish	0.117 0.117 0.117 0.117	14 14 14 14	140 140 140 140	6954851234364 6954851234340 6954851234357 6954851234333	Material:ABS/electroplating process Bluetooth Version: V5.3/AD6976D8 Working Voltage:3.7V Impedance:32Ω Speaker Power:3mw Battery (mAh):Headset:30mAh Charging Box:250mAh Charging Time:2H Calling:3H Music Play:50H Standby:40H
	24	REMAX Enchanter Series Clip-on True Wireless Earphone for Music & Call CozyBuds W11				White Pink Black	0.091 0.091 0.091	14 14 14	140 140 140	6954851233855 6954851233879 6954851233862	1.Wireless 5.3. stable signal, low latency, synced audio and video Material:ABS Bluetooth Version: JL6983D2/V5.3 Working Voltage:5V/1A Transmission Distance:10m Impedance:16Ω Headset: 30mAh Charging Box: 200mAh
	23	REMAX Shell Series Ultra-thin Metal True Wireless Stereo Earphone for Music & Call AlloyBuds M2				Black White Blue	0.080 0.080 0.080	20 20 20	200 200 200	6954851231127 6954851231165 6954851231158	Material:ABS+ space aluminum shell Bluetooth Version: V5.3 JL AC6983D4 Working Voltage:3.7v Impedance:32Ω Speaker Power:3MW Battery (mAh):Headset:25mAh Charging Box:280mAh Charging Time:1H Calling:4-6H Music Play:4-6H Standby:300H 1. Wireless 5.3. stable connection and unimpeded play

Hot	Product Name	Image 1	Image 2	Image 3	Color	Weight	Volume	Capacity	Material	Bluetooth Version	Working Voltage	Impedance	Speaker Power	Battery (mAh)	Headset	Charging Box	Charging Time	Calling	Music Play	Standby		
22	REMAX Hsuany Series True Wireless Earbuds for Music & Call CozyBuds W6				White	0.137	14	140						6954851229421								Material:PC Bluetooth Version: V5.3/JL 6973 Working Voltage:3.7V Impedance:32Ω±15% Speaker Power:3mW Earbuds: 25mAh/Charging case: 200mAh Charging Time:~1.5H Calling:~3H Music Play:~3.5H Standby:~120Days
21	REMAX Dreamer Series True Wireless Music Earbuds SleepBuds Z2				Purple Beige Black	0.108 0.108 0.108	20 20 20	160 160 160						6954851209249 6954851209232 6954851209171								Material:Plastic + iron Bluetooth Version: V5.3/AD-6973D4 Working Voltage:3.7V Impedance:16Ω±15% Speaker Power:3mW Battery (mAh):Headset:30mAh Charging Box:230mAh Charging Time:1.5H Calling:4H Music Play:5H Standby:130h 1. Wireless 5.3 low latency and stable connection
20	REMAX Elves Series Clear True Wireless Earbuds for Music & Call ClearBuds C1				Pink Beige Blue	0.075 0.075 0.075	14 14 14	140 140 140						6954851212065 6954851212089 6954851212072								Material:ABS+PC Bluetooth Version: JL6983D4/V5.3 Working Voltage:5V/1A Impedance:32Ω Speaker Power 0.2mW Battery (mAh):Headset:30mAh Charging Box:200mAh Charging Time:2H Calling:4H Music Play:4H Standby:90days 1. Wireless 5.3 genuine with low latency
19	REMAX Poptung Series ENC Stereo Earphone for Music & Call CozyBuds W3				White Purple	0.108 0.108	11 11	110 110						6954851208143 6954851208150								Material:ABS Bluetooth Version: 5.3/JL 6973D4 Working Voltage:3.2-4.2V Impedance:32Ω±15% Speaker Power:3mW Battery (mAh):Headset:30mAh Charging Box:300mAh Charging Time:1.5H Calling:4H Music Play:6H Standby:90days 1. Wireless 5.3 with low latency, fast and stable connection
18	REMAX Ziye Series ANC+ENC Wireless Earbuds for Music & Call CozyPods W7N				White Black	0.171 0.171	10 10	100 100						6954851208136 6954851208129								Bluetooth Version: V5.3/Bluetrum8922E2 Working Voltage:3.7V Impedance:32Ω Speaker Power Rated power input 3 mW, Maximum power input 5 mW Battery (mAh):Earbud: 40mAh Charging case: 300mAh Charging Time:1.5H Calling and Music Play:5-7H Standby:90days Material:ABS+PC
17	REMAX Aurora Series Clear True Wireless Earbuds for Music & Call CozyBuds 6C				Black White Orange	0.11 0.11 0.11	20 20 20	200 200 200						6954851205234 6954851205241 6954851205258								Bluetooth Version: JL6983D / 5.3 Working Voltage:5V Impedance:32Ω Speaker Power:2mW Battery (mAh):Headset:25mAh Charging Box:200mAh Charging Time:2H Calling:4H Music Play:4H Standby:90days Material:ABS+PMMA
16	REMAX Gohap Series ENC Earbuds for Music & Call CozyBuds 2E				White Blue Black	0.10 0.10 0.10	18 18 18	180 180 180						6954851202479 6954851202462 6954851202455								Bluetooth Version: AD6973D/V5.3 Working Voltage:3.3v-5v Impedance:32Ω Speaker Power:3mW*2 Battery (mAh):40mAh/400mAh Charging Time:1.5H Calling:6H Music Play:6-7H Standby:24days charging port: Type-C
15	REMAX Eggie Series True Wireless Earbuds for Music & Call CozyBuds1				Sierra Blue Cloud White Twilight Purple	0.024 0.024 0.024	18 18 18	180 180 180						6954851202813 6954851202820 6954851202844								Material:ABS+PC2300 high-gloss surface Bluetooth Version: BT_V5.3 Working Voltage:3.7V Impedance:16R Speaker Power:3mW Battery (mAh):Charging case315mAh Earbud 30mAh Charging Time:<2H Calling:3H Music Play:5H Standby:300days charging port: Type-C
14	REMAX X-iron Series Alloy True Wireless Earbuds for Music & Call AlloyBuds 1				Blue Silver Tarnish	0.148 0.148 0.148	14 14 14	140 140 140						6954851202424 6954851202431 6954851202448								Bluetooth Version: V5.3/JL6983D Working Voltage:5V Impedance:35Ω Speaker Power:2mW Battery (mAh):Charging case:200mAh Earbud:25mAh Charging Time:2H Calling:4H



Hot

Hot	4	REMAX True Wireless Stereo Earbuds TWS-50i			Black	0.081	20	200	6954851251545	Material:ABS Bluetooth Version: V5.1 Working Voltage:3.7v Transmission Distance:10m Impedance:32Ω
	3	REMAX True Wireless Stereo Earbuds with digital display TWS-43			White	0.081	20	200	6954851226628	Headset: 25mAh Charging Box: 230mAh Speaker Power:30mW Charging Time:1-2H Material: ABS Bluetooth Version:V5.0 Supported protocols: A2DP, HFP,AVRCP Transmission Distance: 10M Working Voltage: 3.7v Impedance: 32Ω Speaker Power: 0.3W
Hot	2	REMAX True Wireless Stereo Earbuds with Digital Display TWS-41			Black	0.082	40	40	6954851256625	Material: ABS Bluetooth Version: v5.0 Supported protocols: A2DP, HFP,AVRCP Working Voltage:3.7v Impedance;32Ω Speaker Power: 0.3w Battery (mAh):Charing Box: 200MAH Headset: 20MAH*2 Charging Time:2.5H
	1	REMAX True Wireless Stereo Earbuds TWS-18			Black	0.097	11	110	697217415725	Material:ABS Bluetooth Version:V5.0 Transmission Distance:10m Standby:48H Music Play:3-4H Calling:1.5H
					White	0.097	11	110	697217415732	Battery (mAh): 30mAh ABS+PC injection molding with golden textured UV high gloss oil anti-

Single-side Bluetooth Headset (3 Models)







New	3	REMAX ENC Wireless Earphone RB-TT			Black	0.057	18	180	6954851210627	Material:PC+ABS Bluetooth Version: BK3266 Working Voltage:3.7V Transmission Distance:10m Impedance:16Ω Earbud Battery: 80mAh Speaker Power 5mW Charging Time:2Hours
	Basic Solar	2	REMAX Wireless Call Headphone RB-T36			Black	0.100	16	160	6972174155364
White						0.100	16	160	6972174155371	Built-in Battery: 90mAh Power: 3mW CTN G.W.: 16.25 KG;CTN size: 60*35*50 CM
Hot	1	REMAX Bluetooth Earphone RB-T9 (New Package)			Black	1.175	18	180	6954851260882	Bluetooth: V4.1 Material: ABS+PC Transmitted Power: Class 2
					Blue	0.117	18	180	6954851207603	Working Frequency: ISM Frequency Charging Voltage: 5V Working Voltage: 3.7V
					White	0.117	18	180	6954851260899	Polymer Lithium Battery Bluetooth Distance: 10m

Sports Bluetooth Earphone (11 Models)

New	11	REMAX Smart Touch Control Wireless Neckband Sports Earphone RB-S16			Black	0.103	68	68	6972174153353	Material: Silicone Bluetooth Version/chipset: JieLi7006 Transmission Distance: 10M Working Voltage: 3.3V-4.2V Speaker Power: 3mW
					White	0.103	68	68	6972174153346	Impedance: 32Ω Charging Time: 2H Calling and Music Play: 15H

























New	10	REMAX Transparent Wireless NeckBand Sports Earphones RB-S20				Black	0.125	66	66	6954851210597	Material: ABS+pc Bluetooth Version/chipset: V5.3 JL AC7006F4 Transmission Distance: 10M Working Voltage: 3.7v Speaker Power: 3mW Impedance: 16Ω Charging Time: 2H Calling and Music Play: 8H and 80H Standby: 30days
			White	0.125	66	66	6954851210603	Bluetooth Version/chipset: V5.3/BLUETRUM AB5616B Transmission Distance: 10M Working Voltage: 3.7v Speaker Power: 21mW Impedance: 32Ω±15% Charging Time: ≈1H Calling and Music Play: 2-3H and 3-4H 1. Wireless 5.3 low latency smooth connection and clear calls Material: ABS+TPE Bluetooth Version/chipset: 5.3 JL7003F4 Working Voltage: 5V/140mAh Impedance: 16Ω ±15% Speaker Power: 3mW Battery (mAh): 200mAh Charging Time: 1.5H Call time: 25H			
New	9	REMAX Air Conduction Wireless Headphone for Music & Call RB-S13				White	0.067	56	56	6954851222699	Material: ABS
			Black	0.067	56	56	6954851222682	Material: Aluminium Alloy Supported protocols: A2DP AVRCP SBC HFP Transmission Distance: 10M Working Voltage: 3.7v Speaker Power: 3mv Impedance: 32Ω Charging Time: ≈1.5H Calling and Music Play: 8H Wireless V5.3. faster and more stable signals. 10mm composite bio-Material: Plastic + Hardware+TPE Bluetooth Version/chipset: V5.3/JL7006 Supported protocols: HFP/HSP/A2DP/AVRCP Transmission Distance: 15M Working Voltage: 3.7v Impedance: 32Ω Charging Time: ≈1.5H Calling and Music Play: 7H Material: silicon			
New	8	REMAX ENC Wireless Neckband Sports Earphones RB-S12				Black	0.054	108	108	6954851202738	Material: ABS+TPE
			Black	0.067	120	120	6954851201366	Material: ABS+TPE			
	7	REMAX Wireless Neckband Sport Earphone RB-S9				White	0.067	120	120	6954851201373	Material: ABS+TPE
			Black	0.105	48	48	6954851200918	Material: ABS+TPE			
	6	REMAX Air Conduction Wireless Headphones RB-S8				Black	0.170	40	40	6954851228806	Material: ABS+TPE
			Grey	0.170	40	40	6954851228813	Material: ABS+TPE			
	5	REMAX High-Capacity Wireless Neckband Sports Earphones RB-S1				Black	0.170	40	40	6954851228813	Material: ABS+TPE
			Black	0.170	40	40	6954851228813	Material: ABS+TPE			
Best Seller	4	REMAX Neck-Band Sports Wireless Earphone RX-S100 (Support SD card)				Black	0.100	33	33	6972174152936	Material: ABS+TPE
			Black	0.248	38	38	6954851204039	Material: ABS+TPE			
	3	REMAX Bone conduction Wireless headphone RB-S36				Black	0.248	38	38	6954851299998	Material: ABS+TPE
			Green	0.248	38	38	6954851299998	Material: ABS+TPE			
Hot	2	REMAX Bone Conduction Wireless Headphone RB-S33				Black	0.035	24	24	6954851240082	Material: ABS+TPE
			Black	0.035	24	24	6954851240082	Material: ABS+TPE			

Hot	1	REMAX Neckband Bluetooth Earphone RB-56			Black		0.024	30	30	6954851267324	Anti-lost reminding; Shape memory wire Bluetooth version: V4.1; Frequency response: 2.402-2.480GHZ Voltage: AC Input 110-240V; DC output 5V Size: 140*190*12mm; Battery display with iOS Music time: 7.5hrs; Talk time: 8hrs; Charging time: 2hrs; Standby time: 320hrs CTN G.W.: 3.38KG; CTN SIZE: 36.5*32*19CM
Bluetooth Headphone (9 Models)											
New	9	REMAX Binzchi Series Active Noise-canceling Music Wireless Headset RB-950HB			Black		1.2	10	10	6954851219903	Material:/PLASTIC Bluetooth Version/chipset:V5.3/QCC3034 Supported protocols HSP/HFP/A2DP/AVRCP
					White		1.2	10	10	6954851219910	Transmission Distance:≥10M Working Voltage:3.3V-4.4V Impedance:32Ω
					Blue		1.2	10	10	6954851219927	Speaker Power:10mW erabud /charging case Battery (mAh):600mAh/3.7V Material: ABS
New	8	REMAX Blissful Series Active Noise-canceling Music Wireless Headset RB-850HB			Black		0.741	28	28	6954851214908	Bluetooth Version/chipset Transmission Distance: 10M Working Voltage: 5V Impedance: 16Ω
					White		0.741	28	28	6972174152202	Speaker Power: 6.1mW erabud /charging case Battery (mAh): 1000mAh Charging Time: 2.5H Calline: 90H Music Play: 100H Standbv: 800H Material:ABS
New	7	REMAX ANC Wireless Headphone RB-900HB			Black		0.523	28	28	6972174156675	Bluetooth Version/chipset BT V5.3/AC7006F Transmission Distance:≥10M Working Voltage:3.7V Impedance:32Ω
					Pink		0.523	28	28	6972174156682	Speaker Power:25mW erabud /charging case Battery (mAh):400mAh Charging Time:2.5H Calline:20H Music Play:20H Standbv:180davs Material:ABS
					Beige		0.523	28	28	6972174155913	Bluetooth Version/chipset:V5.3/AC7006F4 Transmission Distance:10M Working Voltage:3.0~4.2V Impedance:16Ω
New	6	REMAX Bincorui Series Wireless Music Headphone RB-760HB			White		0.585	28	28	6972174153322	Speaker Power 8mW Erabud /charging case Battery (mAh):400mAh Charging Time:2.5H Calline:40H Music Play:45H Standbv:400H Material:ABS
					Green		0.585	28	28	6972174153315	Bluetooth Version/chipset:V5.3/AC7006F Working Voltage:5V Impedance:15mw
					Blue		0.585	28	28	6972174153339	Battery (mAh):400mAh Charging Time:2.3H Calling:10H Music Play:16H Standby:66H Charging port:TYPE-C With CE ROHS Material: ABS+Metal
	5	REMAX Kinyin Series Wireless Gaming Headphones for Music&Call RB-680HB			Black		0.430	21	21	6972174159454	Bluetooth Version/chipset:V5.1/AC6955F Supported protocols: a2dp\avctp\avdtp\avrcp\hfp\spp\sm\att\gap\gatt\rfcomm\sd\l2cap profile Transmission Distance: 10M Working Voltage: 5v Impedance: 32Ω
					White		0.430	21	21	6972174159461	Speaker Power: 2.5mW Material: PC+ABS
	4	REMAX Card Wireless Headphone RB-725HB Pro			Black		0.311	40	40	6972174151069	BT Version: V5.0 + EDR Transmission distance: 10-15M Speaker Power: 200 mw 32Ω Battery: 200mA 3.7V Working time: about 3-4H CTN G.W.: 15.5KG; CTN SIZE: 60*33.5*49cm
Hot	3	REMAX Wireless EDR Gaming Headphone RB-750HB			Black		0.322	16	16	6954851244226	
					Blue		0.322	16	16	6954851244233	

2	REMAX Wireless Stereo Headphone RB-660HB				Black		0.420	16	16	6954851241744	Material:Plastic+Metal Bluetooth Version:V5.0 Supported protocols:A2DP、AVRCP、HSP、HFP Working Voltage: 3.3-4.2V Battery (mAh): 300mAh Impedance: 32Ω Speaker Power: 50mW Standby: 300H Material: TPE+ABS supported protocols:HFP/HSP/A2DP/AVRCP Transmission Distance:>10m
1	REMAX Wireless Stereo Headphone RB-620HB				Black		0.404	32	32	6954851228516	Working Voltage: 3.3-4.2V Impedance: 32Ω Speaker Power: 10mw Battery (mAh): 300mah Charging Time: 2-3h

Wired Headphone & Wired Earphone

My Service My Life

No.	MODEL NO.	Full Color PIC	Detail of PIC	PACKAGING	COLOR/ PATTERN		G.W./PCS (KG)	MOQ/PCS	PCS/CTN	Bar Code	SPECIFICATIONS
Wired Earphone (30 Models)--Earphones for Type-C Phones with digital interface can support most models of Sumsung											
New	30	REMAX Digital TYPE-C Active Noise Canceling Wired Metal Earphone for Music & Call RM-760a				Tarnish	0.054	17	170	/	Material:TPE+metal Working Voltage: 3.7V Impedance: 32Ω Speaker Power: 2mW 1.Enhanced sound isolation, comfortable wear and superior audio quality 2.All-metal chamber with powerful titanium diaphragm speaker for immersive gaming experience and spatial sound 3.Convenient wired control. -35dB noise reduction ratio for uninterrupted Material:ABS+TPE Impedance:32Ω Speaker Power:3mw
New		REMAX Wired Earphones for Music and Call RM-575				White	0.03	18	180	6954851234722	1.Hi-Fi sound quality, broad vocal range, and richer details 2.Ergonomic in-ear design for a secure and comfortable fit 3.Stylish and simple appearance, easy and convenient to operate CTN G.W: 8.14KG±0.2kg CTN SIZE:60*33.5*49cm Material:ABS+TPE Impedance:32Ω Speaker Power:3mw
	29	REMAX TYPE-C Wired Earphones for Music and Call RM-575a (With Digital Interface)				White	0.03	18	180	6954851234708	1.Hi-Fi sound quality, broad vocal range, and richer details 2.Ergonomic in-ear design for a secure and comfortable fit 3.Stylish and simple appearance, easy and convenient to operate CTN G.W: 8.14KG±0.2kg CTN SIZE:60*33.5*49cm Material:ABS+TPE Impedance:32Ω Speaker Power:3mw
		REMAX IPH Wired Earphones for Music and Call RM-575i				White	0.03	18	180	6954851234715	1.Hi-Fi sound quality, broad vocal range, and richer details 2.Ergonomic in-ear design for a secure and comfortable fit 3.Stylish and simple appearance, easy and convenient to operate CTN G.W: 8.14KG±0.2kg CTN SIZE:60*33.5*49cm Material:ABS+TPE Impedance:32Ω Speaker Power:3mw
New		REMAX Wired Earphones for Music and Call RM-570				White	0.3	18	180	6954851234692	1.Semi-in-ear design, fits comfortably and securely in the ear 2.13mm dynamic driver unit for balanced and layered audio 3.Durable and long-lasting TPE material CTN G.W: 8.14KG±0.2kg CTN SIZE:60*33.5*49cm Material:ABS+TPE Impedance:32Ω Speaker Power:3mw
	28	REMAX TYPE-C Wired Earphones for Music and Call RM-570a (With Digital Interface)				White	0.3	18	180	6954851234678	1.Semi-in-ear design, fits comfortably and securely in the ear 2.13mm dynamic driver unit for balanced and layered audio 3.Durable and long-lasting TPE material CTN G.W: 8.14KG±0.2kg CTN SIZE:60*33.5*49cm Material:ABS+TPE Impedance:32Ω Speaker Power:3mw
		REMAX IPH Wired Earphones for Music and Call RM-570i				White	0.3	18	180	6954851234685	1.Semi-in-ear design, fits comfortably and securely in the ear 2.13mm dynamic driver unit for balanced and layered audio 3.Durable and long-lasting TPE material CTN G.W: 8.14KG±0.2kg CTN SIZE:60*33.5*49cm Material:ABS+TPE Impedance:32Ω Speaker Power:3mw
New		REMAX Wired Sleep Earphone RM-619				Black White Blue Purple	0.031 0.031 0.031 0.031	20 20 20 20	200 200 200 200	6954851212430 6954851212423 6954851212416 6954851212515	

New

New

New

27	REMAX Wired Type-C Sleep Earphone RM-619a				Green	0.031	20	200	6954851213871	Material:TPE+silicone Working Voltage: 5v Impedance:16Ω Speaker Power:3mW 1.Skin-friendly silicone, integrated mold to enhance comfort level 2.Pressure-less wear, sleep on the side without hurting the ears 3.Lightweight and compact, easy to carry it around 4.High-quality composite diaphragm speaker for clearer calls CTN G.W:8.5Kg±0.2 Kg CTN SIZE 60*33.5*49cm
					Pink	0.031	20	200	6954851213888	
					Black	0.031	20	200	6954851212287	
					White	0.031	20	200	6954851212270	
					Blue	0.031	20	200	6954851212263	
					Purple	0.031	20	200	6954851212294	
	REMAX Wired iPH Sleep Earphone RM-619i				Green	0.031	20	200	6954851213833	
					Pink	0.031	20	200	6954851213840	
					Black	0.031	20	200	6954851212324	
					White	1.031	20	200	6954851212317	
					Blue	2.031	20	200	6954851212300	
					Purple	3.031	20	200	6954851212409	
REMAX Wired Earphone for Music and Call RM-670				Green	4.031	20	200	6954851213857		
				Pink	5.031	20	200	6954851213864		
				Black	0.043	18	180	6954851214694		
				White	0.043	18	180	6954851214809		
				Black	0.043	18	180	6954851214830		
				White	0.043	18	180	6954851214847		
REMAX Wired Earphone for Music and Call RM-670a (With Digital Interface)				Black	0.043	18	180	6954851214816		
				White	0.043	18	180	6954851214823		
				Tarnish	0.038	190	190	6954851234203		
				Grey	0.038	190	190	6954851234210		
				Tarnish	0.038	190	190	6954851234227		
				Grey	0.038	190	190	6954851234234		
REMAX Metal Braided Wired Earphone for Music & Call RM-730				White	0.031	25	250	6954851207641		
				Black	0.031	25	250	6954851207658		
				Blue	0.031	25	250	6954851207665		
				Green	0.031	25	250	6954851207672		
				White	0.031	25	250	6954851207689		
				Black	0.031	25	250	6954851207719		
REMAX TYPE-C Digital Braided Metal Wired Earphone for Music and Call RM-730a (With Digital Interface)				White	0.031	25	250	6954851207641		
				Black	0.031	25	250	6954851207658		
				Blue	0.031	25	250	6954851207665		
				Green	0.031	25	250	6954851207672		
				White	0.031	25	250	6954851207689		
				Black	0.031	25	250	6954851207719		
REMAX Wired IPH Sleep Earphones RM-518i				White	0.031	25	250	6954851207641		
				Black	0.031	25	250	6954851207658		
				Blue	0.031	25	250	6954851207665		
				Green	0.031	25	250	6954851207672		
				White	0.031	25	250	6954851207689		
				Black	0.031	25	250	6954851207719		
REMAX Wired Type-C Sleep				White	0.031	25	250	6954851207641		
				Black	0.031	25	250	6954851207658		
				Blue	0.031	25	250	6954851207665		
				Green	0.031	25	250	6954851207672		
				White	0.031	25	250	6954851207689		
				Black	0.031	25	250	6954851207719		

New	23	Earphones RM-518a			Blue	0.031	25	250	6954851207726	Soundproof ear caps, noise reduction and bass boost One-button operation, easy to use
		REMAX Wired Sleep Earphones RM-518			Green	0.031	25	250	6954851207733	Soft and light, comfortable fitting during sleeping CTN G.W:10.3±0.2kg
New	23	REMAX Type-C Wired Voice-Changer Earphones for Music & Call RM-635a (With Digital Interface)			White	0.031	25	250	6954851207740	Material:Silica gel Impedance:16Ω
		REMAX Wired Earphones for Music&Call RM-522			Black	0.031	25	250	6954851207757	Working Voltage: 2MW Integrated silicone material, pressure-free
New	22	REMAX IPH Wired Earphones for Music&Call RM-522i			Blue	0.031	25	250	6954851207764	Soundproof ear caps, noise reduction and bass boost One-button operation, easy to use
		REMAX Type-C Wired Earphones for Music&Call RM-522a			Green	0.031	25	250	6954851207771	Soft and light, comfortable fitting during sleeping CTN G.W:10.3±0.2kg
New	21	REMAX Metal Wired Earphone for Music & Call RM-616			White	0.021	20	200	6954851205067	Impedance:16Ω±15% Speaker Power: 2MW Suitable for live streaming/singing/gaming, 1.5m length 14.2mm custom unit, clear, rich and penetrating sound Megabass/surround sound/3D rotation/floating voice/PUBG/Honor of Kings, 6 music modes available Change your voice to be a child/male/female in live
		REMAX Metal Wired Earphone for Music & CallRM-616i (Original iPhone Chip, plug and play)			Green	0.011	20	200	6954851205401	Material:TPE Impedance:16Ω±15%
		REMAX Metal Wired Earphone for Music & Call RM-616a (With Digital Interface)			White	0.011	20	200	6954851205203	Speaker Power: 2MW Soft and elastic TPE cable, IPH-proprietary moulding
					Blue	0.011	20	200	6954851205302	Copper-ring speaker units, HIFI sound for more immersive listening CTN G.W:8.2±0.2kg
					Purple	0.011	20	200	6954851206125	Carton Size:60*33.5*49CM
					Green	0.011	20	200	6954851205975	Material:TPE Impedance:16Ω±15%
					White	0.011	20	200	6954851205951	Speaker Power: 2MW Soft and elastic TPE cable, IPH-proprietary moulding
					Blue	0.011	20	200	6954851205982	Copper-ring speaker units, HIFI sound for more immersive listening CTN G.W:8.2±0.2kg
					Purple	0.011	20	200	6954851205609	Carton Size:60*33.5*49CM
					Green	0.011	20	200	6954851205913	Material:TPE Impedance:16Ω±15%
					White	0.011	20	200	6954851205883	Speaker Power: 2MW Soft and elastic TPE cable, IPH-proprietary moulding
					Blue	0.011	20	200	6954851205937	Copper-ring speaker units, HIFI sound for more immersive listening CTN G.W:8.2±0.2kg
					Purple	0.011	20	200	6954851205944	Carton Size:60*33.5*49CM
					Black	0.056	18	180	6954851201793	Material:ABS+silver-plated cable Impedance:16Ω±15%
					White	0.056	18	180	6954851201809	HIFI-level quadruple silver-plated braided cable, soft and elastic, better sound transmission. Polishing electroplating process, shiny finishes, stylish to the eye. CTN G.W:12.5±0.2kg Carton Size:60*33.5*49CM
					Black	0.056	18	180	6954851201830	Material:ABS+silver-plated cable Impedance:16Ω±15%
					White	0.056	18	180	6954851201847	With 10mm moving coil sound units, balanced sound with rich details. IPH connector, plug and play, widely compatible, clear call and music. CTN G.W:13.2±0.2kg Carton Size:50.5*35*40.5cm
					Black	0.056	18	180	6954851201816	Material:ABS+silver-plated cable Impedance:16Ω±15%
					White	0.056	18	180	6954851201823	With 10mm moving coil sound units, balanced sound with rich details. Type-C connector, no latency for use, clear calling. CTN G.W:12.5±0.2kg Carton Size:60*33.5*49CM

Hot

Hot

Hot

20	REMAX 3.5mm Wired headphone for calls&music RM-533				White	0.032	34	340	6954851212348	Material: TPE+ABS Resistance: 16Ω CTN G.W: 13.8KG±0.2KG ; CTN SIZE 60*33.5*49cm
	REMAX IPH Wired headphone for calls&music RM-533i				White	0.031	34	340	6954851241676	Material: TPE+ABS Resistance: 16Ω CTN G.W: 13.8KG±0.2KG ; CTN SIZE:60*33.5*49cm
	REMAX Air Plus Pro Type-C Wired music earphone RM-533a				White	0.050	30	300	6972174157405	Material: TPE+ABS Resistance: 16Ω CTN G.W: 13 kg; CTN SIZE 60*33.5*49cm
19	REMAX Siley Series IPH Wired Earphone for Music&Call RM-510i				Black	0.072	33	330	6954851242642	Material: ABS+TPE cable Impedance: 16Ω±15% With an IPH connector, widely applicable. HIFI sound quality, super bass, pressure-free fit. Precisely layered frequencies, stunning sound. CTN G.W: 25.8KG±0.2KG CTN SIZE: 60*33.5*49CM
					White	0.072	33	330	6954851242659	
					Pink	0.072	33	330	6954851242666	
					Blue	0.072	33	330	6954851242673	
					Red	0.072	33	330	6954851242635	
	REMAX Siley Series Type-C Wired Earphone for Music&Call RM-510a (With Digital Interface)				Blue	0.072	33	330	6954851242727	
					Pink	0.072	33	330	6954851242710	
					White	0.072	33	330	6954851242703	
					Black	0.072	33	330	6954851242697	
					Red	0.072	33	330	6954851242680	
18	REMAX 3.5mm Wired Earphone RM-510				Black	0.079	34	340	6954851270485	Material: ABS+TPE Driver Diameter: 10mm Impedance: 16 Ω±15% Frequency Response: 20Hz--20kHz Sensitivity(SPL): 91±3db MIC: 42±3db; Plug: : ϕ 3.5mm Cord Length: 1.2meters CTN G.W.: 27.2KG CTN SIZE: 60*35*50cm Material: TPE cable+aluminum alloy plug Driver Diameter: 9mm Frequency Response: 20Hz--20kHz Impedance: 16 Ω Sensitivity(SPL): 100±3db Rated Input Power: 80mW7 Plug: : ϕ 3.5mm Cord Length: 1.2meters Material: TPE cable+aluminum alloy plug Driver Diameter: 9mm Frequency Response: 20Hz--20kHz Impedance: 16 Ω Sensitivity(SPL): 100±3db Rated Input Power: 80mW7 Plug: : ϕ 3.5mm Cord Length: 1.2meters
					White	0.079	34	340	6954851270508	
					Grey	0.079	34	340	6954851270522	
					Red	0.079	34	340	6954851270478	
					Pink	0.079	34	340	6954851270492	
	REMAX iPh Metal Wired Earphone for Music & Call RM-610Di				Blue	0.051	14	140	6954851227144	
					Green	0.051	14	140	6954851207825	
					Tarnish	0.051	14	140	6954851227137	
					Silver	0.051	14	140	6954851227168	
					Blue	0.051	14	140	6954851207849	
REMAX Type-C Metal Wired Earphone for Music & Call RM-610Da				Green	0.051	14	140	6954851207856		
				Tarnish	0.051	14	140	6954851227151		
				Black	0.107	14	140	6954851218142		
				Gold	0.107	14	140	6954851218128		
				Blue	0.107	14	140	6954851207467		
REMAX 3.5mm Wired Earphone RM-610D				Green	0.107	14	140	6954851207474		

17

REMAX iPH Metal Wired Earphone for Music & Call RM-512i



Silver
Tarnish
Silver
Blue
Green

0.107
0.034
0.034
0.034
0.034

14
34
34
34
34

140
340
340
340
340

6954851218135
6954851225935
6954851225928
6954851204725
6954851225942

Cord Length: 1.2meters
Material: TPE+ABS+Aluminum alloy
Impedance:16Ω
Speaker Power:30mw
sensitive mic, for karaoke/calls
Noise cancellation, no to external interference.
CTN G.W.:14.08±0.2KG
CTN SIZE 60*33.5*49CM

REMAX Type-C Metal Wired Earphone for music & call RM-512a



Tarnish
Silver
Blue
Green

0.332
0.332
0.332
0.332


34
34
34
34

340
340
340
340

6954851210955
6954851210702
6954851204732
6954851210962

Material: TPE+ABS+Aluminum alloy
360-degree stunning bass,
One-button wired control with a built-in high-sensitivity microphone,Compatible with various digital devices: mobile phones, laptops, tablets, etc.
CTN G.W.: 12.5KG;
CTN SIZE: 60*33.5*49cm

REMAX 3.5mm Metal Wired Earphone for music & call RM-512



Tarnish
Silver
Blue
Green

0.027
0.027
0.027
0.027

34
34
34
34

340
340
340
340

6954851277576
6954851277590
6954851204695
6954851204718

Material : ABS+ aluminium alloy
Frequency Response: 20Hz--20KHz
Cord Length: 1.2m
CTN G.W.: 8.1KG;
CTN SIZE: 60*35*50cm

REMAX IPH Metal Wired Earphone for Music & Call RM-711i



Green
Silver
Black

0.035
0.035
0.035

35
35
35

280
280
280

6954851279808
6954851279815
6954851290407

Material: Silicone+TPE cable
Impedance: 32Ω±15%
Customized 14.2mm aviation titanium diaphragm moving-coil magnetic speaker driver unit with elastic PET, presents a surging listening experience. Acoustic measurement and tuning, reproduces an original and delicate sound.
CTN G.W.:11±0.2KG
CTN SIZE 60*33.5*49CM

REMAX TYPE-C Wired Earphone For Calls&Music RM-711a (With Digital Interface)



Black
Green
Silver
Blue

0.039
0.039
0.039
0.039


35
35
35
35

280
280
280
280

6954851203131
6954851210719
6954851203124
6954851204206

Material: TPE+ABS
wide frequency response, TPE high-elastic cable, soft and tangle-free. The internal double-strand spiral design effectively protects the copper core wire with great tensile strength. One-button wired control, built-in high-sensitivity microphone, control the music playback, calls and track switching.
High-resolution Type-C analog plug with high sensitivity
CTN G.W.: 12.8KG;

REMAX 3.5mm Wired Earphone RM-711



Black
Green
Silver
Blue

0.042
0.042
0.042
0.042

25
25
25
25

250
250
250
250

6954851294023
6954851203445
6954851294030
6954851202394

Material: aluminium alloy+TPE
Response frequency: 20Hz--20KHz
Sensitivity: 42db
Impedance: 32Ω
Rated Power: 5mW
Plug: : ϕ 3.5mm Cord Length: 1.2m
CTN G.W.:12.69 kg; CTN SIZE 60*35*50cm

Remax Type-C Metal Wired Earphone for Music & Call RM-655a (With Digital Interface)



Tarnish
Silver

0.043
0.043

20
20

200
200

6954851225393
6954851225386

Material:TPE cable
Impedance:16Ω±15%
One-button wired control, for karaoke/calls.
TYpe-C connector, widely compatible.
Eco-friendly TPE cable, tangle-free, no knotting.
Graphene moving-coil speaker, low distortion.
Ergonomic design, comfortable fitting.
CTN G.W.:10.5Kg ±0.2 Kg
Material:ABS shell + TPE cable

REMAX Metal Wired Earphone for Music & Call RM-655



Tarnish
Silver

0.042
0.042

20
20

200
200

6954851225751
6954851225744

Impedance:16Ω±15%
One-button wired control for karaoke/calls
Graphene dynamic speaker, low distortion for penetrating treble
Eco-friendly TPE cable, no tangling, easy to store
Ergonomic design for secure fitting
CTN G.W.:10.5Kg ±0.2 Kg
CTN SIZE 60*33.5*49CM

REMAX IPH Metal Wired Earphone for Music & Call



Tarnish












0.078

16

160

6954851219453




Material: TPE + Titanium aluminum + copper foil cable
Impedance: 16Ω±15%
Original Apple IC, plug and play.
Aluminum alloy cavity, low distortion.

14	RM-598is (Original iPhone Chip, plug and play)				Silver	0.078	16	160	6954851219446	One-button wired control, for karaoke/calls. Lossless noise reduction, binaural HD calls. Elastic TPE cable, tangle-free, no knotting.
	REMAX IPH Metal Wired Earphone for Music & Call RM-598i				Silver	0.078	20	200	6954851224501	CTN G.W:18±0.2KG Material: TPE+Titanium Air Aluminum+Copper Foil Wire Impedance: 16Ω±15% Powerful bass, high fidelity for a sound feast. Aluminum alloy cavity, low distortion.
	REMAX & MONSTER Type-C Metal Wired Earphone for Music & Call RM-598a (With Digital Interface)				Tarnish	0.078	20	200	6954851224518	One-button wired control, for karaoke/calls. Lossless noise reduction, binaural HD calls. Elastic TPE cable, tangle-free, no knotting.
	REMAX Monster 3.5mm Metal Wired Earphone RM-598				Silver	0.079	20	200	6954851224525	Material: TPE+Titanium Air Aluminum+Copper Foil Wire Impedance: 16Ω±15% Powerful bass. One-button wired control, for karaoke/calls. Lossless noise reduction, binaural HD calls. Elastic TPE cable, tangle-free, no knotting.
	REMAX IPH Metal Wired Earphone for Music & Call RM-560i				Tarnish	0.079	20	200	6954851224532	CTN G.W:18±0.2KG CTN SIZE 60*33.5*49CM
	REMAX Monster 3.5mm Metal Wired Earphone RM-598				black	0.079	20	200	6972174159768	Material: TPE+Titanium Air Aluminum+Copper Foil Cable A strong deep bass presents an immersive sound experience Lossless noise reduction, relives a perfect sound quality. /Perfect sound for music, calls and gaming.
13	REMAX IPH Metal Wired Earphone for Music & Call RM-560i				Black	0.031	20	200	6954851224631	Material: TPE Impedance:16Ω Speaker Power: 100mW Cable length: 120cm Impedance: 32Ω±15 %
	REMAX Type-c Metal Wired Earphone RM-560				Silver	0.031	20	200	6954851224617	10mm large moving coil diaphragm Noise reduction, balanced sound Wired control. for music and call
	REMAX Type-c Metal Wired Earphone RM-560				Black	0.101	20	200	6972174157979	Material: TPE Impedance:16Ω Speaker Power: 100mW Cable length: 120cm
	REMAX Type-c Metal Wired Earphone RM-560				Silver	0.101	20	200	6972174157986	CTN G.W: 20.2 kg; CTN SIZE:60*35*50cm
	REMAX 3.5mm In-Ear Headphone RM-202				Tarnish	0.016	20	200	6972174150895	Material: TPE+ABS Resistance: 16Ω Voltage: 0.126V
	REMAX 3.5mm In-Ear Headphone RM-201				Silver	0.016	20	200	6972174150901	CTN G.W: 9.37 kg; CTN SIZE:60*33.5*49cm
12	REMAX 3.5mm In-Ear Headphone RM-201				Tarnish	0.037	20	200	6972174150871	Material: TPE+ABS+Alluminium Alloy Resistance: 32Ω ROHS Approved
	REMAX 3.5mm In-Ear Headphone RM-201				Silver	0.037	20	200	6972174150888	CTN G.W:9.8 kg; CTN SIZE:60*33.5*49cm
	REMAX 3.5mm Dual-moving-coil Wired Earphone RM-595				Silver	0.094	80	80	6972174157351	Material: ABS Impedance:16Ω±15% Speaker Power: 3mW*4
	REMAX 3.5mm Dual-moving-coil Wired Earphone RM-595				Blue	0.094	80	80	6972174157368	With built-in highly sensitive microphone, humanized wired control Dual-moving-coil & crossover design
	REMAX 3.5mm Dual-moving-coil Wired Earphone RM-595				Green	0.094	80	80	6972174157344	CTN G.W: 11.8 kg; CTN SIZE:60*33.5*49cm
	REMAX 3.5mm Dual-moving-coil Wired Earphone RM-595				Tarnish	0.028	40	400	6972174150932	Material: TPE Resistance: 16-20Ω

5	Earphone For Calls & Music RW-108				Silver	0.028	40	400	6972174150949	Resistance: 10*20Ω CTN G.W:15.55 kg; CTN SIZE 60*33.5*49cm
8	REMAX 3.5mm Wired Earphone For Calls & Music RW-106				Black	0.013	40	400	6954851230229	Material: TPE+ABS Voltage: 0.126V Resistance: 16Ω Length:1150±50mm
7	REMAX 3.5mm Wired Earphone For Calls & Music RW-105				White	0.013	40	400	6954851230236	CTN G.W:10.78 kg; CTN SIZE 60*33.5*49cm
					Black	0.013	40	400	6954851230205	Material: TPE+ABS Voltage: 0.126V Resistance: 16Ω Length:1150±50mm
					White	0.013	40	400	6954851230212	CTN G.W:10.78 kg; CTN SIZE 60*33.5*49cm
					Black	0.055	16	160	6954851297697	Material: silica gel Response frequency: 20-20KHZ Sensitivity: -42db±3db Rated Power: 2mW
6	REMAX 3.5mm Sleep Headphone RM-588				White	0.055	16	160	6954851297703	Cable Length:1200mm±50mm CTN G.W:11.25 kg; CTN SIZE 60*34*49cm
					Black	0.052	16	160	6972174159430	Material: silica gel Response frequency: 20-20KHZ Sensitivity: -42db±3db Rated Power: 2mW
					Green	0.052	16	160	6972174159423	Cable Length:1200mm±50mm CTN G.W:11.25 kg; CTN SIZE 60*34*49cm
					Black	0.053	48	480	6954851294481	Driver Diameter:9mm Frequency Response: 20Hz--20kHz Impedance: 16Ω±15% Sensitivity(SPL): 95±4dB
5	REMAX 3.5mm Wired Earphone RM-550				White	0.053	48	480	6954851294498	Rated Input Power: 2mW Plug: : ϕ 3.5mm Cord Length: 1.2m CTN G.W.:27.8kg; CTN Size:60*35*50cm
					Black	0.044	30	180	6954851202066	Driver Diameter: 9mm Frequency Response: 20Hz--20kHz Impedance: 16 Ω
4	REMAX 3.5mm Wired Earphone RM-303				White	0.044	30	180	6954851202073	Sensitivity(SPL): 100±3db Rated Input Power: 80mW7 Plug: : ϕ 3.5mm Cord Length: 1.2meters CTN G.W:10.5 kg CTN SIZE 60*34*49cm
					Black	0.112	16	160	6954851211167	Driver Diameter: 9mm Frequency Response: 20Hz--20kHz Impedance: 16 Ω
3	REMAX 3.5mm Wired Earphone RM-535i				Red	0.112	16	160	6954851211143	Sensitivity(SPL): 100±3db Rated Input Power: 80mW7 Plug: : ϕ 3.5mm
					White	0.112	16	160	6954851211150	Cord Length: 1.2meters
					White	0.081	12	120	6954851265030	Material: ABS+TPE Driver Diameter: 10mm
2	REMAX Crazy Robot In-ear 3.5mm Earphone RM-502				Pink	0.081	12	120	6954851265061	Impedance: 16 Ω±15% Frequency Response: 20Hz--20kHz
					Black	0.081	12	120	6954851265023	Sensitivity(SPL): 91±3db MIC: 42±3db; Plug: : ϕ 3.5mm
					Yellow	0.081	12	120	6954851265078	Cord Length: 1.2meters CTN G.W.: 9.7KG CTN SIZE: 60*35*50cm
					Black	0.079	16	160	6954851205616	Driver Diameter: 9mm
1	REMAX 3.5mm Wired Earphone				White	0.079	16	160	6954851205623	Frequency Response: 20Hz--20kHz Impedance: 16 Ω Sensitivity(SPL): 100±3db

Hot

Hot

1	Earphone RM-501				Pink Blue		0.079 0.079	16 16	160 160	6954851204602 6954851204404	Sensitivity(3FL): 100±3dB Rated Input Power: 80mW7 Plug: ⌀ 3.5mm Cord Length: 1.2meters
---	----------------------------------	--	--	--	--------------	--	----------------	----------	------------	--------------------------------	--