

2022 Refrigerator Products

GLOBAL LEADING BRAND
FOR KITCHEN APPLIANCES





Contents

Products

1	Multi-Door Series	01-08
	French Door	02-03
	Cross Door	04-05
	Side by Side	06-08
2	Double Door Series	09-16
	Auto Defrost	10-13
	Manual Defrost	14-16
3	Single Door Series	17-24
	Upright Freezer	18-23
	Mini Fridge	23-24
4	Built-in Series	25-28
	Double Door	26-27
	Single Door	28
5	Hotel Fridge	29-34
	Absorption	30-32
	Thermoelectric	33-34
6	Retro Fridge	35-37
	Double Door	35
	Single Door	36

Multi-Door Series

CREATE YOUR LIFE

Global Leading Brand For High-end
Kitchen Appliances

1

01-08





Model	M-766WH	M-762WH
Total Capacity (L)	600	596
Fridge Compartment(L)	423	419
Freezer Compartment(L)	177	177
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European Class F	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	914*724*1778	914*724*1778
Packaging(W*D*H)(mm)	952*762*1853	968*778*1891
Weight(Net/Gross kg)	120/134	120/130
Loading (40HQ)(pcs)	36	36



Model	M-751WH	M-728WH
Total Capacity (L)	578	560
Fridge Compartment(L)	366	329
Freezer Compartment(L)	151	151
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European Class F	European Class F
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	912*725*1785	912*725*1785
Packaging(W*D*H)(mm)	968*778*1901	968*778*1901
Weight(Net/Gross kg)	102/112	141/152
Loading (40HQ)(pcs)	36	36



Model	M-523W3	M-632WH
Total Capacity (L)	492	486
Fridge Compartment(L)	327	337
Freezer Compartment(L)	165	149
Defrosting	Automatic	Automatic
Certification	CE/CB/SASO	CE/GS/CB
Energy Efficiency	European Class A+	European Class F/E(A+/A++)
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	836*706*1830	704*694*2000
Packaging(W*D*H)(mm)	893*735*1895	750*738*2111
Weight(Net/Gross kg)	94/103	95/104
Loading (40HQ)(pcs)	52	48



Model	M-548WH
Total Capacity (L)	480
Fridge Compartment(L)	302
Freezer Compartment(L)	128
Defrosting	Automatic
Certification	CE/GS/CB
Energy Efficiency	European Class F/E(A+/A++)
Refrigerant	R600a
Product(W*D*H)(mm)	794*706*1817
Packaging(W*D*H)(mm)	854*763*1900
Weight(Net/Gross kg)	111/120
Loading (40HQ)(pcs)	56



Model	M-794WHE	M-761WHE
Total Capacity (L)	611	585
Fridge Compartment(L)	394	352
Freezer Compartment(L)	109	107
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS/CB
Energy Efficiency	European Class F	European Class F
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	912*725*1785	912*725*1785
Packaging(W*D*H)(mm)	968*778*1901	968*778*1901
Weight(Net/Gross kg)	118.5/127.5	150/160
Loading (40HQ)(pcs)	36	36



Model	M-585W3	M-505W3
Total Capacity (L)	542	451
Fridge Compartment(L)	367	321
Freezer Compartment(L)	175	130
Defrosting	Automatic	Automatic
Certification	CE/CB/SASO	CE/CB/SASO
Energy Efficiency	European Class A+	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	911*706*1830	911*636*1830
Packaging(W*D*H)(mm)	968*750*1895	968*680*1895
Weight(Net/Gross kg)	94/104	100/110
Loading (40HQ)(pcs)	48	53



Model	M-562WHE	M-560WTE
Total Capacity (L)	452	431
Fridge Compartment(L)	292	298
Freezer Compartment(L)	80	133
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CB/ CE
Energy Efficiency	European Class F	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	794*706*1817	850*678*1850
Packaging(W*D*H)(mm)	854*763*1900	912*727*1906
Weight(Net/Gross kg)	102/110	102/113
Loading (40HQ)(pcs)	55	51



Model	M-512WHE
Total Capacity (L)	427
Fridge Compartment(L)	256
Freezer Compartment(L)	149
Defrosting	Automatic
Certification	CE/GS/CB
Energy Efficiency	European Class F/E
Refrigerant	R600a
Product(W*D*H)(mm)	794*643*1817
Packaging(W*D*H)(mm)	855*723*1925
Weight(Net/Gross kg)	86/95
Loading (40HQ)(pcs)	57



Model	W-781WTE	W-606W3
Total Capacity (L)	601	570
Fridge Compartment(L)	394	377
Freezer Compartment(L)	207	193
Defrosting	Automatic	Automatic
Certification	CB/CE	CB/CE/SASO
Energy Efficiency	European Class A+	European Class A+
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	920*735*1768	911*706*1780
Packaging(W*D*H)(mm)	977*780*1855	968*750*1845
Weight(Net/Gross kg)	95/105	86/96
Loading (40HQ)(pcs)	48	48



Model	W-741WSH	W-692WH
Total Capacity (L)	562	560
Fridge Compartment(L)	370	365
Freezer Compartment(L)	192	167
Defrosting	Automatic	Automatic
Certification	CE/GS/CB	CE/GS
Energy Efficiency	European Class F	European Class F/E(A+/A++)
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	910*743*1787	910*743*1787
Packaging(W*D*H)(mm)	982*780*1877	979*777*1877
Weight(Net/Gross kg)	99/110	110/121
Loading (40HQ)(pcs)	48	48

Multi-Door Series

Global Leading Brand For High-end Kitchen Appliances

Side by Side



Model	W-606WHI3	W-673WHE
Total Capacity (L)	552	519
Fridge Compartment(L)	175	334
Freezer Compartment(L)	377	185
Defrosting	Automatic	Automatic
Certification	CB/CE/SASO	CE/GS
Energy Efficiency	European Class A+	European Class F/E/D(A+/A++/A+++)
Refrigerant	R600a	R600a
Product(W*D*H)(mm)	911*706*1780	910*643*1786
Packaging(W*D*H)(mm)	991*757*1845	966*720*1885
Weight(Net/Gross kg)	104/114	85/95
Loading (40HQ)(pcs)	48	48



Model	W-456W3
Total Capacity (L)	432
Fridge Compartment(L)	165
Freezer Compartment(L)	267
Defrosting	Automatic
Certification	CB/CE/SASO
Energy Efficiency	European Class A+
Refrigerant	R600a
Product(W*D*H)(mm)	836*636*1780
Packaging(W*D*H)(mm)	893*700*1845
Weight(Net/Gross kg)	80/89
Loading (40HQ)(pcs)	55

Double Door Series

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

2

09-16



Automatic-Top Mount



Model	DT-717WH	DT-699WT
Total Capacity (L)	552	538
Fridge Compartment(L)	433	399
Freezer Compartment(L)	119	139
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	MEPS2018/E	A+
Certification	CE/GS/CB	CB/CE
Product(W*D*H)(mm)	794*685*1852	836*688*1850
Packaging(W*D*H)(mm)	840*731*1925	885*721*1932
Weight(Net/Gross kg)	81/89	87/93
Loading (40HQ)(pcs)	58	55



Model	DT-651WH	DT-605WT
Total Capacity (L)	501	465
Fridge Compartment(L)	384	364
Freezer Compartment(L)	117	101
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	MEPS2018 4/5 Star	A+
Certification	CB/SAA/GCC	CB/CE
Product(W*D*H)(mm)	794*685*1720	706*686*1850
Packaging(W*D*H)(mm)	843*734*1795	755*740*1930
Weight(Net/Gross kg)	78/85	72/80
Loading (40HQ)(pcs)	63	66

Automatic-Top Mount



Model	DT-547WH	DT-486WH
Total Capacity (L)	421	374
Fridge Compartment(L)	321	285
Freezer Compartment(L)	100	89
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	NOM/MEPS2018	NOM
Certification	NOM/CE/GS/CB/SAA	NOM
Product(W*D*H)(mm)	700*685*1720	700*635*1720
Packaging(W*D*H)(mm)	750*731*1825	750*680*1825
Weight(Net/Gross kg)	69/77	66/73
Loading (40HQ)(pcs)	67	70



Model	DT-268WMU	DT-326WH
Total Capacity (L)	252	247
Fridge Compartment(L)	198	195
Freezer Compartment(L)	54	52
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	MEPS 2 stars	F
Certification	CE/CB	CE/CB
Product(W*D*H)(mm)	545*623*1657	550*562*1676
Packaging(W*D*H)(mm)	580*675*1707	578*591*1728
Weight(Net/Gross kg)	55/61.5	47/51
Loading (40HQ)(pcs)	98	106

Automatic-Top Mount



Model	DT-286WMU
Total Capacity (L)	203
Fridge Compartment(L)	143
Freezer Compartment(L)	60
Defrosting	Automatic
Refrigerant	R600a
Energy Class	MEPS 3 stars
Certification	CE/CB
Product(W*D*H)(mm)	545*623*1372
Packaging(W*D*H)(mm)	580*675*1423
Weight(Net/Gross kg)	48/53
Loading (40HQ)(pcs)	126

Automatic-Bottom Mount



Model	DB-409WT	DB-390WSHE
Total Capacity (L)	306	300
Fridge Compartment(L)	219	205
Freezer Compartment(L)	87	95
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	A+	F
Certification	CB/CE	CE/CB/GS
Product(W*D*H)(mm)	595*630*1850	595*592*1859
Packaging(W*D*H)(mm)	650*685*1929	645*628*1935
Weight(Net/Gross kg)	60/68	70/77
Loading (40HQ)(pcs)	72	76

Automatic-Bottom Mount



Model	DB-530WH	DB-435WH
Total Capacity (L)	408	334
Fridge Compartment(L)	309	245
Freezer Compartment(L)	99	89
Defrosting	Automatic	Automatic
Refrigerant	R600a	R600a
Energy Class	A+	A+
Certification	SAA/CB	CE/GS
Product(W*D*H)(mm)	704*687*1723	595*681*2003
Packaging(W*D*H)(mm)	750*733*1825	647*691*2078
Weight(Net/Gross kg)	81/89	77/83.5
Loading (40HQ)(pcs)	67	54



Model	DB-357WT
Total Capacity (L)	275
Fridge Compartment(L)	203
Freezer Compartment(L)	72
Defrosting	Automatic
Refrigerant	R600a
Energy Class	A+
Certification	CB/CE
Product(W*D*H)(mm)	545*615*1825
Packaging(W*D*H)(mm)	945*1215*2025
Weight(Net/Gross kg)	55/63
Loading (40HQ)(pcs)	96

Manual-Top Mount



Model	DT-492U	DT-472U
Total Capacity (L)	492	472
Fridge Compartment(L)	162	142
Freezer Compartment(L)	330	330
Defrosting	Manual	Manual
Refrigerant	R134a	R134a
Energy Class	A	A
Certification	CB	CE/CB/Uruguay Energy
Product(W*D*H)(mm)	705*597*1850	705*597*1770
Packaging(W*D*H)(mm)	772*692*1924	772*692*1844
Weight(Net/Gross kg)	62/66	60/64
Loading (40HQ)(pcs)	69	70



Model	DT-358U	DT-328U
Total Capacity (L)	358	328
Fridge Compartment(L)	108	108
Freezer Compartment(L)	250	220
Defrosting	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A	A
Certification	CE/CB/SASO	CE/CB
Product(W*D*H)(mm)	604*620*1645	604*620*1545
Packaging(W*D*H)(mm)	660*690*1700	660*690*1600
Weight(Net/Gross kg)	51/55	48/52
Loading (40HQ)(pcs)	70	79

Manual-Top Mount



Model	DT-280L	DT-210L
Total Capacity (L)	280	210
Fridge Compartment(L)	212	159
Freezer Compartment(L)	68	42
Defrosting	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A/A+/A++	A+/A++
Certification	CE/CB/GS	CE/CB
Product(W*D*H)(mm)	550*568*1700	550*568*1410
Packaging(W*D*H)(mm)	580*590*1730	580*590*1450
Weight(Net/Gross kg)	45/50	41/45
Loading (40HQ)(pcs)	106	144



Model	DT-138L	DT-88L
Total Capacity (L)	138	80
Fridge Compartment(L)	96	54
Freezer Compartment(L)	42	26
Defrosting	Manual	Manual
Refrigerant	R134a/R600a	R134a/R600a
Energy Class	A+/A++	A/A+
Certification	CE/CB	CE/CB
Product(W*D*H)(mm)	456*525*1304	456*525*850
Packaging(W*D*H)(mm)	490*565*1320	510*580*880
Weight(Net/Gross kg)	35/38	25/27.5
Loading (40HQ)(pcs)	192	288

Double Door Series

Manual-Bottom Mount



Model	DB-343(W)H
Total Capacity (L)	264
Fridge Compartment(L)	198
Freezer Compartment(L)	66
Defrosting	Manual
Refrigerant	R600a
Energy Class	A+
Certification	CE/CB/GS
Product(W*D*H)(mm)	554*558*1800
Packaging(W*D*H)(mm)	580*580*1869
Weight(Net/Gross kg)	53/58
Loading (40HQ)(pcs)	105



Model	DB-215DH
Total Capacity (L)	165
Fridge Compartment(L)	122
Freezer Compartment(L)	43
Defrosting	Manual
Refrigerant	R600a
Energy Class	F
Certification	CE/CB/GS
Product(W*D*H)(mm)	495*562*1430
Packaging(W*D*H)(mm)	521*585*1500
Weight(Net/Gross kg)	41/49
Loading (40HQ)(pcs)	156

Single Door Series

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

3

17-24



Upright Freezer-Automatic



Model	SD-767WH	SL-468WH
Net Capacity(L)	590	360
Freezer(L)	590	/
Defrosting	Automatic	Automatic
Energy Class	DOE/E-STAR/SASO/C	European Class A+(A++)
Certification	GCC/SASO	CE/GS/CB/SONCAP/SASO
Refrigerant	R600a	R600a
Unit size WxDxH(mm)	830*733*1940	595*712*1855
Box Size WxDxH(mm)	880*783*2020	643*713*1948
Weight N/G (Kg)	83/93	71/82
Loading (40HQ)(pcs)	39	72



Model	SD-338WH	SD-242WH
Net Capacity(L)	260	194
Freezer(L)	260	194
Defrosting	Automatic	Automatic
Energy Class	European Class A+/A++	European Class F/E(A+/A++)
Certification	CE/GS/CB/SASO	CE/GS/CB
Refrigerant	R600a	R600a
Unit size WxDxH(mm)	595*712*1855	550*562*1691
Box Size WxDxH(mm)	643*713*1948	580*580*1755
Weight N/G (Kg)	77/85	60/66
Loading (40HQ)(pcs)	72	106

Upright Freezer-Automatic



Model	SD-191WH
Net Capacity(L)	155
Freezer(L)	155
Defrosting	Automatic
Energy Class	European Class F/E(A+/A++)
Certification	CE/GS/CB
Refrigerant	R600a
Unit size WxDxH(mm)	550*562*1434
Box Size WxDxH(mm)	580*580*1498
Weight N/G (Kg)	46/50
Loading (40HQ)(pcs)	140

Upright Freezer-Manual



Model	SD-230CS	SD-180CS
Net Capacity(L)	230	180
Freezer(L)	230	180
Defrosting	Manual	Manual
Energy Class	A	A
Certification	CB/CE	CB/CE
Refrigerant	R134a	R134a
Unit size WxDxH(mm)	595*552*1715	545*550*1410
Box Size WxDxH(mm)	635*600*1780	575*580*1435
Weight N/G (Kg)	55/59	55/59
Loading (40HQ)(pcs)	80	144

Upright Freezer-Manual



Model	SD-100D6	SD-60D6
Net Capacity(L)	88	50
Freezer(L)	88	50
Defrosting	Manual	Manual
Energy Class	E	E
Certification	CE	CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	505*525*850	470*450*632
Box Size WxDxH(mm)	567*576*885	520*465*665
Weight N/G (Kg)	32/34	18/20
Loading (40HQ)(pcs)	251	459



Model	SD-40D6
Net Capacity(L)	34
Freezer(L)	34
Defrosting	Manual
Energy Class	E
Certification	CE
Refrigerant	R134a/R600a
Unit size WxDxH(mm)	470*450*510
Box Size WxDxH(mm)	520*465*530
Weight N/G (Kg)	14/16
Loading (40HQ)(pcs)	560

Single Door Series

Global Leading Brand For High-end Kitchen Appliances



Upright Freezer-Manual



Model	SD-310C	SD-280C
Net Capacity(L)	310	280
Freezer(L)	310	280
Defrosting	Manual	Manual
Energy Class	B	B
Certification	CE	CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	600*620*1690	600*620*1495
Box Size WxDxH(mm)	662*650*1732	662*650*1537
Weight N/G (Kg)	71/78	66/73
Loading (40HQ)(pcs)	80	101



Model	SD-216C	SD-182C
Net Capacity(L)	216	182
Freezer(L)	216	182
Defrosting	Manual	Manual
Energy Class	B	B
Certification	CE	CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	545*542*1450	545*542*1298
Box Size WxDxH(mm)	570*595*1494	570*595*1341
Weight N/G (Kg)	53/57.5	49/53
Loading (40HQ)(pcs)	142	155

Upright Freezer-Manual



Model	SD-180L	SD-80L
Net Capacity(L)	162	80
Freezer(L)	162	80
Defrosting	Manual	Manual
Energy Class	A/A+	A+
Certification	CB/CE	CB/CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	550*568*1410	480*490*831
Box Size WxDxH(mm)	580*590*1450	515*530*844
Weight N/G (Kg)	45/49	27/30
Loading (40HQ)(pcs)	144	276

Mini Fridge



Model	SF-130D6	SF-95D6
Net Capacity(L)	120	91
Defrosting	Manual	Manual
Energy Class	/	/
Certification	ETL DOE/CE	SAA /ETL DOE/CE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	505*525*850	470*450*850
Box Size WxDxH(mm)	567*576*855	520*465*865
Weight N/G (Kg)	24.5/26.5	21.5/23.5
Loading (40HQ)(pcs)	251	338

Mini Fridge



Model	SF-70D6	SF-48D6
Net Capacity(L)	68	48
Defrosting	Manual	Manual
Energy Class	E	E
Certification	ETL /CE	SAA / ETL/CE/MEPS/PSE
Refrigerant	R134a/R600a	R134a/R600a
Unit size WxDxH(mm)	470*450*632	450*450*510
Box Size WxDxH(mm)	520*465*655	495*465*530
Weight N/G (Kg)	16.5/18	14.3/15.5
Loading (40HQ)(pcs)	459	580



Model	SF-45D6
Net Capacity(L)	42
Defrosting	Manual
Energy Class	E
Certification	CE
Refrigerant	R134a/R600a
Unit size WxDxH(mm)	453*450*495
Box Size WxDxH(mm)	465*475*515
Weight N/G (Kg)	14.1/15.5
Loading (40HQ)(pcs)	620

Built-in Series

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

4

25-28



Double Door



Model	DB-312WHE
Total Capacity (L)	240
Fridge Compartment(L)	183
Freezer Compartment(L)	57
Defrosting	Automatic
Refrigerant	R600a
Energy Efficiency	European Class A+ /A++
Certification	CE/GS/CB
Product(W*D*H)(mm)	540*540*1772
Packaging(W*D*H)(mm)	585*564*1875
Weight(Net/Gross kg)	53/58
Loading (40HQ)(pcs)	109



Model	DB-294WHE
Total Capacity (L)	226
Fridge Compartment(L)	148
Freezer Compartment(L)	78
Defrosting	Automatic
Refrigerant	R600a
Energy Efficiency	European Class A+
Certification	CE/GS/CB
Product(W*D*H)(mm)	540*540*1772
Packaging(W*D*H)(mm)	585*564*1875
Weight(Net/Gross kg)	54/59
Loading (40HQ)(pcs)	109

Built-in Series

Global Leading Brand For High-end Kitchen Appliances



Single Door



Model	SL-179DH	SF-133DH
Total Capacity (L)	137	120
Fridge Compartment(L)	137	103
Freezer Compartment(L)	/	17
Defrosting	Manual	Manual
Refrigerant	R600a	R600a
Energy Efficiency	European Class E/F(A+/A++)	European Class E/F(A+/A++)
Certification	CE/GS/CB	CE/GS/CB
Product(W*D*H)(mm)	595*545*818	595*545*818
Packaging(W*D*H)(mm)	628*570*888	628*570*888
Weight(Net/Gross kg)	28/31	30/33
Loading (40HQ)(pcs)	226	226



Model	SD-126DH
Total Capacity (L)	95
Fridge Compartment(L)	/
Freezer Compartment(L)	95
Defrosting	Manual
Refrigerant	R600a
Energy Efficiency	European Class E/F(A+/A++)
Certification	CE/GS/CB
Product(W*D*H)(mm)	595*545*818
Packaging(W*D*H)(mm)	628*570*888
Weight(Net/Gross kg)	32/35
Loading (40HQ)(pcs)	226

Hotel Fridge

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances

5

29-34



Absorption-Glass Door



Model	SX-60B2E(T)	SX-50B2E(T)
Net Capacity(L)	44.5	41
Input power	90W	90W
Energy Consumption(Kwh/24h)	1.22	1.22
Certification	CE/CB/ETL	CE/CB/ETL
Product(W*D*H /mm)	External:460*480*605 Internal:360*265*500	External:402*465*670 Internal:312*250*565
Packing(W*D*H /mm)	500*520*640	450*495*710
Kg (Net / Gross)	22/24.2	21/23.5
Loading (40HQ)(pcs)	368	438

Absorption-Solid Door



Model	SX-50BT	SX-60B2E
Net Capacity(L)	50	44.5
Input power	60W	90W
Energy Consumption(Kwh/24h)	0.8	0.74
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/ETL
Product(W*D*H /mm)	460*480*560	External:460*480*605 Internal:360*265*500
Packing(W*D*H /mm)	485*525*650	500*520*640
Kg (Net / Gross)	15/17	21.5/24
Loading (40HQ)(pcs)	384	368



Model	SX-40B2E(T)	SX-30B2E(T)
Net Capacity(L)	33	26
Input power	65W	65W
Energy Consumption(Kwh/24h)	1	1
Certification	CE/CB/ETL	CE/CB/ETL
Product(W*D*H /mm)	External:402*465*560 Internal:312*250*455	External:402*440*500 Internal:312*225*395
Packing(W*D*H /mm)	450*495*600	450*470*540
Kg (Net / Gross)	20/22	18/20
Loading (40HQ)(pcs)	496	620



Model	SX-38BT	SX-40B2E
Net Capacity(L)	40	33
Input power	60W	65W
Energy Consumption(Kwh/24h)	0.8	0.71
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/ETL
Product(W*D*H /mm)	435*455*545	External:402*465*560 Internal:312*250*455
Packing(W*D*H /mm)	495*475*600	450*495*600
Kg (Net / Gross)	15/17	17.5/19.5
Loading (40HQ)(pcs)	384	496

Absorption-Solid Door



Model	SX-32BT	SX-28BT
Net Capacity(L)	32	28
Input power	60W	60W
Energy Consumption(Kwh/24h)	0.8	0.8
Certification	CE/CB/GS/KC/PSE/ROHS	CE/CB/GS/KC/PSE/ROHS
Product(W*D*H /mm)	435*435*460	400*390*440
Packing(W*D*H /mm)	475*475*520	425*435*500
Kg (Net / Gross)	14/15.5	12/13.5
Loading (40HQ)(pcs)	480	675



Model	SX-30B2E
Net Capacity(L)	26
Input power	65W
Energy Consumption(Kwh/24h)	0.59
Certification	CE/CB/ETL
Product(W*D*H /mm)	Externa:402*440*500 Internal:312*225*395
Packing(W*D*H /mm)	450*470*540
Kg (Net / Gross)	16/18
Loading (40HQ)(pcs)	620

Thermoelectric



Model	SL-40EB7(A)	SL-40EB7(B)	SL-40EB7(C)
Net Capacity(L)		32	
Input power		65W	
Energy Consumption(Kwh/24h)		0.6	
Certification		ETL / ROHS / CCC / CE / CB	
Product(W*D*H /mm)		405*443*545	
Packing(W*D*H /mm)		460*495*585	
Kg (Net / Gross)		13.2/14.2	
Loading (40HQ)(pcs)		549	



Model	SL-30EB7(13)	SL-30EB7(11)
Net Capacity(L)		26
Input power		65W
Energy Consumption(Kwh/24h)		0.28
Certification		ETL / ROHS / CCC / CE / CB
Product(W*D*H /mm)		380*440*465
Packing(W*D*H /mm)		430*515*520
Kg (Net / Gross)		9/10.4
Loading (40HQ)(pcs)		615

Thermoelectric



Model	SL-32EB7(A)	SL-32EB7(E)
Net Capacity(L)	25	
Input power	65W	
Energy Consumption(Kwh/24h)	0.39	
Certification	CE / CB / CCC / ETL / ROHS / REACH	
Product(W*D*H /mm)	380*445*475	
Packing(W*D*H /mm)	430*515*520	
Kg (Net / Gross)	11/12.5	
Loading (40HQ)(pcs)	615	



Model	SL-24EB7(E)	SL-25EB7(E)
Net Capacity(L)	24	20
Input power	60W	60W
Energy Consumption(Kwh/24h)	0.3	0.3
Certification	CE / CB / CCC / ETL / ROHS / REACH	CE / CB / CCC / ETL / ROHS / REACH
Product(W*D*H /mm)	380*380*475	402*351*448
Packing(W*D*H /mm)	430*460*520	457*403*488
Kg (Net / Gross)	10/11.5	9.8/11.1
Loading (40HQ)(pcs)	675	725

Retro Fridge

CREATE YOUR LIFE

Global Leading Brand For High-end Kitchen Appliances





Model	DR-258RL	DR-218RL
Total(L/cu.ft)	250	208
Fridge Compartment(L)	186	160
Freezer Compartment(L)	64	48
Defrost	Manual	Manual
Certificate	CB/CE	CB/CE
Energy Class	A+/F	A+/F
Refrigerant	R600a	R600a
Product Size(mm)	545*585*1843	550*620*1480
Packaging Size(mm)	580*645*1870	580*645*1510
Weight(Net/Gross kg)	52/58	41/45
Loading (40HQ)(pcs)	96	122



Model	DR-138RL	DR-088RL
Total(L/cu.ft)	136	80
Fridge Compartment(L)	96	54
Freezer Compartment(L)	40	26
Defrost	Manual	Manual
Certificate	CB/CE	CB/CE
Energy Class	A+/F	A+/F
Refrigerant	R600a	R600a
Product Size(mm)	470*510*1310	470*510*868
Packaging Size(mm)	490*540*1335	490*540*880
Weight(Net/Gross kg)	31/35	25/28
Loading (40HQ)(pcs)	192	288



Model	SR-268RL	SR-135RL
Total(L/cu.ft)	242	118
Fridge Compartment(L)	242	108
Freezer Compartment(L)	/	10
Defrost	Manual	Manual
Certificate	CB/CE	CB/CE
Energy Class	A+/F	A++/F
Refrigerant	R600a	R600a
Product Size(mm)	550*620*1480	550*620*860
Packaging Size(mm)	580*645*1510	580*645*885
Weight(Net/Gross kg)	38/43	30/33
Loading (40HQ)(pcs)	122	211



Model	SR-90RL
Total(L/cu.ft)	91
Fridge Compartment(L)	81
Freezer Compartment(L)	10
Defrost	Manual
Certificate	CB/CE
Energy Class	A++/F
Refrigerant	R600a
Product Size(mm)	455*535*825
Packaging Size(mm)	490*540*850
Weight(Net/Gross kg)	22/26
Loading (40HQ)(pcs)	288