

was a Manufacturer with research and development, produce and sales, the major products is freezer, showcase, stainless steel kitchen equipments and so on.

Through many years of experience in developing, has built a large refrigeration equipments production base in South China, its workshop floor area is about 150 thousandsquare meters, and the building area is about 180 thousand square meters.

The company spend to bring in 3 auto produce lines, and it was enter and garrison the new workshop and bring on stream in Dec. 2013, annual output will be 300 thousand pcs, and company is still in developing.

Co.,LTD insist the management idea in ‘Quality-oriented, Integrity and win-win’. In the future, will change the development patterns, promote strategy transition, reinforce the capability of independent innovation, Positive boost structural adjustment, upgrade industries, comprehensive promote comprehensive competitive ability, and make shangxing to be a new star in refrigeration area in the world.

The company spend to bring in 3 auto produce lines, and it was enter and garrison the new workshop and bring on stream in Dec. 2013, annual output will be 300 thousand pcs, and company is still in developing.





20 years professional skill and experience in manufacturing

**CHEST FREEZER  
DOUBLE TEMPERATURE SLIDING GLASS DOOR**



**Heating reflection glass door**

High quality heating reflection glass door, it's firm and difficult to crush, the thermal insulation properties is better than the general glass door, it is energy conservation and saving power, the lifetime will be 3 to 4 times than the general glass door.



**Non-Magnetic stainless steel**

Non-magnetic stainless steel inner tank.



**Copper evaporator**

Durable.



**High quality compressor**

Efficient refrigeration, superior performance, cooling quick and powerful, energy conservation and saving power.

Model	Capacity	Temperature	Product Size
273(A)	136/273	≤ -18/ ≤ 10	1234×604×910
303(A)	151/303	≤ -18/ ≤ 10	1364×604×910

**CHEST FREEZER  
DOUBLE TEMPERATURE SLIDING GLASS DOOR**



**CHEST FREEZER  
SLIDING GLASS DOOR**



Model	Capacity	Temperature	Product Size
178	89/178	≤ -18/ ≤ 10	944×554×910
208	104/208	≤ -18/ ≤ 10	1064×554×910
238	119/238	≤ -18/ ≤ 10	1104×604×910
273	136/273	≤ -18/ ≤ 10	1234×604×910
303	151/303	≤ -18/ ≤ 10	1364×604×910

Model	Capacity	Temperature	Product Size
SC-182	182	≤ 10	944×554×910
SC-212	212	≤ 10	1064×554×910
SC-242	242	≤ 10	1104×604×910
SC-277	277	≤ 10	1234×604×910
SC-316	316	≤ 10	1364×604×910

MUNG BEAN PASTE  
CHEST FREEZER



CHEST FREEZER  
COOLER AND FREEZER CHANGE OVER



Model	Capacity	Temperature	Product Size
C-125	125	≤ -18/ ≤ 10	590×590×900
C-195	195	≤ -18/ ≤ 10	905×590×900

Model	Capacity	Temperature	Product Size
C-182	182	≤ -18/ ≤ 10	944×554×910
C-212	212	≤ -18/ ≤ 10	1064×554×910
C-242	242	≤ -18/ ≤ 10	1104×604×910
C-277	277	≤ -18/ ≤ 10	1234×604×910
C-316	316	≤ -18/ ≤ 10	1364×604×910
C-418	418	≤ -18/ ≤ 10	1325×760×960
C-518	518	≤ -18/ ≤ 10	1560×760×960
C-618	618	≤ -18/ ≤ 10	1795×760×960
C-718	718	≤ -18/ ≤ 10	2055×760×960

SMALL CHEST FREEZER  
SOLID DOOR



CHEST FREEZER COOLER AND  
FREEZER CHANGE OVER (2 DOORS)



Model	Capacity	Temperature	Product Size
C-100	100	≤ -18/ ≤ 10	535×570×895
C-160	160	≤ -18/ ≤ 10	740×570×895

Model	Capacity	Temperature	Product Size
C-100	100	≤ -18/ ≤ 10	535×570×950
C-160	160	≤ -18/ ≤ 10	740×570×950
C-218	218	≤ -18/ ≤ 10	1064×620×945
C-268	268	≤ -18/ ≤ 10	1104×670×945
C-328	328	≤ -18/ ≤ 10	1234×670×945
D-215	107/215	≤ -18/ ≤ 10	1064×620×945
D-285	142/285	≤ -18/ ≤ 10	1234×670×945
D-365	182/365	≤ -18/ ≤ 10	1410×700×945



**CHEST FREEZER  
COOLER AND FREEZER CHANGE OVER(2 DOORS)**



**CHEST FREEZER  
COOLER AND FREEZER CHANGE OVER  
WITH BUTTERFLY DOOR**



Model	Capacity	Temperature	Product Size
C-428	428	≤ -18/ ≤ 10	1325×760×960
C-528	528	≤ -18/ ≤ 10	1560×760×960
C-628	628	≤ -18/ ≤ 10	1795×760×960
C-728	728	≤ -18/ ≤ 10	2055×760×960
C-868	868	≤ -18/ ≤ 10	2055×870×960
C-1000	1000	≤ -18/ ≤ 10	2205×870×960
C-1250	1250	≤ -18/ ≤ 10	2355×985×960

Model	Capacity	Temperature	Product Size
C-183	183	≤ -18/ ≤ 10	944×554×945
C-213	213	≤ -18/ ≤ 10	1064×554×945
C-243	243	≤ -18/ ≤ 10	1104×604×945
C-278	278	≤ -18/ ≤ 10	1234×604×945

**CHEST FREEZER  
DOUBLE TEMPERATURE WITH BUTTERFLY DOOR**



**CHEST FREEZER  
CURVED SLIDING GLASS DOOR**



Model	Capacity	Temperature	Product Size
D-177	88/177	≤ -18/ ≤ 10	944×554×945
D-207	103/207	≤ -18/ ≤ 10	1064×554×945
D-237	118/237	≤ -18/ ≤ 10	1104×604×945
D-272	136/272	≤ -18/ ≤ 10	1234×604×945

Model	Capacity	Temperature	Product Size
C-260	260	≤ -18/ ≤ 10	1095×605×890
C-338	338	≤ -18/ ≤ 10	1295×605×890

UPRIGHT SHOWCASE  
DOUBLE TEMPERATURE UPRIGHT SHOWCASE

BEVERAGE COOLER  
STATIC UPRIGHT SHOWCASE



Model	Capacity	Temperature	Product Size
4-278	68/278	≤ -18/ ≤ 10	620×595×1770
4-328	98/328	≤ -18/ ≤ 10	620×595×1920

Model	Capacity	Temperature	Product Size
4-208	208	≤ 10	560×580×1725
4-238	238	≤ 10	560×595×1795
4-268	268	≤ 10	620×595×1855
4-308	308	≤ 10	620×595×1975
4-350	350	≤ 10	660×595×2005

BEVERAGE COOLER  
STATIC UPRIGHT SHOWCASE



Model	Capacity	Temperature	Product Size
4-518	518	≤ 10	960×595×2100
4-618	618	≤ 10	1080×595×2120
4-828	828	≤ 10	1220×690×2120

Model	Capacity	Temperature	Product Size
4-1138	1138	≤ 10	1630×690×2120

BEVERAGE COOLER  
VENTILATED UPRIGHT SHOWCASE

BEVERAGE COOLER  
VENTILATED UPRIGHT SHOWCASE



Model	Capacity	Temperature	Product Size
4-238	238	≤ 10	560×595×1795
4-268	268	≤ 10	620×595×1855
4-308	308	≤ 10	620×595×1975
4-350	350	≤ 10	660×595×2005

Model	Capacity	Temperature	Product Size
4-518	518	≤ 10	960×595×2010
4-618	618	≤ 10	1080×595×2120
4-828	828	≤ 10	1220×690×2120
4-1138	1138	≤ 10	1630×690×2120

BEVERAGE COOLER  
VENTILATED UPRIGHT SHOWCASE

BEVERAGE COOLER  
VENTILATED UPRIGHT SHOWCASE



Model	Capacity	Temperature	Product Size
4-268	268	≤ 10	620×595×1855
4-308	308	≤ 10	620×595×1975
4-350	360	≤ 10	660×595×2005

Model	Capacity	Temperature	Product Size
4-518	518	≤ 10	960×595×2010
4-618	618	≤ 10	1080×595×2120
4-828	828	≤ 10	1220×690×2120
4-1138	1138	≤ 10	1630×690×2120

BEVERAGE COOLER  
VENTILATED UPRIGHT SHOWCASE  
ALUMINUM ALLOY DOOR FRAME

BEVERAGE COOLER  
VENTILATED UPRIGHT SHOWCASE  
ALUMINUM ALLOY DOOR FRAME



Model	Capacity	Temperature	Product Size
4-508FL	580	≤ 10	720×770×2210
4-688FL	688	≤ 10	1080×608×2080
4-888FL	888	≤ 10	1180×688×2080

Model	Capacity	Temperature	Product Size
4-1050FL	1050	≤ 10	1250×708×2180
4-1650FL	1650	≤ 10	1860×708×2180

MEDICAL DRUG STORAGE

MEDICAL DRUG STORAGE



Model	Capacity	Temperature	Product Size
4-208FL	208	0°C ~20°C	560×580×1725
4-268FL	268	0°C ~20°C	620×595×1855
4-308FL	308	0°C ~20°C	620×595×1975
4-350FL	350	0°C ~20°C	660×595×2005

Model	Capacity	Temperature	Product Size
4-518FL	518	0°C ~20°C	960×595×2010
4-618FL	618	0°C ~20°C	1080×595×2120
4-828FL	828	0°C ~20°C	1220×690×2120
4-1138FL	1138	0°C ~20°C	1630×690×2120



## MEDICAL DRUG STORAGE

## ISLAND FREEZER SLIDING GLASS DOOR FREEZER SHOWCASE



Model	Capacity	Temperature	Product Size
508FL	580	0°C ~20°C	660×680×2120
1050FL	1050	0°C ~20°C	1250×680×2120
1650FL	1650	0°C ~20°C	1860×680×2120

Model	Capacity	Temperature	Product Size
378	378	≤ -18/ ≤ 10	1380×800×910
488	488	≤ -18/ ≤ 10	1680×800×910
639	639	≤ -18/ ≤ 10	1980×900×910
839	839	≤ -18/ ≤ 10	2280×900×910

## ISLAND FREEZER SLIDING GLASS DOOR FREEZER SHOWCASE

## FOODS SHOWCASE



Model	Capacity	Temperature	Product Size
1380	180	-10 ≤ t ≤ 10	1380×800×850
1680	220	-10 ≤ t ≤ 10	1680×800×850
1980	320	-10 ≤ t ≤ 10	1980×900×850
2280	380	-10 ≤ t ≤ 10	2280×900×850



## CHEST COOLER SLIDING GLASS DOOR COOLER SHOWCASE



Model	Capacity	Temperature	Product Size
1200	600	上箱 0 ≤ t ≤ 10; 下箱 -6 ≤ t ≤ 5	1200×850×1980
1400	710	上箱 0 ≤ t ≤ 10; 下箱 -6 ≤ t ≤ 5	1400×850×1980
1600	820	上箱 0 ≤ t ≤ 10; 下箱 -6 ≤ t ≤ 5	1600×850×1980
1800	930	上箱 0 ≤ t ≤ 10; 下箱 -6 ≤ t ≤ 5	1800×850×1980
2000	1040	上箱 0 ≤ t ≤ 10; 下箱 -6 ≤ t ≤ 5	2000×850×1980

Model	Capacity	Temperature	Product Size
175A	175	≤ 10	1520×604×430

## FRESH CABINET SERIES

## Cooked food cabinet series



Model	Capacity	Temperature	Product Size
1.5PF	230	$-2 \leq t \leq 10$	1500x1200x910
2.0PF	310	$-2 \leq t \leq 10$	2000x1200x910
2.5PF	400	$-2 \leq t \leq 10$	2500x1200x910
3.0PF	480	$-2 \leq t \leq 10$	3000x1200x910

Model	Capacity	Temperature	Product Size
1.5YF	230	$-2 \leq t \leq 10$	1500x1200x1230
2.0YF	310	$-2 \leq t \leq 10$	2000x1200x1230
2.5YF	400	$-2 \leq t \leq 10$	2500x1200x1230
3.0YF	480	$-2 \leq t \leq 10$	3000x1200x1230

## VERTICAL AIR CURTAIN CABINET SERIES

## EMI-HIGH AIR CURTAIN CABINET SERIES



Model	Capacity	Temperature	Product Size
1.5LF	790	$2 \leq t \leq 10$	1500x950x2020
2.0LF	1070	$2 \leq t \leq 10$	2000x950x2020
2.5LF	1350	$2 \leq t \leq 10$	2500x950x2020
3.0LF	1590	$2 \leq t \leq 10$	3000x950x2020

Model	Capacity	Temperature	Product Size
1.5BLF	570	$2 \leq t \leq 10$	1500x950x1670
2.0BLF	780	$2 \leq t \leq 10$	2000x950x1670
2.5BLF	980	$2 \leq t \leq 10$	2500x950x1670
3.0BLF	1170	$2 \leq t \leq 10$	3000x950x1670