



GREENHOUSES SPAROOM - SUNROOM - PLANTERS

Professional Greenhouses' Manufacturer since 2004



Enjoy Gardening,



Enjoy Life!



Your Garden Expert,



GREENHOUSES

Professional Greenhouses Manufacturer since 2004



LES NOUVEAUX EXPORTATEURS LIMITED
Office 3,10/F WITTY COMMERCIAL BUILDING,
1A-1L TUNG CHOI STREET,MONGKOK QUARTER
KOWLOON,HONG KONG

Office:+852 8191 1210

Whatsapp&mobile: +63 915 904 4401

www.lesnouveauxexportateurs.fr

info@lesnouveauxexportateurs.fr



Enjoy Gardening, Enjoy Life!

FACTORY PHOTOS



Factory Over View



Workshop



G-MORE Team



Factory



Office



Meeting Room



Show Room



Machines



Warehouse

INTRODUCTION

"Fully committed to its customers from the initial submission of quotation to the final cooperation."

Home Gardening Co., Ltd. is one of the leading companies in China providing a wide range of Hobby Greenhouses, Glasshouses, Sunroom, Raised Garden Beds, Pool Cover, Patio Enclosure and solutions for other home living, hotels or resorts around the globe.

The company is located in nearby Guangzhou which is one of the most famous trading centers in the world. It has a land over 24000m² and about 120 workers. Employing an experienced staff of professionals in planting and designing, G-MORE works closely with end users to assess their needs and objectives, to design various economic, environmental friendly and efficient greenhouses and outdoor solutions. With years of development, the company has established a strong marketing network, covering more than 45 countries in the world, such as America, UK, Germany, Sweden, Norway, Australia, Russia etc.

With a mission to provide high quality products and services to customers, will continuously do the utmost to develop and to improve itself.

CONTENT

3 OUR DESIGNERS

5 COMPANY STRENGTH

7 WHAT'S NEW?

- 9 DOME ENCLOSURE SERIES
- 13 ROYAL PARK ORANGERY
- 15 LEAN-TO SERIES
- 17 LITE SPECIAL SERIES
- 21 CUSHION BOX SERIES

23 UNLIMITED SIZES

- 25 3M WIDTH
- 27 4M WIDTH
- 29 5M WIDTH
- 31 7M WIDTH

33 GLAZING COMBINATIONS

- 35 ORANGERY
- 37 IMPERIAL
- 41 ELITE SERIES
- 45 ROYAL PARK SERIES
- 47 HEXAGONAL SERIES
- 49 PRO SERIES

55 LUXURY

- 57 DIAMOND SERIES
- 59 LARGE LEAN TO SERIES
- 61 EMPIRE SERIES
- 63 GLORY SERIES
- 65 TITAN GLASS SERIES
- 75 PATIO ENCLOSURE SERIES

77 CLASSIC

- 79 LITE
- 85 BARN
- 87 NURSERY
- 89 COLD FRAME
- 91 ELEVATED PLANTER
- 95 SHELVES & STAGINGS

97 SWIMMING POOL COVER

- 99 CLASSIC SERIES
- 101 LOW LINE SERIES
- 103 LEAN-TO SERIES

105 GARDEN BEDS & OTHERS



NEW !

DOME SPA ENCLOSURE P9



ROYAL PARK SERIES P45



SWIMMING POOL COVER P99



CREATIVE RESEARCH & DEVELOPMENT

Focusing attention on market demand and intensifying both application of new technology, all these measures have resulted in renovation & development.

WHAT'S NEW

DOME SERIES

Round Style




Oval Style




ROYAL PARK SERIES

Orangery



Lean-to




LITE SPECIAL SERIES

Single Door



Double Door



CUSHION BOX SERIES





DOME SPA ENCLOSURE

Introducing our new DOME spa enclosure/pavilion to the world and the architectural art lovers! Not like the cheap PVC bubble house, our DOME hot tub enclosure is made of heavy duty solid Aluminum Framework and clear Polycarbonate Panel available with 4 sizes, 3 colors & 2 glazing panels to choose. It's not just a simple greenhouse for planting & cultivation, but also can be used as an outdoor sunroom/pavilion for entertainment and relaxation by adding furniture, or even yoga as an exercise room. Besides those, this retractable patio enclosure creates a perfect environment for spa which can fully enclose your hot tub to maintain a cozy indoor temperature. What more will you bring into this modern DOME enclosure? You make the call!

As a DIY kit, all parts of this DOME enclosure are processed precisely with no sharp edges to allow an easier, faster & safer assembly, normally 4~6 hrs for the professional while 8~12 hrs for the customer depending on the sizes. You're suggested to secure this DOME enclosure onto a level foundation, like the concrete or wood decking.



Strong aluminium frame
Hollow / solid PC glazing
Retractable sliding doors
Maximum air ventilation
Multifunctional Sparoom
Outdoor furniture

FEATURES

- > Heavy duty solid aluminum profiles with powdered coating is durable and never get rusted!
- > Available with 2 optional glazing panels to meet different demands, including 2.5-3MM solid PC panel and 6MM hollow twin-wall PC panel;
- > Elegant style and round shape always make it the eye catcher among all the modern buildings & landscapes outstanding from other gazebos & pavilions;
- > Full curved side wall bracing increases the strength of the whole structure greatly, also as the handrail;
- > Lockable doors can reduce cleaning costs & time by keeping dirt & leaves out of your hot tub, also safe for your kids.
- > Retractable double sliding doors allow the maximum air ventilation with 1 automatic top vent as standard;
- > 15 years of factory warranty for the frame brings you years of enjoyment and profits;
- > Wind resistance: 120KM/H; Snow load capacity: 60KGS/ SQM or 50CM Thick.
- > Optional accessories: curtains, sofa.



Aluminum Frame

Glazing Panel

3 colors available

White

Black (-B)

Dark Grey

Hollow PC 6MM/
Solid PC 2.5-3MM

SPECIFICATION	AREA		
Item No. GDA310 Size: Dia. 310 X 246 H Door Size: 230 X 145CM (H X W) CTN QTY: 20'GP 18PCS/40' HQ: 46PCS	7.6M ²		
Item No. GDA360 Size: Dia. 360 X 251 H Door Size: 235 X 170CM (H X W) CTN QTY: 20'GP 15PCS/40' HQ: 38PCS	10.2M ²		
Item No. GDA410 Size: Dia. 410 X 266 H Door Size: 245 X 145CM (H X W) CTN QTY: 20'GP 13PCS/40' HQ: 33PCS	13.2M ²		
Item No. GDA460 Size: Dia. 460 X 291 H Door Size: 270 X 165CM (H X W) CTN QTY: 20'GP 11PCS/40' HQ: 28PCS	16.6M ²		

Glazing panels can be 6MM hollow PC or 2.5-3MM Solid PC



GDB360



OVAL DOME ENCLOSURE

This Oval version of spa enclosure/pavilion is a Mega DOME series. Thanks to its generous size, more space for customers to enjoy and relax. It's large enough to accommodate a swimming pool, spa pool or sofa & dining tables. Outdoor sunroom/pavilion for entertainment and relaxation by adding furniture, or even yoga as an exercise room is also preferable.

Made of extra heavy duty Aluminum Framework and solid clear Polycarbonate Panel, it's strong, durable and sense of luxury. With both ends doors and two automatically opening roof, there is great ventilation within the enclosure.

As a DIY kit, all parts of this DOME enclosure are processed precisely with no sharp edges to allow an easier, faster & safer assembly. Let this magic ball/round DOME spa enclosure bring you to the wonderland where you can enjoy the added privacy, fun, relaxation and spa all year round with maintenance free!

NEW !



GDB360

Strong aluminium frame
Hollow / solid PC glazing

Retractable sliding doors
Maximum air ventilation

Multifunctional Sparoom
Outdoor furniture

FEATURES

- > Extra heavy duty aluminum profiles with powdered coating is durable and never get rust!
- > Available with 2 optional glazing panels to meet different demands, including 2.5-3MM solid PC panel and 6MM hollow twin-wall PC panel;
- > Elegant style and oval shape always make it the eye catcher among all the modern buildings & landscapes outstanding from other gazebos & pavilions;
- > Full curved side wall bracing increases the strength of the whole structure greatly, also as the handrail;
- > Lockable doors can reduce cleaning costs & time by keeping dirt & leaves out of your hot tub, also safe for your kids.
- > Retractable two ends sliding doors allow the maximum air ventilation with 2 automatic top vents as standard;
- > 15 years of factory warranty for the frame brings you years of enjoyment and profits;
- > Wind resistance: 120KM/H; Snow load capacity: 60KGS/ SQM or 50CM Thick.
- > Optional accessories: curtains, sofa etc.



Aluminum Frame

Glazing Panel

3 colors available



White

Black (-B)

Dark Grey

Hollow PC 6MM/
Solid PC 2.5-3MM



SPECIFICATION

AREA

Item No. GDB310

Size: 460 X 310 X 246CM (L X W X H)
Door Size: 230 X 150CM (H X W)
CTN QTY: 20'GP 13PCS/40' HQ: 33PCS



12.3M²



Item No. GDB360

Size: 510 X 360 X 251CM (L X W X H)
Door Size: 235 X 150CM (H X W)
CTN QTY: 20'GP 11PCS/40' HQ: 28PCS



15.6M²



Item No. GDB410

Size: 560 X 410 X 266CM (L X W X H)
Door Size: 245 X 150CM (H X W)
CTN QTY: 20'GP 10PCS/40' HQ: 23PCS



19.4M²



Item No. GDB460

Size: 610 X 460 X 291CM (L X W X H)
Door Size: 270 X 150CM (H X W)
CTN QTY: 20'GP 9PCS/40' HQ: 21PCS

23.5M²



Glazing panels can be 6MM hollow PC or 2.5-3MM Solid PC



GE4606-B



ORANGERY GREENHOUSE

Introducing our new Orangery Greenhouse/ Glasshouse. Same as our Royal Park series, this new orangery greenhouse comes with box type aluminum profiles and Optional 4mm tempered glass / 6mm polycarbonate as glazing panels. They are strong, neat and elegant. It's perfect for both growing and relaxation. Hosting garden parties for family and friends will never be so easy.

What makes this greenhouse unique is the assembly system. Unlike the traditional greenhouse in the market, all the nuts of this greenhouse are Pre-installed into the aluminum profiles. This helps the assembly greatly, as sliding bolts/nuts into the aluminum channel is not needed anymore when assembly. And what's more, the prices are modest too. It will absolutely become one of the most popular greenhouses.



NEW !

Orangery Style
Optional PC/Glass Glazing
Nuts Pre-installed
Panel Insert System
Multi-functional Sunroom
Outdoor Furniture

GE4606-B

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with 10mm Glazing Channel for Polycarbonate/ Glass Panels - NO PANELS BLOWN OUT IN WINDY DAYS.
- > All nuts are pre-installed in the profiles - REDUCING ASSEMBLING TIME BY OVER 50%.
- > Two glazing options are available, 6MM Polycarbonate Panels and 4MM Toughened Glass Panels for different demands.
- > Full Horizontal Bracings on all walls and roofs.
- > Double Hinged / Swing Doors for Good Ventilation.
- > 4 Opening Roof Vents for Extra Ventilation - Provided as Standard.
- > Heavy Duty Integrated Gutter System with 6 Aluminum Downpipes as Standard.
- > Wind resistance: + 100KM/H, Snow load capacity: 60KGS/SQM.
- > 15 years of Factory Warranty for the frames brings you years of gardening enjoyment.



Aluminum Frame Glazing Panel



Black (-B)



PC 6MM/
Tempered Glass
4MM



SPECIFICATION

AREA

Item No. GE4506

Size: 360 X 433 X 255CM (L X W X H)
Door Size: 194 X 135CM (H X W)
Window Size: (56 X 68CM) QTY: 4PCS
CTN QTY: 20'GP 32PCS/40' HQ: 82PCS



14.5M²



Item No. GE4606

Size: 431 X 433 X 255CM (L X W X H)
Door Size: 194 X 135CM (H X W)
Window Size: (56 X 68CM) QTY: 4PCS
CTN QTY: 20'GP 27PCS/40' HQ: 69PCS


16.6M²



Item No. GE45-2 EXT.

Size: 144 X 287 X 255CM (L X W X H)
Window Size: (56 X 68CM) QTY: 2PCS
CTN QTY: 20'GP 100PCS/40' HQ: 250PCS

4.1M²



Length can be extended to 8 sections, which is 575CM.



LEAN-TO GREENHOUSE

This Lean-to greenhouse is a great upgraded Outdoor Glasshouse/Sunroom on the traditional

Lean-to Series. It can be multifunctional by adding furniture, plants, decorations or even water features and personalizing the space.

It comes with box type aluminum profiles and optional 4mm tempered glass/6mm polycarbonate as glazing panels. They are strong, neat and elegant. It's perfect for both growing and relaxation. Hosting garden parties for family and friends will never be so easy.

What makes this greenhouse unique is the assembly system. Unlike the traditional greenhouse in the market, all the nuts of this greenhouse are pre-installed into the aluminum profiles. This helps the assembly greatly, as sliding bolts/nuts into the aluminum channel is not needed any more when assembly. And what's more, the prices are modest too. It will absolutely become one of the most popular greenhouses.



FEATURES

- Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with 10mm Glazing Channel for Polycarbonate/Glass Panels – NO PANELS BLOWN OUT IN WINDY DAYS.
- All nuts are pre-installed in the profiles - REDUCING ASSEMBLING TIME BY OVER 50%. Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- Two glazing options are available, 6MM Polycarbonate and 4MM Toughened Glass for different demands.
- Full Horizontal Bracings on all walls and roofs.
- Sliding Lockable Doors can be fixed on three sides according to your needs.
- 2/3 Opening side vents for Extra Ventilation - Provided as Standard.
- Heavy Duty Integrated Gutter System with 4 Aluminum Downpipes as Standard.
- Wind resistance: +100KM/H, Snow load capacity: 50KGS/SQM.
- 15 years of Factory Warranty for the frames brings you years of gardening enjoyment.
- Optional accessories: Auto-opener and Aluminum Base.



Aluminum Frame Glazing Panel



Black (-B)



PC 6MM/
Tempered Glass
4MM

SPECIFICATION	AREA	SPECIFICATION	AREA
Item No. GE7304 Size: 220 X 293 X 232CM (W X L X H) Door Size: 185 X 70CM (H X W) Window Size: (68 X 56CM) QTY: 2PCS CTN QTY: 20'GP 45PCS/40' HQ: 98PCS	6.5M ²	Item No. GE7404 Size: 290 X 293 X 245CM (W X L X H) Door Size: 185 X 140CM (H X W) Window Size: (68 X 56CM) QTY: 2PCS CTN QTY: 20'GP 40PCS/40' HQ: 90PCS	8.5M ²
Item No. GE7305 Size: 220 X 364 X 232CM (W X L X H) Door Size: 185 X 70CM (H X W) Window Size: (68 X 56CM) QTY: 2PCS CTN QTY: 20'GP 40PCS/40' HQ: 90PCS	8.0M ²	Item No. GE7405 Size: 290 X 364 X 245CM (W X L X H) Door Size: 185 X 140CM (H X W) Window Size: (68 X 56CM) QTY: 2PCS CTN QTY: 20'GP 36PCS/40' HQ: 85PCS	10.6M ²
Item No. GE7306 Size: 220 X 434 X 232CM (W X L X H) Door Size: 185 X 70CM (H X W) Window Size: (68 X 56CM) QTY: 2PCS CTN QTY: 20'GP 36PCS/40' HQ: 85PCS	9.6M ²	Item No. GE7406 Size: 290 X 434 X 245CM (W X L X H) Door Size: 185 X 140CM (H X W) Window Size: (68 X 56CM) QTY: 2PCS CTN QTY: 20'GP 32PCS/40' HQ: 80PCS	12.6M ²
Item No. GE7307 Size: 220 X 505 X 232CM (W X L X H) Door Size: 185 X 70CM (H X W) Window Size: (68 X 56CM) QTY: 3PCS CTN QTY: 20'GP 32PCS/40' HQ: 80PCS	11.1M ²	Item No. GE7407 Size: 290 X 505 X 245CM (W X L X H) Door Size: 185 X 140CM (H X W) Window Size: (68 X 56CM) QTY: 3PCS CTN QTY: 20'GP 29PCS/40' HQ: 75PCS	14.7M ²



Length can be extended to 8 sections, which is 575CM.



GLS24-G



LITE SPECIAL

SINGLE DOOR

Dreaming of buying an Aluminum Greenhouse but with the lower budget? Our brand new Lite Special series just got you covered! This entry level garden greenhouse is really a ‘rule breaker’&‘innovator’ in the market, made of ONLY 3MM polycarbonate panel but built with the very sturdy aluminum frames. Rooting from the classic series, this hobby greenhouse is designed with the same ‘PC-insert’ system / 10mm depth in aluminum channel, instead of the cheap flimsy wire clips. This is just to ensure all PC panels can be secured firmly in the windy climate. Furthermore, the simpler structure in a lighter weight is perfectly suitable for your mail-order business!

Standing out from other competitors, this ECO greenhouse is proudly labeled as the ‘cost killer’ that no one can beat down in the market! It’s the cheapest model from our range when it comes to a large walk-in greenhouse for promotions. Also the 3MM normal glass panels can be served as a basic glasshouse. In a word, it’s the best deal for all the gardening beginners and hobbyists that you all shouldn’t miss out!



GLS24

FEATURES

- > ‘PC-insert’ system / 10mm depth in the aluminum channel - Good wind resistance;
- > The lighter but sturdy structure comes with the long full horizontal bracings on roof & wall;
- > 80MM height of galvanized steel base is provided as standard to anchor into the concrete or wooden decking;
- > Optional 3MM Polycarbonate or 3MM normal glass for glazing panels;
- > Single sliding door ensures the sufficient ventilation;
- > Big roof vent allows the extra ventilation
- > 3 hours' installation for ordinary people;
- > Wind resistance: 70KM/H; Snow load capacity: 30KGS/SQM.




I grow plants for many reasons,
but mostly for the joy in see them grow.



Aluminum Frame PC Panel

2 colors available



Silver



Green (-G)



PC 3MM/
Glass 3MM

SPECIFICATION	AREA	SPECIFICATION	AREA
Item No. GLS22 Size: 130 X 192 X 193CM (4.3' X 6.3' X 6.3'FT) Door Size: 169 X 59CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 225PCS/40' HQ: 566PCS	2.5M ² 	Item No. GLS23 Size: 192 X 192 X 193CM (6.3' X 6.3' X 6.3'FT) Door Size: 169 X 59CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 196PCS/40' HQ: 494PCS	3.7M ²
Item No. GLS24 Size: 254 X 192 X 193CM (8.3' X 6.3' X 6.3'FT) Door Size: 169 X 59CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 163PCS/40' HQ: 410PCS	4.9M ² 	Item No. GLS25 Size: 316 X 192 X 193CM (10.4' X 6.3' X 6.3'FT) Door Size: 169 X 59CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 138PCS/40' HQ: 348PCS	6.1M ²
Item No. GLS26 Size: 379 X 192 X 193CM (12.4' X 6.3' X 6.3'FT) Door Size: 169 X 59CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 120PCS/40' HQ: 304PCS	7.3M ² 		





LITE SPECIAL

DOUBLE DOORS

Dreaming of buying an Aluminum Greenhouse but with the lower budget? Our : brand new Lite Special series just got you covered! This entry level garden greenhouse is really a ‘rule breaker’&‘innovator’ in the market, made of ONLY 3MM polycarbonate panel but built with the very sturdy aluminum frames. Rooting from the classic series, this hobby greenhouse is designed with the same ‘PC-insert’ system / 10mm depth in aluminum channel, instead of the cheap flimsy wire clips. This is just to ensure all PC panels can be secured firmly in the windy climate. Furthermore, the simpler structure in a lighter weight is perfectly suitable for your mail-order business!

Standing out from other competitors, this ECO greenhouse is proudly labeled as the ‘cost killer’ that no one can beat down in the market! It’s the cheapest model from our range when it comes to a large walk-in greenhouse for promotions. Also the 3MM normal glass panels can be served as a basic glasshouse. In a word, it’s the best deal for all the gardening beginners and hobbyists that you all shouldn’t miss out!



FEATURES


- > ‘PC-insert’ system / 10mm depth in the aluminum channel - Good wind resistance;
- > The lighter but sturdy structure comes with the long full horizontal bracings on roof & wall;
- > 80MM height of galvanized steel base is provided as standard to anchor into the concrete or wooden decking;
- > Optional 3MM Polycarbonate or 3MM normal glass for glazing panels;
- > Double sliding doors ensure the sufficient ventilation;
- > Big roof vent allows the extra ventilation
- > 3hours’ installation for ordinary people;
- > Wind resistance: 70KM/H; Snow load capacity: 30KGS/SQM.

I grow plants for many reasons,
but mostly for the joy in see them grow.



Aluminum Frame PC Panel

2 colors available



SPECIFICATION	AREA	SPECIFICATION	AREA
Item No. GLS32 Size: 130 X 254 X 210CM (4.2' X 8.3' X 6.3'FT) Door Size: 169 X 118CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 170PCS/40' HQ: 430PCS	3.3M ² 	Item No. GLS33 Size: 192 X 254 X 210CM (6.3' X 8.3' X 6.3'FT) Door Size: 169 X 118CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 150PCS/40' HQ: 380PCS	4.9M ²
Item No. GLS34 Size: 254 X 254 X 210CM (8.3' X 8.3' X 6.3'FT) Door Size: 169 X 118CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 136PCS/40' HQ: 342PCS	6.5M ² 	Item No. GLS35 Size: 316 X 254 X 210CM (10.4' X 8.3' X 6.3'FT) Door Size: 169 X 118CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 120PCS/40' HQ: 304PCS	8.0M ²
Item No. GLS36 Size: 379 X 254 X 210CM (12.4' X 8.3' X 6.3'FT) Door Size: 169 X 118CM (H X W) Window Size: (53 X 61CM) QTY: 1PC CTN QTY: 20'GP 106PCS/40' HQ: 268PCS	9.6M ² 		





CBA135



CUSHION BOXES

From flower planters to deck cushions, the G-MORE storage box holds it all. Store your cushions, dolls, furniture pillows, garden tools, pool toys and deck supplies neatly within the large 424L – 800L (112 gallons – 210 gallons) capacity space. You can place it indoors at the foot of the bed or in a child room to hold extra bedding, toys and seasonal clothing, or you can also place it in your garden to hold your garden tools etc. Made of 100% aluminum and grey powder coated, it looks neat and luxury. It's durable construction, and never get rusted. Built-in handle and rollers for easy mobility, and it's easy to assemble. With gas spring in the folding mechanism, there will be no crushing hazard when closing the cover. 3 sizes available to choose. Let's say goodbye to the messy stuff in the house, garden and backyard with our cushion boxes!



NEW !

CBA159

FEATURES

- > 100% made of aluminum plates, never get rusted;
- > Elegant grey powdered coated color adds sense of luxury;
- > Built-in handle and rollers for easy mobility;
- > Gas spring in folding mechanism with no crushing hazard;
- > Large space for storages;
- > Multi-functional for indoors and outdoors.




I grow plants for many reasons,
but mostly for the joy in see them grow.



Aluminum Frame

2 colors available



SPECIFICATION	VOLUME	
Item No. CBA135 Size: 135 X 59 X 75CM (L X W X H) Storage Volume: 424L/112 Gallons CTN QTY: 20'GP 184PCS/40' HQ: 462PCS	424L/112 Gallons	
Item No. CBA159 Size: 159 X 79 X 83CM (L X W X H) Storage Volume: 810L/214 Gallons CTN QTY: 20'GP 135PCS/40' HQ: 340PCS	810L/214 Gallons	
Item No. CBA181 Size: 181 X 79 X 75CM (L X W X H) Storage Volume: 800L/210 Gallons CTN QTY: 20'GP 132PCS/40' HQ: 332PCS	800L/210 Gallons	





INFINITE EXTENSION


10MM POLYCARBONATE

Titan series, 3M, 4M, 5M and 7M width,
the length can be extended without limitation.
10MM Polycarbonate sheet as glazing panel.
One of the best sellers!


UNLIMITED SIZES

3M WIDTH

GM32304




GM323-2EXT.




4M WIDTH

GM32404




GM324-2EXT.



5M WIDTH

GM32504




GM325-2EXT.




7M WIDTH

GM32704




GM327-4EXT.





GM32304-G



The love of gardening is a seed
once sown that never dies.

3M WIDTH GH

This Titan Greenhouse series is called "Harvest Premium", is designed with the 4 SEASON GREENHOUSE gardener in mind. 10 MM Double Wall Polycarbonate gives you the best protection from the cold and to retain heat. Compare this to the other Greenhouses for sale for the value and quality, there is no comparison. Greenhouses in this price range are 4mm thick polycarbonate vs our Harvest Premium at 10MM thick Double Wall POLYCARBONATE, ours is 2.5 times thicker. It's the best and strongest greenhouse in the world market.

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel - MADE TO LAST!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide-in Assembly - REDUCING ASSEMBLY TIME BY OVER 70%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > 1m Single Half-Divided Swing Door with Latch - Extra Ventilation.
- > 6 Opening Roof Vents - 2 Vent Arms per roof Vent EXTRA HEAVY DUTY.
- > Can Easily Be Extended at any Stage by 2m or more.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 100KM/H; Snow load capacity: 60KGS/ SQM or 40CM Thick.



Aluminum Frame PC Panel

2 colors available



GM32306-B

10MM Polycarbonate
Box Aluminium Profile
Modular Design
Freely Extended
Quick Assembly
Smart Connector System


SPECIFICATION

AREA

Item No. GM32304

Size: 406 X 306 X 245CM (L X W X H)
Door Size: 180 X 97CM (H X W)
Window Size: (100 X 79CM) QTY: 4PCS
CTN QTY: 20'GP 36PCS/40' HQ: 88PCS


12.4M²



Item No. GM323-2EXT.


Size: 200 X 306 X 245CM (L X W X H)
Window Size: (100 X 79CM) QTY: 2PCS
CTN QTY: 20'GP 80PCS/40' HQ: 196PCS

6.2M²



Item No. GM32306

Size: 606 X 306 X 245CM (L X W X H)
Door Size: 180 X 97CM (H X W)
Window Size: (100 X 79CM) QTY: 6PCS
CTN QTY: 20'GP 25PCS/40' HQ: 60PCS



Note: the length can be extended freely by adding 2 ext. sections, such as 6 sections = 4 sections + 2 ext. sections, etc.



Length can be extended without limitation!




GM32410-B



4M WIDTH GH

The Titan Series 4M width Greenhouse Kit continues to be one of our best sellers when it comes to Do It Yourself Hobby Greenhouses. A simple yet sturdy and durable design, this is made to be a "4 Season" greenhouse by every mention of the word. You can either get your garden to a healthy head start or effectively maintain your plants all year long. The Greenhouses come with an elegant black color or Forest Green color powder coated aluminum frame, 10mm Double-Wall polycarbonate panels and a large hinged double Dutch Door. Several optional accessories are available to make your greenhouse more efficient.



A REAL 4 seasons greenhouse
for keen gardeners!

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel - MADE TO LAST!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide-in Assembly - REDUCING ASSEMBLY TIME BY OVER 70%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > 2M Double Swing Door with Latch - Extra Ventilation.
- > Big Opening Roof Vents - 2 Vent Arms per roof Vent EXTRA HEAVY DUTY.
- > Can Easily Be Extended at any Stage by 2m or more.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 100KM/H; Snow load capacity: 60KGS/ SQM or 40CM Thick.



Aluminum Frame PC Panel

2 colors available




SPECIFICATION

AREA

Item No. GM32404

Size: 406 X 406 X 274CM (L X W X H)
Door Size: 180 X 197CM (H X W)
Window Size: (100 X 115CM) QTY: 4PCS
CTN QTY: 20'GP 22PCS/40' HQ: 53PCS


16.5M²



Item No. GM324-2EXT.


Size: 200 X 406 X 274CM (L X W X H)
Window Size: (100 X 115CM) QTY: 2PCS
CTN QTY: 20'GP 68PCS/40' HQ: 166PCS

8.2M²



Item No. GM32406

Size: 606 X 406 X 274CM (L X W X H)
Door Size: 180 X 197CM (H X W)
Window Size: (100 X 115CM) QTY: 6PCS
CTN QTY: 20'GP 16PCS/40' HQ: 40PCS



Note: the length can be extended freely by adding 2 ext. sections, such as 6 sections = 4 sections + 2 ext. sections, etc.



Length can be extended without limitation!

Super Strong!



GM32408-G

10MM Polycarbonate Box Aluminium Profile

Modular Design Freely Extended

Quick Assembly Smart Connector System



GM32506-B



5M WIDTH GH

This 5 meters' width greenhouse is large and efficient Do It Yourself Greenhouse kit that will get your garden off to a healthy and productive start and keep it going strong all year long, and for many, many years to come. With its simple, but sturdy design, this is a hobby greenhouse kit that is comparable to any commercial Greenhouses in its size. Made to truly be a "4 Season" greenhouse, this is a gardening structure that can provide an environment that cultivates your plants and will produce a productive and bountiful harvest despite what the growing season conditions are outside. Constructed with shatter-proof 10mm Twin-Wall Polycarbonate Panels that provide 100% UV Protection from the sun's rays, no matter how hot it gets during the summer. And check out the size. This greenhouse has more room than any of our competitors' greenhouses in the same price range. Your larger and taller plants can now stay in the greenhouse instead of being moved outside. Six-foot-tall double Doors with hinges and the big roof vents provide proper ventilation for your garden even on the warmest of summer days. Keep in mind that the length can be extended without limitation.

Super Strong!



10MM Polycarbonate Box Aluminium Profile

Modular Design Freely Extended

Quick Assembly Smart Connector System

GM32514-G

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel - MADE TO LAST!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide-in Assembly - REDUCING ASSEMBLY TIME BY OVER 70%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > 2M Double Swing Door with Latch - Extra Ventilation.
- > Big Opening Roof Vents - 2 Vent Arms per roof Vent EXTRA HEAVY DUTY.
- > Can Easily Be Extended at any Stage by 2M or more.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 100KM/H; Snow load capacity: 60KGS/ SQM or 40CM Thick.



Aluminum Frame PC Panel

2 colors available



Green (-G)



Black (-B)



10MM


SPECIFICATION

AREA

Item No. GM32504

Size: 406 X 506 X 303CM (L X W X H)
Door Size: 180 X 197CM (H X W)
Window Size: (100 X 115CM) QTY: 4PCS
CTN QTY: 20'GP 18PCS/40' HQ: 44PCS


20.5M²



Item No. GM325-2EXT.


Size: 200 X 506 X 303CM (L X W X H)
Window Size: (100 X 115CM) QTY: 2PCS
CTN QTY: 20'GP 66PCS/40' HQ: 162PCS

10.1M²




Item No. GM32506


Size: 606 X 506 X 303CM (L X W X H)
Door Size: 180 X 197CM (H X W)
Window Size: (100 X 115CM) QTY: 6PCS
CTN QTY: 20'GP 14PCS/40' HQ: 35PCS



GM32506



GM32504



GM325-2EXT.

Note: the length can be extended freely by adding 2 ext. sections, such as 6 sections = 4 sections + 2 ext. sections, etc.



Length can be extended without limitation!



GM32712-B



7M WIDTH GH

This 7 meters' width greenhouse has become the biggest greenhouse we carry. Billed as a top-of-the-line, this 7M width greenhouse is the first ultra-heavy duty residential/ commercial Greenhouse and is without a doubt the most sort after Greenhouse on the world market today. PLEASE NOTE: This frame cannot be compared to 'Hobby Greenhouses on the market' and we provide a FULL Box-Section Frame in every profile not just a few and the only type to span 7 meters!!). It will surely bring you years of gardening enjoyment and profits.

Independently Certified & Engineered Greenhouse.



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel - MADE TO LAST!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide-in Assembly - REDUCING ASSEMBLY TIME BY OVER 70%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > 2M Double Swing Door with Latch - Extra Ventilation.
- > Big Opening Roof Vents - 2 Vent Arms per roof Vent EXTRA HEAVY DUTY.
- > Can Easily Be Extended at any Stage by 4M or more.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 100KM/H; Snow load capacity: 60KGS/ SQM or 40CM Thick.



Aluminum Frame PC Panel

2 colors available




SPECIFICATION

AREA

Item No. GM32704

Size: 406 X 706 X 361CM (L X W X H)
Door Size: 180 X 197CM (H X W)
Window Size: (100 X 115CM) QTY: 4PCS
CTN QTY: 20'GP 15PCS/40' HQ: 38PCS


28.7M²



Item No. GM327-4EXT.


Size: 400 X 706 X 361CM (L X W X H)
Window Size: (100 X 115CM) QTY: 4PCS
CTN QTY: 20'GP 46PCS/40' HQ: 112PCS

28.2M²



Item No. GM32708

Size: 806 X 706 X 361CM (L X W X H)
Door Size: 180 X 197CM (H X W)
Window Size: (100 X 115CM) QTY: 8PCS
CTN QTY: 20'GP 11PCS/40' HQ: 28PCS



Note: the length can be extended freely by adding 4 ext. sections, such as 8 sections = 4 sections + 4 ext. sections, etc.



Length can be extended without limitation!

Super Strong!



GM32724-B

10MM Polycarbonate Box Aluminium Profile

Modular Design Freely Extended

Quick Assembly Smart Connector System



VARIOUS
COMBINATIONS


GLASS or POLYCARBONATE

Two glazing options are provided in this range of greenhouses.
Glass(4MM) or polycarbonate (6-8MM) can be chosen as glazing panels.
Combination with both is workable too.
Flexibility is what we pursuit.


GLAZING COMBINATIONS

ORANGERY

GM34506




GM34606




IMPERIAL

GM3440X Double Door



GM3430X Single Door




ELITE SERIES

Single Door



Double Door



ROYAL PARK SERIES

GE2404



GE2604



GE2606



PRO SERIES





GM34506-W



ORANGERY

This Orangery or T style greenhouse/glasshouse can be multifunctional by adding furniture, decorations plants or even water features and personalizing the space.

The greenhouse was built to a specification that was originally developed for conservatories and not greenhouses. It features a box section aluminum frame the ridge and corner posts also feature a hollow chamber for extra strength and rigidity. Most greenhouses in the market feature a T-shaped profile for glazing, but this greenhouse includes a much stronger box profile. The panels are retained neatly with a substantial aluminum external gasket and the edges of the panels are completely concealed. The sophisticated of our bar-capping glazing system is stronger and neater than other greenhouses using similar bar-capping methods, as the use of silicon and PVC strip locking is not required in our models. The unique shape guarantees a comfortable gardening environment for tall-growing plants, as there is plenty of space for them to thrive throughout the greenhouse.

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with our sophisticated bar-capping glazing system - NO SILICON REQUIRED!
- > Clever design allowing simple installation, using our Quick Smart Assembly - REDUCING ASSEMBLY TIME BY OVER 40%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > Double Sliding Lockable Doors - EXTRA HEAVY DUTY.
- > 4 Opening Roof Vents - EXTRA HEAVY DUTY.
- > Decorative Ridge Cresting (Optional).
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame, brings you years of gardening enjoyment and profits.
- > Wind resistance: 100KM/H; Snow load capacity: 60KGS/ SQM or 40CM Thick.



Aluminum Frame Glazing Panel

2 colors available



White (-W) Black (-B) PC 8MM/
Tempered
Glass 4MM



GM34606-B

Classic English Style
Optional PC/Glass Glazing
Bar-capping
Glazing System
Multifunctional Sunroom
Outdoor Furniture



SPECIFICATION

AREA

Item No. GM34506

Size: 319 X 377 X 250CM (L X W X H)
Door Size: 194 X 124CM (H X W)
Window Size: (60 X 64CM) QTY: 4PCS
CTN QTY: 20'GP 32PCS/40' HQ: 82PCS



11.2M²



Item No. GM34606

Size: 381 X 377 X 250CM (L X W X H)
Door Size: 194 X 124CM (H X W)
Window Size: (60 X 64CM) QTY: 4PCS
CTN QTY: 20'GP 27PCS/40' HQ: 72PCS


12.8M²



Item No. GM344-2 EXT.

Size: 124 X 253 X 250CM (L X W X H)
Window Size: (60 X 64CM) QTY: 2PCS
CTN QTY: 20'GP 100PCS/40' HQ: 250PCS

3.1M²



Length can be extended without limitation!



GM34409-B



IMPERIAL

DOUBLE DOORS

Introducing our exclusive range of Greenhouse/ Glasshouse structures. The sophistication of our Imperial Series comes with full aluminum bar-capping glazing system which is stronger and neater than any other greenhouse that use similar bar-capping methods, as the use of silicon channels and PVC strip locking is not required.

What makes this range unique and offers a huge benefit over our competitors is the 'quick smart' assembly system. What this means is on average each model uses 150+ less nuts and bolts than traditional nut/bolt systems and is 40% quicker to assemble than any other traditional Glasshouse structure. Add this to our superior 'bar-capping' aluminum mounting panel insertion system makes this range of Greenhouses unbeatable, especially when comparing price. This system is found only on high end greenhouses in the world market. It is the absolute latest and most unique system when it comes to panel fixing methods. Each model also comes with the strongest and sturdiest lockable Sliding Doors & Roof Vents you've ever seen.



Plant Dreams
pull weeds and grow a happy life!

- Classic English Style
Optional PC/Glass Glazing
- Bar-capping
Glazing System
- Multifunctional Sunroom
Outdoor Furniture

GM34412-W

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profile with our sophisticated bar-capping glazing system - NO SILICON REQUIRED!
- > Clever design allowing simple installation using our Quick Smart Assembly - REDUCING ASSEMBLY TIME BY OVER 40%.
- > Polycarbonate sheet or glass can be served for this new model greenhouse. The thickness ranges from 6mm to 8mm (PC sheet) or 4mm (glass). This Transformation is infeasible for the traditional greenhouses.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > Double Sliding Lockable Doors - EXTRA HEAVY DUTY.
- > Big Roof Vents - EXTRA HEAVY DUTY.
- > Decorative Ridge Cresting (Optional).
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 100KM/H; Snow load capacity: 60KGS/ SQM or 40CM Thick.



Aluminum Frame Glazing Panel

2 colors available




White (-W) Black (-B) PC 6-8MM/
Tempered
Glass 4MM

SPECIFICATION	AREA	
Item No. GM34403 Size: 195 X 253 X 250CM (L X W X H) Door Size: 194 X 124CM (H X W) Window Size: (60 X 64CM) QTY: 2PCS CTN QTY: 20'GP 58PCS/40' HQ: 145PCS	4.9M ²	
Item No. GM34404 Size: 257 X 253 X 250CM (L X W X H) Door Size: 194 X 124CM (H X W) Window Size: (60 X 64CM) QTY: 2PCS CTN QTY: 20'GP 52PCS/40' HQ: 126PCS	6.5M ²	
Item No. GM344-2 EXT. Size: 124 X 253 X 250CM (L X W X H) Window Size: (60 X 64CM) QTY: 2PCS CTN QTY: 20'GP 100PCS/40' HQ: 250PCS	3.1M ²	
Item No. GM34405 Size: 319 X 253 X 250CM (L X W X H) Door Size: 194 X 124CM (H X W) Window Size: (60 X 64CM) QTY: 4PCS CTN QTY: 20'GP 27PCS/40' HQ: 72PCS		

Note: The length can be extended freely by adding 2 ext. sections, such as 5 sections = 3 sections + 2 ext. sections, etc.



Glazing panels can be 6-8MM PC or 4MM safety glass



IMPERIAL

SINGLE DOOR

This Imperial single door Greenhouse/Glasshouse is a little brother to the Double door GM344XX series. Yet, their whole structure is completely same. It comes with full aluminum bar-capping glazing system which is stronger and neater than any other greenhouse that use similar bar-capping methods, as the use of silicon channels and PVC strip locking is not required.

What makes this range unique and offers a huge benefit over our competitors is the 'quick smart' assembly system. What this means is on average each model uses 150+ less nuts and bolts than traditional nut/bolt systems and is 40% quicker to assemble than any other traditional Glasshouse structure. Add this to our superior 'bar-capping' aluminum mounting panel insertion system makes this range of Greenhouses unbeatable, especially when comparing price. This system is found only on high end greenhouses in the world market. Each model also comes with the strongest and sturdiest lockable Sliding Doors & Roof Vents you've ever seen.



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profile with our sophisticated bar-capping glazing system - NO SILICON REQUIRED!
- > Clever design allowing simple installation using our Quick Smart Assembly - REDUCING ASSEMBLY TIME BY OVER 40%.
- > Polycarbonate sheet or glass can be served for this new model greenhouse. The thickness ranges from 6mm to 8mm (PC sheet) or 4mm (glass). This Transformation is infeasible for the traditional greenhouses.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > Single Sliding Lockable Doors - EXTRA HEAVY DUTY.
- > Big Roof Vents - EXTRA HEAVY DUTY.
- > Decorative Ridge Cresting (Optional).
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 100KM/H; Snow load capacity: 60KGS/SQM or 40CM Thick.



Aluminum Frame Glazing Panel

2 colors available



White (-W) Black (-B) PC 6-8MM/
Tempered
Glass 4MM


SPECIFICATION

AREA

Item No. GM34303

Size: 195 X 191 X 218CM (L X W X H)
Door Size: 179 X 60CM (H X W)
Window Size: (60 X 64CM) QTY: 2PCS
CTN QTY: 20'GP 100PCS/40' HQ: 250PCS


3.7M²



Item No. GM34304

Size: 257 X 191 X 218CM (L X W X H)
Door Size: 179 X 60CM (H X W)
Window Size: (60 X 64CM) QTY: 2PCS
CTN QTY: 20'GP 90PCS/40' HQ: 220PCS


4.9M²



Item No. GM343-2 EXT.


Size: 124 X 191 X 218CM (L X W X H)
Window Size: (60 X 64CM) QTY: 2PCS
CTN QTY: 20'GP 190PCS/40' HQ: 470PCS

2.4M²



Item No. GM34305

Size: 319 X 191 X 218CM (L X W X H)
Door Size: 179 X 60CM (H X W)
Window Size: (60 X 64CM) QTY: 4PCS
CTN QTY: 20'GP 65PCS/40' HQ: 165PCS



Note: The length can be extended freely by adding 2 ext. sections, such as 5 sections = 3 sections + 2 ext. sections, etc.



Glazing panels can be 6-8MM PC or 4MM safety glass

SINGLE DOOR

Elite Series Greenhouse/Glasshouse is designed with the same structure as our Royal Park Greenhouse. It comes with box type aluminum profiles and 4mm tempered glass/6mm polycarbonate as glazing panels. The length can be easily extended by adding a '2 Section Assembly' each time for a longer size. It's perfect for both growing and relaxation.

What makes this greenhouse unique is the assembly system. Unlike the traditional greenhouse in the market, all the nuts of this greenhouse are Pre-installed into the aluminum profiles. This helps the assembly greatly, as sliding bolts/nuts into the aluminum channel is not needed anymore when assembly. And what's more, the prices are modest too. You shouldn't miss such a beautiful greenhouse in your garden.

Enjoy gardening,
Enjoy greenhouse!



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with 10mm Glazing Channel for Polycarbonate/Glass Panels - NO PANELS BLOWN OUT IN WINDY DAYS.
- > All nuts are pre-installed in the profiles - REDUCING ASSEMBLING TIME BY OVER 50%.
- > Two glazing options are available, 6MM Polycarbonate Panels and 4MM Toughened Glass Panels for different demands.
- > Full Horizontal Bracings on all walls and roofs.
- > Single Hinged / Swing Lockable Doors for Good Ventilation.
- > 2 Opening roof vents for Extra Ventilation - Provided as Standard.
- > Heavy Duty Integrated Gutter System with 4 Aluminum Downpipes as Standard.
- > Modular design allows it to extend the length to any stage.
- > Wind resistance: + 100KM/H, Snow load capacity: 60KGS/ SQM.
- > 15 years of Factory Warranty for the frames brings you years of gardening enjoyment.



Aluminum Frame Glazing Panel

Black colors available



Black (-B)



PC 6MM/
Tempered
Glass 4MM

SPECIFICATION	AREA	
Item No. GE1303 Size: 253 X 253 X 230CM (L X W X H) Door Size: 179 X 78CM (H X W) Window Size: (80 X 56CM) QTY: 2PCS CTN QTY: 20'GP 73PCS/40' HQ: 180PCS	6.4M ²	
Item No. GE1304 Size: 335 X 253 X 230CM (L X W X H) Door Size: 179 X 78CM (H X W) Window Size: (80 X 56CM) QTY: 2PCS CTN QTY: 20'GP 52PCS/40' HQ: 126PCS	8.5M ²	
Item No. GE130-2EXT. Size: 165 X 253 X 230CM (L X W X H) Window Size: (80 X 56CM) QTY: 2PCS CTN QTY: 20'GP 175PCS/40' HQ: 420PCS	4.2M ²	
Item No. GE1306 Size: 500 X 253 X 230CM (L X W X H) Door Size: 179 X 78CM (H X W) Window Size: (80 X 56CM) QTY: 2PCS CTN QTY: 20'GP 45PCS/40' HQ: 110PCS		

Note: The length can be extended freely by adding 2 ext. sections, such as 6 sections = 4 sections + 2 ext. sections, etc.



Length can be extended without limitation!

DOUBLE DOORS

Elite Series Greenhouse/Glasshouse is designed with the same structure as our Royal Park Greenhouse. It comes with box type aluminum profiles and 4mm tempered glass/6mm polycarbonate as glazing panels. The length can be easily extended by adding a '2 Section Assembly' each time for a longer size. It's perfect for both growing and relaxation.

What makes this greenhouse unique is the assembly system. Unlike the traditional greenhouse in the market, all the nuts of this greenhouse are Pre-installed into the aluminum profiles. This helps the assembly greatly, as sliding bolts/nuts into the aluminum channel is not needed anymore when assembly. And what's more, the prices are modest too. You shouldn't miss such a beautiful greenhouse in your garden.

Pull weeds and,
grow a happy life!



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with 10mm Glazing Channel for Polycarbonate/Glass Panels - NO PANELS BLOWN OUT IN WINDY DAYS.
- > All nuts are pre-installed in the profiles - REDUCING ASSEMBLING TIME BY OVER 50%.
- > Two glazing options are available, 6MM Polycarbonate Panels and 4MM Toughened Glass Panels for different demands.
- > Full Horizontal Bracings on all walls and roofs.
- > Double Hinged / Swing Lockable Doors for Good Ventilation.
- > 2 Opening roof vents for Extra Ventilation - Provided as Standard.
- > Heavy Duty Integrated Gutter System with 4 Aluminum Downpipes as Standard.
- > Modular design allows it to extend the length to any stage.
- > Wind resistance: + 100KM/H, Snow load capacity: 60KGS/ SQM.
- > 15 years of Factory Warranty for the frames brings you years of gardening enjoyment.



Aluminum Frame Glazing Panel

Black colors available



Black (-B)



PC 6MM/
Tempered
Glass 4MM

SPECIFICATION	AREA	
Item No. GE1403 Size: 253 X 335 X 254CM (L X W X H) Door Size: 179 X 159CM (H X W) Window Size: (80 X 56CM) QTY: 2PCS CTN QTY: 20'GP 56PCS/40' HQ: 136PCS	8.5M ²	
Item No. GE1404 Size: 335 X 335 X 254CM (L X W X H) Door Size: 179 X 159CM (H X W) Window Size: (80 X 56CM) QTY: 2PCS CTN QTY: 20'GP 50PCS/40' HQ: 120PCS	11.2M ²	
Item No. GE140-2EXT. Size: 165 X 335 X 254CM (L X W X H) Window Size: (80 X 56CM) QTY: 2PCS CTN QTY: 20'GP 160PCS/40' HQ: 400PCS	5.5M ²	
Item No. GE1405 Size: 418 X 335 X 254CM (L X W X H) Door Size: 179 X 159CM (H X W) Window Size: (80 X 56CM) QTY: 4PCS CTN QTY: 20'GP 40PCS/40' HQ: 90PCS		

Note: The length can be extended freely by adding 2 ext. sections, such as 5 sections = 3 sections + 2 ext. sections, etc.



Length can be extended without limitation!

ROYAL PARK

Introducing our new Royal Park Greenhouse/ Glasshouse. This new model greenhouse comes with box type aluminum profiles and Optional 4mm tempered glass / 6mm polycarbonate as glazing panels. They are strong, neat and elegant. It's perfect for both growing and relaxation. Hosting garden parties for family and friends will never be so easy.

What makes this greenhouse unique is the assembly system. Unlike the traditional greenhouse in the market, all the nuts of this greenhouse are Pre-installed into the aluminum profiles. This helps the assembly greatly, as sliding bolts/nuts into the aluminum channel is not needed anymore when assembly. And what's more, the prices are modest too. It will absolutely become one of the most popular greenhouses.

Enjoy gardening,
Enjoy greenhouse!



FEATURES


- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with 10mm Glazing Channel for Polycarbonate/Glass Panels - NO PANELS BLOWN OUT IN WINDY DAYS.
- > All nuts are pre-installed in the profiles - REDUCING ASSEMBLING TIME BY OVER 50%.
- > Two glazing options are available, 6MM Polycarbonate Panels and 4MM Toughened Glass Panels for different demands.
- > Full Horizontal Bracings on all walls and roofs.
- > Double Hinged / Swing Lockable Doors for Good Ventilation.
- > 2/3 Opening Wall Vents for Extra Ventilation - Provided as Standard.
- > Heavy Duty Integrated Gutter System with 4 Aluminum Downpipes as Standard.
- > Wind resistance: + 100KM/H, Snow load capacity: 60KGS/SQM.
- > 15 years of Factory Warranty for the frames brings you years of gardening enjoyment.

To nurture a garden is to feed
not just on the body, but the soul



Aluminum Frame Glazing Panel

2 colors available



SPECIFICATION	AREA	
Item No. GE2404 Size: 295 X 295 X 270CM (L X W X H) Door Size: 180 X 136CM (H X W) Window Size: (67.5 X 61CM) QTY: 2PCS CTN QTY: 20'GP 30PCS/40' HQ: 73PCS	8.7M ²	
Item No. GE2604 Size: 295 X 436 X 270CM (L X W X H) Door Size: 180 X 136CM (H X W) Window Size: (67.5 X 61CM) QTY: 2PCS CTN QTY: 20'GP 24PCS/40' HQ: 60PCS	12.8M ²	
Item No. GE2606 Size: 436 X 436 X 311CM (L X W X H) Door Size: 180 X 136CM (H X W) Window Size: (67.5 X 61CM) QTY: 3PCS CTN QTY: 20'GP 20PCS/40' HQ: 50PCS	19.0M ²	




Glazing panels can be 6MM Polycarbonate or 4MM safety glass





GE602-B



HEXAGONAL

Introducing our new Royal Park Greenhouse/ Glasshouse. This new model greenhouse comes with box type aluminum profiles and optional 4mm tempered glass / 6mm polycarbonate as glazing panels. They are strong, neat and elegant. It's perfect for both growing and relaxation. Hosting garden parties for family and friends will never be so easy.

What makes this greenhouse unique is the assembly system. Unlike the traditional greenhouse in the market, all the nuts of this greenhouse are pre-installed into the aluminum profiles. This helps the assembly greatly, as sliding bolts/nuts into the aluminum channel is not needed anymore when assembly. And what's more, the prices are modest too. It will absolutely become one of the most popular greenhouses.

*Gardening is the purest
of human pleasures.*



NEW !

Box Aluminium Profile
Optional PC/Glass Glazing
Nuts Pre-installed
Panel Insert System
Multifunctional Sunroom
Outdoor Furniture

GE603-B

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with 10mm Glazing Channel for Polycarbonate/Glass Panels – NO PANELS BLOWN OUT IN WINDY DAYS.
- > All nuts are pre-installed in the profiles - REDUCING ASSEMBLY TIME BY OVER 50%. Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > Two glazing options are available, 6MM Polycarbonate and 4MM Toughened Glass for different demands.
- > Full Horizontal Bracings on all walls and roofs. Hinged / Swing Lockable Doors for Good Ventilation.
- > 3 Opening side vents for Extra Ventilation - Provided as Standard. Heavy Duty Integrated Gutter System with 6 Aluminum Downpipes as Standard.
- > Wind resistance: +100KM/H, Snow load capacity: 50KGS/ SQM.
- > 15 years of Factory Warranty for the frames brings you years of gardening enjoyment.
- > Optional accessories: Auto-opener and Aluminum Base.



Aluminum Frame Glazing Panel



Black (-B)



PC 6MM/
Tempered
Glass 4MM



SPECIFICATION

AREA

Item No. GE602

Size: 346 X 300 X 272CM (L X W X H)
Door Size: 180 X 78CM (H X W)
Window Size: (80 X 61CM) QTY: 3PCS
CTN QTY: 20'GP 32PCS/40' HQ: 79PCS



8.0M²



Item No. GE603

Size: 439 X 381 X 296CM (L X W X H)
Door Size: 180 X 100CM (H X W)
Window Size: (67.5 X 61CM) QTY: 3PCS
CTN QTY: 20'GP 28PCS/40' HQ: 68PCS

12.5M²



Glazing panels can be 6MM PC or 4MM safety glass

SINGLE DOOR

Introducing this new Pro Series Greenhouse/ Glasshouse. This Pro Greenhouse/Glasshouse is upgraded from the old traditional series to perfectly suit to the budget conscience hobbyist gardener and the demand of cost-effective glasshouses.

This Pro Series Greenhouse/Glasshouse uses 'Slide & Lock' Assembly System, with 6mm weather resistant polycarbonate panels or 4mm tempered glass and heavy duty powder coated aluminum frame. The entire structure comes with a channel depth of 10mm and we have incorporated a special 'barb/lock' within the profile which enables you to slide the panel into the channel and lock/secure into place! With this aluminum profile, we can insure that our panels will hold firmly in place without relying on cheap clips or plastic components.

Enjoy gardening,
Enjoy greenhouse!



NEW !

GP923

GP925

Classic English Style
Optional PC/Glass Glazing

Modular Design
Freely Extended

Heavy Duty
Cost-effective

FEATURES

- > PC insert 10mm in the aluminum frame, good wind resistance.
- > Two glazing options are available, 6MM Polycarbonate and 4MM Toughened Glass for different demands.
- > Heavy Duty Integrated Gutter System with 4 Aluminum Downpipes and galvanized steel base as Standard.
- > Single sliding door and big roof vents ensure sufficient ventilation.
- > Modular design allows it to extend the length to any stage.
- > 3-4 hours' installation for ordinary people.
- > Wind resistance: 100KM/H; Snow load capacity: 40KGS/SQM.
- > 15 years of Factory Warranty for the frames brings you years of gardening enjoyment.
- > Optional accessories: Roof Cresting, Auto-opener and Shade Net.



Aluminum Frame Glazing Panel

2 colors available











 

Green (-G) Black (-B)



PC 6MM/
Glass 4MM

SPECIFICATION

Item No. GP923 Size: 189 X 189 X 210CM (6' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 2PCS CTN QTY: 20'GP 70PCS/40' HQ: 165PCS	3.6M² 	Item No. GP924 Size: 250 X 189 X 210CM (8' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 2PCS CTN QTY: 20'GP 60PCS/40' HQ: 145PCS	4.7M² 
Item No. GP925 Size: 311 X 189 X 210CM (10' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 4PCS CTN QTY: 20'GP 60PCS/40' HQ: 145PCS	5.9M² 	Item No. GP926 Size: 372 X 189 X 210CM (12' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 4PCS CTN QTY: 20'GP 56PCS/40' HQ: 136PCS	7.0M² 
Item No. GP927 Size: 433 X 189 X 210CM (14' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 4PCS CTN QTY: 20'GP 50PCS/40' HQ: 120PCS	8.2M² 	Item No. GP928 Size: 494 X 189 X 210CM (16' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 4PCS CTN QTY: 20'GP 50PCS/40' HQ: 120PCS	9.3M² 
Item No. GP929 Size: 555 X 189 X 210CM (18' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 6PCS CTN QTY: 20'GP 48PCS/40' HQ: 115PCS	10.5M² 	Item No. GP9210 Size: 616 X 189 X 210CM (20' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 6PCS CTN QTY: 20'GP 48PCS/40' HQ: 115PCS	11.6M² 
Item No. GP9211 Size: 677 X 189 X 210CM (22' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 6PCS CTN QTY: 20'GP 45PCS/40' HQ: 110PCS	12.8M² 	Item No. GP9212 Size: 738 X 189 X 210CM (24' X 6' X 7') Door Size: 183 X 63CM (H X W) Window Size: (77 X 61CM) QTY: 6PCS CTN QTY: 20'GP 45PCS/40' HQ: 110PCS	13.9M² 



Glazing panels can be 6MM Polycarbonate or 4MM safety glass

DOUBLE DOORS

Introducing this new Pro Series Greenhouse/ Glasshouse. This Pro Greenhouse/Glasshouse is upgraded from the old traditional series to perfectly suit to the budget conscience hobbyist gardener and the demand of cost-effective glasshouses.

This Pro Series Greenhouse/Glasshouse uses 'Slide & Lock' Assembly System, with 6mm weather resistant polycarbonate panels or 4mm tempered glass and heavy duty powder coated aluminum frame. The entire structure comes with a channel depth of 10mm and we have incorporated a special 'barb/lock' within the profile which enables you to slide the panel into the channel and lock/secure into place! With this aluminum profile, we can insure that our panels will hold firmly in place without relying on cheap clips or plastic components.

Gardening is the work of
a lifetime you never finish.



FEATURES

- > PC insert 10mm in the aluminum frame, good wind resistance.
- > Two glazing options are available, 6MM Polycarbonate and 4MM Toughened Glass for different demands.
- > Heavy Duty Integrated Gutter System with 4 Aluminum Downpipes and galvanized steel base as Standard.
- > Double sliding doors and big roof vents ensure sufficient ventilation.
- > Modular design allows it to extend the length to any stage.
- > 3-4 hours' installation for ordinary people.
- > Wind resistance: 100KM/H; Snow load capacity: 40KGS/SQM.
- > 15 years of Factory Warranty for the frames brings you years of gardening enjoyment.
- > Optional accessories: Roof Cresting, Auto-opener and Shade Net.















Aluminum Frame Glazing Panel

2 colors available



Green (-G) Black (-B) PC 6MM/ Glass 4MM

SPECIFICATION

Item No. GP933 4.7M² Size: 189 X 250 X 228CM (6' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 2PCS CTN QTY: 20'GP 90PCS/40' HQ: 220PCS 	Item No. GP934 6.3M² Size: 250 X 250 X 228CM (8' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 2PCS CTN QTY: 20'GP 58PCS/40' HQ: 142PCS 
Item No. GP935 7.8M² Size: 311 X 250 X 228CM (10' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 4PCS CTN QTY: 20'GP 50PCS/40' HQ: 120PCS 	Item No. GP936 9.3M² Size: 372 X 250 X 228CM (12' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 4PCS CTN QTY: 20'GP 48PCS/40' HQ: 116PCS 
Item No. GP937 10.8M² Size: 433 X 250 X 228CM (14' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 4PCS CTN QTY: 20'GP 45PCS/40' HQ: 110PCS 	Item No. GP938 12.4M² Size: 494 X 250 X 228CM (16' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 4PCS CTN QTY: 20'GP 45PCS/40' HQ: 110PCS 
Item No. GP939 13.9M² Size: 555 X 250 X 228CM (18' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 6PCS CTN QTY: 20'GP 40PCS/40' HQ: 100PCS 	Item No. GP9310 15.4M² Size: 616 X 250 X 228CM (20' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 6PCS CTN QTY: 20'GP 40PCS/40' HQ: 100PCS 
Item No. GP9311 16.9M² Size: 677 X 250 X 228CM (22' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 6PCS CTN QTY: 20'GP 40PCS/40' HQ: 95PCS 	Item No. GP9312 18.5M² Size: 738 X 250 X 228CM (24' X 8' X 7'5") Door Size: 183 X 126CM (H X W) Window Size: (77 X 61CM) QTY: 6PCS CTN QTY: 20'GP 40PCS/40' HQ: 95PCS 



Glazing panels can be 6MM Polycarbonate or 4MM safety glass

FLEXIBLE DOOR

Introducing this Unique Flexible Door Series Greenhouse/Glasshouse. The door of this greenhouse can be installed in front or on the sides. This flexibility makes you never been so easy to put it in your garden or yard.

The whole structure uses 'Slide & Lock' Assembly System, with 6mm weather resistant polycarbonate panels or 4mm tempered glass and heavy duty powder coated aluminum frame. It comes with a channel depth of 10mm and we have incorporated a special 'barb/lock' within the profile which enables you to slide the panel into the channel and lock/secure into place! With this aluminum profile, we can insure that our panels will hold firmly in place without relying on cheap clips or plastic components.

Gardening is the work of
a lifetime you never finish.



FEATURES

- > PC insert 10mm in the aluminum frame, good wind resistance.
- > Two glazing options are available, 6MM Polycarbonate and 4MM Toughened Glass for different demands.
- > Heavy Duty Integrated Gutter System with 4 Aluminum Downpipes and galvanized steel base as Standard.
- > Flexible door can be installed on four sides make you never been so easy to put it in your yard.
- > 3-4 hours' installation for ordinary people.
- > Wind resistance: 100KM/H; Snow load capacity: 40KGS/SQM.
- > 15 years of Factory Warranty for the frames brings you years of gardening enjoyment.
- > Optional accessories: Roof Cresting, Auto-opener and Shade Net.



Aluminum Frame Glazing Panel

2 colors available

Green (-G) Black (-B)

PC 6MM/
Glass 4MM

SPECIFICATION	AREA	Door in front	Door on side
Item No. GP913 Size: 229 X 157 X 228CM (7.5' X 5'2" X 7'5") Door Size: 178 X 76CM (H X W) Window Size: (75 X 51CM) QTY: 2PCS CTN QTY: 20'GP 120PCS	3.6M ²		
Item No. GP914 Size: 304 X 157 X 228CM (10' X 5'2" X 7'5") Door Size: 178 X 76CM (H X W) Window Size: (75 X 51CM) QTY: 2PCS CTN QTY: 20'GP 100PCS	4.8M ²		
Item No. GP915 Size: 379 X 157 X 228CM (12'5" X 5'2" X 7'5") Door Size: 178 X 76CM (H X W) Window Size: (75 X 51CM) QTY: 4PCS CTN QTY: 20'GP 100PCS	6.0M ²		
Item No. GP916 Size: 454 X 157 X 228CM (14'10" X 5'2" X 7'5") Door Size: 178 X 76CM (H X W) Window Size: (75 X 51CM) QTY: 4PCS CTN QTY: 20'GP 93PCS	7.1M ²		



Glazing panels can be 6MM Polycarbonate or 4MM safety glass



SUPER STRONG

NEAT

ELEGANT

The most elegant greenhouse we offer.
Unique design, extra ultra-heavy duty.
A place for you to treat yourself a whole day!

LUXURY

DIAMOND SERIES

GM36001




GM36002




LEAN TO GREENHOUSE SERIES

GM37305




GM37405




EMPIRE GREENHOUSE SERIES

GM36403




GM36404



GLORY GREENHOUSE SERIES

GM32904



GM32906



TITAN GLASS SERIES





DIAMOND GREENHOUSE

This Diamond greenhouse is designed to appeal to the professional gardener or for those wanting an outdoor structure that can also be used as an outdoor room.

It is equipped with Super Strong Aluminum Connectors (2.5MM thick) and Exclusive Ultra Heavy Duty Box Section Aluminum Profiles (65X65MM) with our sophisticated FULL aluminum bar-capping glazing system-NO SILICON REQUIRED! Polycarbonate sheet (8-10MM) or tempered glass (4MM) can be served for this new model greenhouse. The panels are retained neatly with a substantial aluminum external gasket and the edges of the polycarbonate are completely concealed.

What's more, all the bolts and nuts are invisible in this model. Thus, this greenhouse looks extremely neat, elegant and top grade. It can be a great solution for an outdoor leisure area when your house space is limited. This is certainly one of the best and most versatile greenhouses we offer.



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profile (65X65MM) with our sophisticated bar-capping glazing system - NO SILICON REQUIRED!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors (2.5MM thick) - REDUCING ASSEMBLY TIME BY OVER 70%.
- > All the bolts and nuts are invisible, makes it look much neater.
- > Sliding Lockable Doors - EXTRA HEAVY DUTY.
- > 2 Opening Roof Vents - EXTRA HEAVY DUTY.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 20 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Greenhouse Automatic Opener / Cylinder on top is included to give the extra ventilation controlled by the temperature automatically.
- > Wind resistance: 120KM/H; Snow load capacity: 80KGS/SQM or 60CM Thick.
- > Optional accessories: Aluminum Base and Auto-opener.

A place for you to treat yourself
a whole day!



Aluminum Frame Glazing Panel



Black (-B)





PC 8-10MM/
Tempered
Glass 4MM



SPECIFICATION AREA



Item No. GM36001

Size: 320 X 283 X 275CM (L X W X H)
Door Size: 180 X 79CM (H X W)
Window Size: (60 X 67CM) QTY: 2PCS
CTN QTY: 20'GP 24PCS/40' HQ: 60PCS



Item No. GM36002

Size: 390 X 343 X 290CM (L X W X H)
Door Size: 180 X 99CM (H X W)
Window Size: (60 X 67CM) QTY: 2PCS
CTN QTY: 20'GP 20PCS/40' HQ: 45PCS



Glazing panels can be 8/10MM PC or 4MM safety glass

LEAN-TO GREENHOUSE

This Lean-to greenhouse is a great upgraded Outdoor Glasshouse/Sunroom on the traditional Lean-to Series. It can be multifunctional by adding furniture, plants, decorations or even water features and personalizing the space.

This greenhouse is built with Super Strong Aluminum Connectors (2.5MM) and Exclusive Ultra Heavy Duty Box Section Aluminum Profiles (65X65MM) with our sophisticated bar-capping glazing system-NO SILICON REQUIRED! PC sheet (8-10MM) or tempered glass (4MM) can be served for this new model greenhouse. The panels are retained neatly with a substantial aluminum external gasket and the edges of the panel are completely concealed. The sophisticated of our bar-capping glazing system is much stronger and neater than other greenhouses using similar bar-capping methods. What's more, all the bolts and nuts are invisible in this model. Thus, this greenhouse looks extremely neat, elegant and top grade.



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profile (65X65MM) with our sophisticated bar-capping glazing system - NO SILICON REQUIRED!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors (2.5MM thick) - REDUCING ASSEMBLY TIME BY OVER 70%.
- > All the bolts and nuts are invisible, makes it look much neater.
- > Double Sliding Lockable Doors - EXTRA HEAVY DUTY.
- > 2 Opening Roof Vents - EXTRA HEAVY DUTY.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 20 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 120KM/H; Snow load capacity: 80KGS/SQM or 60CM Thick.



Enjoy your coffee, reading and
have fun with kids in the glasshouse.



Aluminum Frame Glazing Panel



Black (-B)



PC 8-10MM/
Tempered
Glass 4MM



SPECIFICATION	AREA	
Item No. GM37305 Size: 242 X 392 X 237CM (W X L X H) Door Size: 180 X 149CM (H X W) Window Size: (74 X 71CM) QTY: 2PCS CTN QTY: 20'GP 30PCS/40' HQ: 78PCS	9.5M ²	
Item No. GM37405 Size: 320 X 392 X 250CM (W X L X H) Door Size: 180 X 149CM (H X W) Window Size: (74 X 71CM) QTY: 2PCS CTN QTY: 20'GP 21PCS/40' HQ: 54PCS	12.5M ²	



Glazing panels can be 8/10MM PC or 4MM safety glass



EMPIRE SERIES

This Empire series glasshouse/greenhouse, uses the same structure as the Hexagon Series. It has become the strongest greenhouse we carry.

This glasshouse is built with Super Strong Aluminum Connectors (2.5MM) and Exclusive Ultra Heavy Duty Box Section Aluminum Profiles (65 X 65MM) with our sophisticated bar-capping glazing system- NO SILICON REQUIRED! Polycarbonate sheet (8-10MM) or tempered glass (4MM) can be served for this new model greenhouse. The panels are retained neatly with a substantial aluminum external gasket and the edges of the panel are completely concealed. The sophisticated of our bar-capping glazing system is much stronger and neater than other greenhouses using similar bar-capping methods, as the use of silicon and PVC strip locking is not required in our models. What's more, all the bolts and nuts are invisible in this model. Thus, this greenhouse looks extremely neat, elegant and top grade.



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profile (65X65MM) with our sophisticated bar-capping glazing system - NO SILICON REQUIRED!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors (2.5MM thick) - REDUCING ASSEMBLY TIME BY OVER 70%.
- > All the bolts and nuts are invisible, makes it look much neater.
- > Ultimate strong aluminum profiles, no need for any bracings or strengthened bars, looks more elegant.
- > Double Sliding Lockable Doors - EXTRA HEAVY DUTY.
- > Big Opening Roof Vents - EXTRA HEAVY DUTY.
- > Can easily be extended at any stages without limitation.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 20 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 120KM/H; Snow load capacity: 80KGS/SQM or 60CM Thick.






Aluminum Frame

Glazing Panel


Black (-B)


PC 8-10MM/
Tempered
Glass 4MM

SPECIFICATION	AREA	
Item No. GM36403 Size: 242 X 315 X 254CM (LX W X H) Door Size: 180 X 149CM (H X W) Window Size: (74 X 82CM) QTY: 2PCS CTN QTY: 20'GP 24PCS/40' HQ: 60PCS	7.6M ²	
Item No. GM36404 Size: 319 X 315 X 254CM (LX W X H) Door Size: 180 X 149CM (H X W) Window Size: (74 X 82CM) QTY: 2PCS CTN QTY: 20'GP 20PCS/40' HQ: 54PCS	10.0M ²	
Item No. GM364-2 EXT. Size: 154 X 315 X 254CM (LX W X H) Window Size: (74 X 82CM) QTY: 2PCS CTN QTY: 20'GP 55PCS/40' HQ: 130PCS	4.9M ²	
Item No. GM36406 Size: 473 X 315 X 254CM (LX W X H) Door Size: 180 X 149CM (H X W) Window Size: (74 X 82CM) QTY: 4PCS CTN QTY: 20'GP 17PCS/40' HQ: 40PCS		 GM36406 (6 Sections) =  GM36404 (4 Sections) +  GM364-2EXT. Sections
Note: the length can be extended freely by adding 2 ext. sections, such as 6 sections = 4 sections + 2 ext. sections, etc.		



Length can be extended without limitation!

GLORY SERIES

Do you need a reason to sit down in your garden? Here it comes! This new superbly equipped greenhouse with pent roof, will tempt you to spend hours in this nice green space. No matter what you want to plant or just sit down to enjoy a cup of coffee with your family, it's the right one that you can't escape from.

Made of ultra-heavy duty FULL Box-Section Frame - every profile not just a few, and 10MM polycarbonate sheets, it is super strong and looks unique and luxury. Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide in Assembly-REDUCING ASSEMBLY TIME BY OVER 70%. Double swing doors equipped at the front ensuring easy and large access to the greenhouse. Ventilation is provided by 2 adjustable side vents and 2 tilt vents over the doors. The pent roof provides exceptional height internal, allowing plenty of room for growing as well as relaxing. It's such a high-quality greenhouse you deserve.



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel - MADE TO LAST!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide-in Assembly - REDUCING ASSEMBLY TIME BY OVER 70%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > Double swing Door with Latch - Extra Ventilation.
- > 4 Opening Roof Vents - 2 Vent Arms per roof Vent EXTRA HEAVY DUTY.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 120KM/H; Snow load capacity: 60KGS/ SQM or 40CM Thick.



Aluminum



Black (-B)

PC Panel



PC 10MM/
Tempered
Glass 4MM

The right place to spend
your time with your family!




SPECIFICATION

AREA

Item No. GM32904

Size: 271/299 X 271 X 241CM (L X W X H)
Door Size: 181 X 127CM (H X W)
Side Vent: (65 X 67CM) QTY: 2PCS
Tilt Vent: (65 X 43CM) QTY: 2PCS
CTN QTY: 20'GP 37PCS/40' HQ: 89PCS


7.3M²



Item No. GM32906

Size: 306/331 X 406 X 247CM (L X W X H)
Door Size: 181 X 195CM (H X W)
Side Vent: (100 X 82CM) QTY: 2PCS
Tilt Vent: (100 X 50CM) QTY: 2PCS
CTN QTY: 20'GP 30PCS/40' HQ: 75PCS

12.4M²



Glazing panels can be 10MM PC or 4MM safety glass



3M WIDTH GH

Do you want to create a special area in your garden? Then this stunning greenhouse is absolutely perfect and ideal for you who wants to grow your own vegetables, plant your own flowers or just have a place where you can sit and enjoy with your family.

This Titan glass greenhouse is made with an extra strong, powder-coated aluminum profile where the load-bearing structure is made in a full 2-2.5 mm in wall thickness. The glass walls are made of extra thick safety glass of 4mm. The roof is made of 10mm polycarbonate with UV protection. The advantage of having a durable, safe roof in polycarbonate with UV filters that create shade and a good environment for you and your plants, combined with walls in safety glass that gives your greenhouse a more exclusive feeling and a nicer view, means that you can also use the greenhouse as a nice conservatory if you wish.

Stable construction is perfect for any climate in the world. The wind resistance can be up to 120KM/H or 40M/S. So, no worry any more about the hurricanes or typhoons. And the enjoyment and profits will last for many years.



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel MADE TO LAST!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide-in Assembly – REDUCING ASSEMBLY TIME BY OVER 70%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > 1M Single Half-Divided Swing Door with Latch - Extra Ventilation.
- > Big Opening Roof Vents - 2 Vent Arms per roof Vent EXTRA HEAVY DUTY.
- > Can Be Easily Extended at any Stage by 2M or more.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 120KM/H; Snow load capacity: 60KGS/SQM or 40CM Thick.
- > Optional accessories: Roof Cresting, Auto-opener, Shade Net, Aluminum Base and Casement Windows.



Aluminum Frame Glazing Panel





2 colors available

Green (-G)

Black (-B)

PC 10MM/ Tempered

Glass 4MM

SPECIFICATION	AREA	
Item No. GT303 Size: 306 X 306 X 243CM (L X W X H) Door Size: 182 X 97CM (H X W) Window Size: (100 X 73CM) QTY: 2PCS CTN QTY: 20'GP 30PCS/40' HQ: 74PCS	9.4M ²	
Item No. GT304 Size: 406 X 306 X 243CM (L X W X H) Door Size: 182 X 97CM (H X W) Window Size: (100 X 73CM) QTY: 4PCS CTN QTY: 20'GP 27PCS/40' HQ: 66PCS	12.4M ²	
Item No. GT30-2EXT. Size: 200 X 306 X 243CM (L X W X H) Window Size: (100 X 73CM) QTY: 2PCS CTN QTY: 20'GP 48PCS/40' HQ: 116PCS	6.2M ²	
Item No. GT306 Size: 606 X 306 X 243 CM (L X W X H) Door Size: 182 X 97CM (H X W) Window Size: (100 X 73CM) QTY: 6PCS CTN QTY: 20'GP 17PCS/40' HQ: 42PCS		
Note: the length can be extended freely by adding 2 ext. sections, such as 6 sections = 4 sections + 2 ext. sections, etc.		



Length can be extended without limitation!



GT406-B



4M WIDTH GH

Do you want to create a special area in your garden? Then this stunning greenhouse is absolutely perfect and ideal for you who wants to grow your own vegetables, plant your own flowers or just have a place where you can sit and enjoy with your family.

This Titan glass greenhouse is made with an extra strong, powder-coated aluminum profile where the load-bearing structure is made in a full 2-2.5 mm in wall thickness. The glass walls are made of extra thick safety glass of 4mm. The roof is made of 10mm polycarbonate with UV protection. The advantage of having a durable, safe roof in polycarbonate with UV filters that create shade and a good environment for you and your plants, combined with walls in safety glass that gives your greenhouse a more exclusive feeling and a nicer view, means that you can also use the greenhouse as a nice conservatory if you wish.

Stable construction is perfect for any climate in the world. The wind resistance can be up to 120KM/H or 40M/S. So, no worry any more about the hurricanes or typhoons. And the enjoyment and profits will last for many years.



GT404-B

Ultra Heavy Duty
Optional Glass/ PC glazing

Modular Design
Freely Extended

Quick Assembly
Smart Connector System

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel MADE TO LAST!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide-in Assembly – REDUCING ASSEMBLY TIME BY OVER 70%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > 2M Single Half-Divided Swing Door with Latch - Extra Ventilation.
- > Big Opening Roof Vents - 2 Vent Arms per roof Vent EXTRA HEAVY DUTY.
- > Can Be Easily Extended at any Stage by 2M or more.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 120KM/H; Snow load capacity: 60KGS/SQM or 40CM Thick.
- > Optional accessories: Roof Cresting, Auto-opener, Shade Net, Aluminum Base and Casement Windows.



Aluminum Frame Glazing Panel

2 colors available

Green (-G)

Black (-B)

PC 10MM/
Tempered
Glass 4MM

SPECIFICATION	AREA	
Item No. GT403 Size: 306 X 406 X 272CM (L X W X H) Door Size: 182 X 197CM (H X W) Window Size: (100 X 73CM) QTY: 2PCS CTN QTY: 20'GP 27PCS/40' HQ: 66PCS	12.4M ²	
Item No. GT404 Size: 406 X 406 X 272CM (L X W X H) Door Size: 182 X 197CM (H X W) Window Size: (100 X 73CM) QTY: 4PCS CTN QTY: 20'GP 23PCS/40' HQ: 55PCS	16.5M ²	
Item No. GT40-2EXT. Size: 200 X 406 X 272CM (L X W X H) Window Size: (100 X 73CM) QTY: 2PCS CTN QTY: 20'GP 43PCS/40' HQ: 105PCS	8.2M ²	
Item No. GT406 Size: 606 X 406 X 272CM (L X W X H) Door Size: 182 X 197CM (H X W) Window Size: (100 X 73CM) QTY: 6PCS CTN QTY: 20'GP 15PCS/40' HQ: 36PCS		
Note: the length can be extended freely by adding 2 ext. sections, such as 6 sections = 4 sections + 2 ext. sections, etc.		



Length can be extended without limitation!



GT508-B



5M WIDTH GH

Do you want to create a special area in your garden? Then this stunning greenhouse is absolutely perfect and ideal for you who wants to grow your own vegetables, plant your own flowers or just have a place where you can sit and enjoy with your family.

This Titan glass greenhouse is made with an extra strong, powder-coated aluminum profile where the load-bearing structure is made in a full 2-2.5 mm in wall thickness. The glass walls are made of extra thick safety glass of 4mm. The roof is made of 10mm polycarbonate with UV protection. The advantage of having a durable, safe roof in polycarbonate with UV filters that create shade and a good environment for you and your plants, combined with walls in safety glass that gives your greenhouse a more exclusive feeling and a nicer view, means that you can also use the greenhouse as a nice conservatory if you wish.

Stable construction is perfect for any climate in the world. The wind resistance can be up to 120KM/H or 40M/S. So, no worry any more about the hurricanes or typhoons. And the enjoyment and profits will last for many years.



GT508-B

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel MADE TO LAST!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide-in Assembly – REDUCING ASSEMBLY TIME BY OVER 70%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > 2M Single Half-Divided Swing Door with Latch - Extra Ventilation.
- > Big Opening Roof Vents - 2 Vent Arms per roof Vent EXTRA HEAVY DUTY.
- > Can Be Easily Extended at any Stage by 2M or more.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 120KM/H; Snow load capacity: 60KGS/SQM or 40CM Thick.
- > Optional accessories: Roof Cresting, Auto-opener, Shade Net, Aluminum Base and Casement Windows.



Aluminum Frame Glazing Panel

2 colors available



Green (-G) Black (-B)

PC 10MM/
Tempered
Glass 4MM


SPECIFICATION

AREA

Item No. GT504

Size: 406 X 506 X 301CM (L X W X H)
Door Size: 182 X 197CM (H X W)
Window Size: (100 X 73CM) QTY: 4PCS
CTN QTY: 20'GP 19PCS/40' HQ: 46PCS


20.5M²



Item No. GT50-2EXT.


Size: 200 X 506 X 301CM (L X W X H)
Window Size: (100 X 73CM) QTY: 2PCS
CTN QTY: 20'GP 40PCS/40' HQ: 97PCS

10.2M²




Item No. GT506


Size: 606 X 506 X 301CM (L X W X H)
Door Size: 182 X 197CM (H X W)
Window Size: (100 X 73CM) QTY: 6PCS
CTN QTY: 20'GP 13PCS/40' HQ: 31PCS



GT506



GT504



GT50-2EXT.

Note: the length can be extended freely by adding 2 ext. sections, such as 6 sections = 4 sections + 2 ext. sections, etc.



Length can be extended without limitation!



GT704-B



7M WIDTH GH

This 7 meters' width greenhouse has become the biggest greenhouse we carry. Billed as a top-of-the-line, this 7M width greenhouse is the first ultra-heavy duty residential/ commercial Greenhouse and is without a doubt the most sort after Greenhouse on the world market today. PLEASE NOTE: This frame cannot be compared to 'Hobby Greenhouses on the market' and we provide a FULL Box-Section Frame in every profile not just a few and the only type to span 7 meters!!). It will surely bring you years of gardening enjoyment and profits.



Independently Certified & Engineered Greenhouse.



GT708-B

Ultra Heavy Duty
Optional Glass/ PC glazing
Modular Design
Freely Extended
Quick Assembly
Smart Connector System

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel MADE TO LAST!
- > Clever design allowing simple and quick assembly, using Aluminum Connectors and Smart Slide-in Assembly – REDUCING ASSEMBLY TIME BY OVER 70%.
- > Full Horizontal Side Wall Bracing, Ridge & Eave Bracing.
- > 2M Single Half-Divided Swing Door with Latch - Extra Ventilation.
- > Big Opening Roof Vents - 2 Vent Arms per roof Vent EXTRA HEAVY DUTY.
- > Can Be Easily Extended at any Stage by 4M or more.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of gardening enjoyment and profits.
- > Wind resistance: 120KM/H; Snow load capacity: 60KGS/SQM or 40CM Thick.
- > Optional accessories: Roof Cresting, Auto-opener, Shade Net, Aluminum Base and Casement Windows.



Aluminum Frame Glazing Panel

2 colors available



Green (-G) Black (-B)

PC 10MM/
Tempered
Glass 4MM




SPECIFICATION

AREA

Item No. GT704

Size: 406 X 706 X 361CM (L X W X H)
Door Size: 182 X 197CM (H X W)
Window Size: (100 X 73CM) QTY: 4PCS
CTN QTY: 20'GP 15PCS/40' HQ: 38PCS


28.7M²



Item No. GT70-4EXT.


Size: 400 X 706 X 361CM (L X W X H)
Window Size: (100 X 73CM) QTY: 4PCS
CTN QTY: 20'GP 46PCS/40' HQ: 112PCS

28.2M²




Item No. GT708


Size: 806 X 706 X 361CM (L X W X H)
Door Size: 182 X 197CM (H X W)
Window Size: (100 X 73CM) QTY: 8PCS
CTN QTY: 20'GP 11PCS/40' HQ: 28PCS



GT708



GT704



GT70-4EXT.

Note: the length can be extended freely by adding 4 ext. sections, such as 8 sections = 4 sections + 4 ext. sections, etc.



Length can be extended without limitation!



GAZEBO

STYLE

Being bored of sitting at home after work and eager to find an outdoor space to relax and refresh yourself? Our brand new GT Gazebo can just create 'the 3rd space' for you! Rooting from our strongest GT Titan range, this Gazebo owns all the features & advantages of Titan Series, which is built with the same ultimate strong aluminum profiles (box-type /2mm thick) and 2 optional glazing panels (10MM Poly or 4MM safety glass panels). This could make it the strongest Gazebo / Pavilion Greenhouse on the market, compared to other 4 / 6MM ones. And it's more than just a simple greenhouse for planting & cultivation. You can also live and relax in such a wonderful outdoor space by adding the bed, furniture, etc., and even a hot tub as a spa room. Your imagination is endless! So why not grab one and now start a fresh outdoor life?



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with fully integrated Polycarbonate 15mm Glazing Channel – MADE TO LAST!
- > Full Horizontal Bracings on Side Wall & Roof with the Ridge brackets for extra reinforcement.
- > 1M/2M Single Half-Divided Swing Door with Latch - Extra Ventilation.
- > Big Opening Side Vents on 3 walls - 2 Vent Arms per Vent, EXTRA HEAVY DUTY.
- > The integrated gutter system allows a good drainage with 4 aluminum water pipes for the ECO-rainwater collections.
- > Concrete Anchoring & Earth Anchoring Options Available.
- > 15 years of factory warranty for the frame brings you years of enjoyment and profits.
- > Wind resistance: 120KM/H; Snow load capacity: 60KGS/SQM or 40CM Thick.
- > Aluminum structure never get rusted with a full sense of modern architectural aesthetics, outstanding from other steel or wooden gazebos & pavilions.
- > Optional accessories: Auto-opener, Aluminum Base and Casement Windows.



Aluminum Frame Glazing Panel

2 colors available



Green (-G) Black (-B)


PC 10MM/
Tempered Glass
4MM



SPECIFICATION	AREA	SPECIFICATION	AREA
Item No. GT8303 Size: 315 X 315 X 281CM (L X W X H) Door Size: 182 X 100CM (H X W) Window Size: (100 X 62CM) QTY: 3PCS CTN QTY: 20'GP 28PCS/40' HQ: 70PCS	9.9M ² 	Item No. GT8304 Size: 415 X 315 X 281CM (L X W X H) Door Size: 182 X 200CM (H X W) Window Size: (100 X 62CM) QTY: 3PCS CTN QTY: 20'GP 25PCS/40' HQ: 60PCS	13.1M ²
Item No. GT8306 Size: 615 X 315 X 281CM (L X W X H) Door Size: 182 X 200CM (H X W) Window Size: (100 X 62CM) QTY: 3PCS CTN QTY: 20'GP 20PCS/40' HQ: 50PCS	19.4M ² 	Item No. GT8404 Size: 415 X 415 X 309CM (L X W X H) Door Size: 182 X 200CM (H X W) Window Size: (100 X 62CM) QTY: 3PCS CTN QTY: 20'GP 20PCS/40' HQ: 50PCS	17.2M ²
Item No. GT8406 Size: 615 X 415 X 309CM (L X W X H) Door Size: 182 X 200CM (H X W) Window Size: (100 X 62CM) QTY: 3PCS CTN QTY: 20'GP 16PCS/40' HQ: 40PCS	25.5M ² 		



Glazing panels can be 10MM Polycarbonate or 4MM safety glass



You are more yourself at home
than anywhere else on earth.

NEW !



SUN ROOM

RETRACTABLE

Are you still looking for a place where you can relax, enjoy your patio and its beauty but unpredictable weather will never let you? Don't be hampered by wind and rain, enjoy the many benefits of a retractable patio enclosure from patio Enclosures.

patio enclosures allow you to use your patio all year round. The main advantage - retractability - enables you to completely slide the enclosure open in nice weather. This way you can enjoy your patio in any weather throughout the year. Lean-to structure with vertical walls allows you to maximize the interior space of the enclosure and increase its usability, or simply to create an additional patio space and living space.

This patio enclosure is made from ultra-heavy duty aluminum framing (2.5mm thick) and is glazed with solid or hollow polycarbonate panels from 3mm-8mm thick. The glazing panels are with UV protection and provide insulation. The whole structure is simple yet sturdy and durable design. It works on two rails – one is mounted on the house and one on the ground. Thanks to those rails you can slide each section in both directions. This way you can enjoy your patio in sunny days as well as when it rains.

FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with size 45*65mm or more.
- > Clever design allowing simple and quick assembly, the whole installation can be done by 2-3 persons in one day or two.
- > Optional Solid Polycarbonate 3 - 4 MM thick or Hollow Polycarbonate 8MM thick.
- > UV protection on the surface for the panels can withdraw 98% UV radiation from sun, means that sitting in the enclosure on a sunny day is both enjoyable and safe.
- > The retractable patio enclosure can be opened and closed easily like opening a house sliding glass door.
- > Lockable sections - fully protection of all your belongings.
- > Manufactured to ISO 9001 quality standards, the durable structure can withstand strong wind, heavy rain and snow.
- > 15 years of factory warranty for the frame brings you years of enjoyment and profits.



Aluminum Frame Glazing Panel

2 colors available

White (-W) Black (-B) Hollow PC 8MM/
Solid PC 3/4MM



SPECIFICATION	AREA	
Item No. GC3406 Size: 380 X 638 X 361CM (L X W X H) Door Size: 180 X 180CM (H X W) CTN QTY: 20'GP 20PCS/40' HQ: 50PCS	24.2M ²	
Item No. GC3408 Size: 393 X 850 X 373CM (L X W X H) Door Size: 180 X 180CM (H X W) CTN QTY: 20'GP 16PCS/40' HQ: 45PCS	33.4M ²	
Item No. GC3410 Size: 406 X 1062 X 386CM (L X W X H) Door Size: 180 X 180CM (H X W) CTN QTY: 20'GP 13PCS/40' HQ: 40PCS	43.1M ²	



Glazing panels can be 8MM hollow PC or 3/4MM solid PC



COST EFFECTIVE

ALUMINUM

VARIOUS STYLES

Perfect models for beginner and expert alike.


PC insert system, not rely on cheap clips or plastic components.

Numerous add-on accessories such as shelving, openers, potting bench etc.


CLASSIC

LITE


GL-02X



GL-03X




GL-04X




BARN

GM3101X



GM3105X



NURSERY



COLD FRAME

ELEVATED PLANTER

SHELVES & STAGINGS





LITE SERIES

SINGLE DOOR

The Lite Series Greenhouse is made of heavy duty mill finished or durable powdered coated aluminum frame and 4mm UV protection polycarbonate panels. The structure comes with a channel depth of 10mm to firmly hold the panels in place without the use of silicone or to rely on cheap clips or plastic components. Instead of bolts & nuts, this greenhouse is secured completely by screws. So, the installation is fast and convenient. Most importantly, it's cheap in price but valuable; it's lite but strong enough for years of gardening profits.

A single sliding door and one roof vent ensure sufficient ventilation in the greenhouse. And it's equipped with galvanized steel base as standard. With many useful options and accessories available, this Lite greenhouse is perfect for beginner and expert alike.



self-tapping screws
Strong Joints

Full horizontal wall
& roof bracings

Easy Assembly
Good Wind Resistance

FEATURES

- > PC insert 10mm in the aluminum frame, good wind resistance.
- > Whole structure is secured by screws, instead of bolts & nuts.
- > It's lite, but strong enough with horizontal bracings.
- > Comes with galvanized steel base as standard.
- > One sliding door ensures sufficient ventilation.
- > Big roof vent for extra ventilation.
- > 2-3 hours' installation for ordinary people.
- > Wind resistance: 80KM/H; Snow load capacity: 40KGS/SQM.

I grow plants for many reasons,
but mostly for the joy in see them grow.



Aluminum Frame PC Panel

2 colors available



SPECIFICATION	AREA	SPECIFICATION	AREA
Item No. GL022 Size: 125 X 184 X 191CM (4' X 6' X 6.3'FT) Door Size: 166 X 61CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 172PCS/40' HQ: 416PCS	2.3M ² 	Item No. GL023 Size: 185 X 184 X 191CM (6' X 6' X 6.3'FT) Door Size: 166 X 61CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 155PCS/40' HQ: 375PCS	3.4M ²
Item No. GL024 Size: 245 X 184 X 191CM (8' X 6' X 6.3'FT) Door Size: 166 X 61CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 130PCS/40' HQ: 320PCS	4.5M ² 	Item No. GL025 Size: 305 X 184 X 191CM (10' X 6' X 6.3'FT) Door Size: 166 X 61CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 110PCS/40' HQ: 270PCS	5.6M ²
Item No. GL026 Size: 365 X 184 X 191CM (12' X 6' X 6.3'FT) Door Size: 166 X 61CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 95PCS/40' HQ: 230PCS	6.7M ² 		





LITE SERIES

DOUBLE DOORS

The Lite Series Greenhouse is made of heavy duty mill finished or durable powdered coated aluminum frame and 4mm UV protection polycarbonate panels. The structure comes with a channel depth of 10mm to firmly hold the panels in place without the use of silicone or to rely on cheap clips or plastic components. Instead of bolts & nuts, this greenhouse is secured completely by screws. So, the installation is fast and convenient. Most importantly, it's cheap in price but valuable; it's lite but strong enough for years of gardening profits.



The double sliding doors and one roof vent ensure there is sufficient ventilation in the greenhouse. And it's equipped with galvanized steel base as standard. With many useful options and accessories available, this Lite Series greenhouse is perfect for beginner and expert alike.



Promotion!

- self-tapping screws
Strong Joints
- Full horizontal wall
& roof bracings
- Easy Assembly
Good Wind Resistance

FEATURES

- > PC insert 10mm in the aluminum frame, good wind resistance.
- > Whole structure is secured by screws, instead of bolts & nuts.
- > It's lite, but strong enough with horizontal bracings.
- > Comes with galvanized steel base as standard.
- > Double sliding door ensures sufficient ventilation.
- > Big roof vent for extra ventilation.
- > 2-3 hours' installation for ordinary people.
- > Wind resistance: 80KM/H; Snow load capacity: 40KGS/SQM.

NO MATTER HOW LONG
THE WINTER

SPRING

IS SURE TO FOLLOW.



Aluminum Frame PC Panel

2 colors available




SPECIFICATION	AREA	SPECIFICATION	AREA
Item No. GL032 Size: 125 X 245 X 208CM (4' X 8' X 6.8'FT) Door Size: 166 X 122CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 150PCS/40' HQ: 355PCS	3.0M ² 	Item No. GL033 Size: 185 X 245 X 208CM (6' X 8' X 6.8'FT) Door Size: 166 X 122CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 135PCS/40' HQ: 325PCS	4.5M ²
Item No. GL034 Size: 245 X 245 X 208CM (8' X 8' X 6.8'FT) Door Size: 166 X 122CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 128PCS/40' HQ: 310PCS	6.0M ² 	Item No. GL035 Size: 305 X 245 X 208CM (10' X 8' X 6.8'FT) Door Size: 166 X 122CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 108PCS/40' HQ: 260PCS	7.4M ²
Item No. GL036 Size: 365 X 245 X 208CM (12' X 8' X 6.8'FT) Door Size: 166 X 122CM (H X W) Window Size: (52 X 58CM) QTY: 1PC CTN QTY: 20'GP 92PCS/40' HQ: 222PCS	8.9M ² 		





GL043



LITE SERIES

LEAN TO GREENHOUSE

Wall Lean-To Greenhouses are most spacious of the lean to line! Designed to use an existing structure for support, Wall Lean-To greenhouses can attach to most walls and save space while remaining stable. With this Wall Lean-To greenhouse, you'll have a sturdy and efficient unit to store and grow your plants in. At 4 feet wide and over 7 feet high, the Lean-To Hobby Greenhouse is slender enough to fit in confined areas yet roomy enough to provide plenty of space for plants and vegetables. Beautifully constructed with a mill finished or green powder-coated frame and 100%UV protected 4mm double-wall PC panels, the Wall Lean-To Greenhouse Kit is both sturdy and durable. With many useful options and accessories available, this greenhouse is perfect for beginner and expert alike.

FEATURES

- > PC insert 10mm in the aluminum frame, good wind resistance.
- > Whole structure is secured by screws, instead of bolts & nuts.
- > It's lite, but strong enough with horizontal bracings.
- > Comes with galvanized steel base as standard.
- > One sliding door ensures sufficient ventilation.
- > Big roof vent for extra ventilation.
- > 2-3 hours installation for ordinary people.
- > Wind resistance: 80KM/H; Snow load capacity: 40KGS/SQM.



GET INTO A MINDSET THAT
GARDENING IS A FUN WAY

TO RELAX

AND GET FRESH AIR!



Aluminum Frame PC Panel
2 colors available



GL045

SPECIFICATION	AREA	SPECIFICATION	AREA
Item No. GL042 Size: 125 X 124 X 209CM Door Size: 166 X 61CM (H X W) CTN QTY: 20'GP 290PCS/40' HQ: 720PCS Window Vents: 1 PC	1.6M ² 	Item No. GL043 Size: 185 X 124 X 209CM Door Size: 166 X 61CM (H X W) CTN QTY: 20'GP 250PCS/40' HQ: 630PCS Window Vents: 1 PC	2.3M ²
Item No. GL044 Size: 245 X 124 X 209CM Door Size: 166 X 61CM (H X W) CTN QTY: 20'GP 210PCS/40' HQ: 520PCS Window Vents: 1 PC	3.0M ² 	Item No. GL045 Size: 305 X 124 X 209CM Door Size: 166 X 61CM (H X W) CTN QTY: 20'GP 160PCS/40' HQ: 400PCS Window Vents: 1 PC	3.8M ²
Item No. GL046 Size: 365 X 124 X 209CM Door Size: 166 X 61CM (H X W) CTN QTY: 20'GP 135PCS/40' HQ: 335PCS Window Vents: 1 PC	4.5M ² 		





BARN SERIES

SINGLE & DOUBLE DOOR

Introducing the amazing special design of this greenhouse. Moderately priced, this is a hobby greenhouse built with commercial greenhouse quality. Constructed with clear shatter-proof 6mm Double-Wall polycarbonate panels and a heavy-duty 1.2 mm aluminum frame that will give your several years' worth of growing seasons. It comes with roof vents to provide ventilation. And numerous add-on accessories such as greenhouse shelving, and automatic roof vent openers are available, so you can customize your greenhouse so it works for you. Complete assembly takes about a day with no special tools. And one other attractive factor we always like to point out about this greenhouse is the price. For this size and quality, you'd expect to pay a lot more, but at G-MORE, we keep all our greenhouses affordable for you.

With this Hobby greenhouse, you can even grow all year long. Quality, usefulness, durability and all are at an affordable price. You can't go wrong with it.



FEATURES

- > Unique 'Barn-Style' design.
- > 6mm double-wall polycarbonate wall and roof panels.
- > Full Side Wall Bracing, Ridge & Eave Bracing.
- > Easy to assemble without any special tools.
- > 15 years of factory warranty on aluminum frame and 4-5 years' warranty on polycarbonate sheet.
- > Available Options include Automatic Roof Vent Openers - Shelves and Shading Nets.
- > Optional downpipe for water collection.
- > Wind resistance: 80KM/H; Snow load capacity: 50KGS/SQM or 30CM Thick.

Turn on your favorite tunes,
plop on a special gardening hat, and dig in!



Aluminum Frame

PC Panel

2 colors available

Silver

Green (-G)

6mm

SPECIFICATION	AREA	SPECIFICATION	AREA
Item No. GM31012 Size: 133 X 195 X 213CM (4' X 6' X 6.7'FT) Door Size: 176 X 59CM (H X W) CTN QTY: 20'GP 130PCS/40' HQ: 320PCS Window Vents: 2 PCS	2.6M² 	Item No. GM31052 Size: 133 X 257 X 223CM (4' X 8' X 7.3'FT) Door Size: 172 X 121CM (H X W) CTN QTY: 20'GP 95PCS/40' HQ: 240PCS Window Vents: 2 PCS	3.4M²
Item No. GM31013 Size: 195 X 195 X 213CM (6' X 6' X 6.7'FT) Door Size: 176 X 59CM (H X W) CTN QTY: 20'GP 110PCS/40' HQ: 270PCS Window Vents: 2 PCS	3.8M² 	Item No. GM31053 Size: 195 X 257 X 223CM (6' X 8' X 7.3'FT) Door Size: 172 X 121CM (H X W) CTN QTY: 20'GP 82PCS/40' HQ: 210PCS Window Vents: 2 PCS	5.0M²
Item No. GM31014 Size: 258 X 195 X 213CM (8' X 6' X 6.7'FT) Door Size: 176 X 59CM (H X W) CTN QTY: 20'GP 95PCS/40' HQ: 230PCS Window Vents: 2 PCS	5.0M² 	Item No. GM31054 Size: 258 X 257 X 223CM (8' X 8' X 7.3'FT) Door Size: 172 X 121CM (H X W) CTN QTY: 20'GP 75PCS/40' HQ: 190PCS Window Vents: 2 PCS	6.6M²
Item No. GM31015 Size: 320 X 195 X 213CM (10' X 6' X 6.7'FT) Door Size: 176 X 59CM (H X W) CTN QTY: 20'GP 85PCS/40' HQ: 200PCS Window Vents: 4 PCS	6.2M² 	Item No. GM31055 Size: 320 X 257 X 223CM (10' X 8' X 7.3'FT) Door Size: 172 X 121CM (H X W) CTN QTY: 20'GP 61PCS/40' HQ: 150PCS Window Vents: 4 PCS	8.2M²



Two different sizes are available for each model in this Barn Series.

NURSERY

GLASSHOUSE

Introducing our Nursery Glasshouse, also called urban series, perfect for urban gardening. Attractive in appearance, they're free standing and are perfect for your balcony, terrace, against the wall or in the city garden. A perfect solution if you do not have the room for a larger greenhouse, but are desperate to get started in the garden. Constructed with heavy duty aluminum frame and 4mm tempered glass, this urban glasshouse is very sturdy and durable. It's also useful for hardening -off seedlings that were started in a greenhouse. Optional wheels allow you to move the urban Greenhouse to the sunny spot on your balcony and to move in home.

Wheels (Optional)



GN474



GN434

SPECIFICATION

Item No. GN434

Size: 111 X 61 X 150/170CM (L X W X H)
CTN QTY: 20'GP 135PCS/40' HQ: 325PCS

Item No. GN474

Size: 91 X 51 X 140/157CM (L X W X H)
CTN QTY: 20'GP 220PCS/40' HQ: 530PCS



GM41054-1



GM41054



GM41055



GM41074



GM41024

NURSERY

GREENHOUSE

Item No. GM41054

Size: 38.5 X 76 X 98.5CM (L X W X H)
CTN QTY: 20'GP 490PCS/40' HQ: 1230PCS

Item No. GM41055

Size: 38.5 X 76 X 150CM (L X W X H)
CTN QTY: 20'GP 306PCS/40' HQ: 770PCS

Item No. GM41054-1

Size: 38.5 X 76 X 98.5CM (L X W X H)
CTN QTY: 20'GP 490PCS/40' HQ: 1230PCS

Item No. GM41014

Size: 66 X 190 X 205CM (L X W X H)
CTN QTY: 20'GP 265PCS/40' HQ: 670PCS

Item No. GM41024

Size: 66 X 190 X 187CM (L X W X H)
CTN QTY: 20'GP 220PCS/40' HQ: 540PCS

Item No. GM41074

Size: 58 X 98 X 187CM (L X W X H)
CTN QTY: 20'GP 310PCS/40' HQ: 780PCS

Aluminum Frame PC Panel
2 colors available



GM41014



GN462

Item No. GN462

Size: 120 X 80 X 40/72CM (L X W X H)
CTN QTY: 20'GP 680PCS/40' HQ: 1730PCS

FEATURES

- > Optional 3MM normal glass or 3MM Polycarbonate as glazing panels.
- > Clever design and extra heavy duty aluminum profiles make the whole structure sturdy and durable.
- > Wide window with 180° opening allows easy access and handy operation.
- > Neat finishing & elegant looking.
- > Easy assembly, no special tools required.

Aluminum Frame Glazing Panel



Black (-B)



PC 3MM/Glass 3MM



Aluminum Frame Glazing Panel



Black (-B)



PC 4MM/Glass 4MM



GN413

Item No. GN413

Size: 185 X 62 X 65/86CM (L X W X H)
CTN QTY: 20'GP 180PCS/40' HQ: 440PCS



GN421

Item No. GN421

Size: 117 X 87 X 40/57CM (L X W X H)
CTN QTY: 20'GP 300PCS/40' HQ: 730PCS



GN411

Item No. GM411

Size: 117 X 87 X 40/70CM (L X W X H)
CTN QTY: 20'GP 175PCS/40' HQ: 425PCS



GN412

Item No. GN412

Size: 177 X 87 X 40/70CM (L X W X H)
CTN QTY: 20'GP 185PCS/40' HQ: 445PCS



GN423

Item No. GN423

Size: 177 X 87 X 40/57CM (L X W X H)
CTN QTY: 20'GP 270PCS/40' HQ: 650PCS

COLD
FRAME SERIES

now offers even more versatility to your Gardening and Greenhouse efforts - Cold Frame Series. This Cold Frame has large easy opening doors for convenient access to young plants and seedlings while the double wall polycarbonate panels are designed to let just the right amount of sunlight in to give your plants a healthy start. Along with the UV polycarbonate panels, the anodized aluminum frame provides a sturdy build that will protect plants in almost any environment. Easy for assembly, you'll have your garden secured, protected and thriving in no time.



GM42041

Item No. GM42041

Size: 100 X 60 X 40CM (L X W X H)
CTN QTY: 20'GP 1060PCS/40' HQ: 2660PCS



GM42042

Item No. GM42042

Size: 100 X 60 X 40CM (L X W X H)
CTN QTY: 20'GP 1100PCS/40' HQ: 2760PCS



GM42061

Item No. GM42061

Size: 100 X 120 X 40CM (L X W X H)
CTN QTY: 20'GP 750PCS/40' HQ: 1850PCS



GM42062

Item No. GM42062

Size: 100 X 120 X 40CM (L X W X H)
CTN QTY: 20'GP 750PCS/40' HQ: 1850PCS



GM42023

Item No. GM42023-120CM

Size: 116 X 86 X 34/57CM (L X W X H)
CTN QTY: 20'GP 460PCS/40' HQ: 1140PCS



GM42023

Item No. GM42023-180CM

Size: 176 X 86 X 34/57CM (L X W X H)
CTN QTY: 20'GP 350PCS/40' HQ: 850PCS



GM42024

Item No. GM42024-120CM

Size: 116 X 86 X 43/68CM (L X W X H)
CTN QTY: 20'GP 460PCS/40' HQ: 1140PCS



GM42024

Item No. GM42024-180CM

Size: 176 X 86 X 34/68CM (L X W X H)
CTN QTY: 20'GP 350PCS/40' HQ: 850PCS





Item No. GM51077
Size: 95 X 40 X 80CM (LX W X H)
CTN QTY: 20'GP 920PCS/40' HQ: 2230PCS

Side handle contributes to easy controlled movement

ELEVATED MOBILE PLANTER

Introducing our Metal Elevated Mobile Planter. This Mobile planter is crafted entirely of scratch-resistant, powder-coated metal, with a space-saving design ideal for placement on your balcony or other small spaces around your home. 2 wheels on one side and a handle bar on the other make it easy to move this garden planter from one area to another; 2-wheel composition also ensures a sturdier fixture than 4-wheel beds. With 95cm long, 40cm wide and 21cm deep, plenty of soil can be stored in the planter box, providing enough space for plants, vegetables, and herbs to grow to their full potential. A storage shelf at the bottom allows to place soil bag, pots, and more. A pair of hooks are built into the side for easy access to tools and other accessories. And two drainage holes are designed on each end of the planter box, preventing root rot and maintain the perfect amount of hydration for your soil and plants.



Store soil bags, plants and more on the bottom shelf

POTTING BENCH



FEATURES

- > Easy Assembly and maintenance free;
- > Durable powder-coated steel;
- > Wheels make it mobile!
- > Perfect for starting seeds and repotting plants.

Item No. GM51074
Size: 92 X 44 X 92CM (LX W X H)
CTN QTY: 20'GP 790PCS/40' HQ: 1900PCS

PLANTER BOX

FEATURES

- > Easy assembly and maintenance free;
- > Durable powder-coated steel;
- > Enough space for plants, vegetables, and herbs to grow to their full potential;
- > Two drainage holes on each end of the planter box, preventing root rot.



Item No. GM51075
Size: 100 X 27 X 80CM (L X W X H)
CTN QTY: 20'GP 1500PCS/40' HQ: 3600PCS

PLANTER BOX FOR KIDS



FEATURES


- > Easy assembly and maintenance free;
- > Lovely size & design for kid gardening enjoyment;
- > 3 fresh powder-coated colors as a set;
- > Child-safe treatment on the edges; no worries about getting hurt.

Item No. GM51076 (3PCS/SET)
Size: 60 X 27 X 45CM (L X W X H)
CTN QTY: 20'GP 2150PCS

MOBILE


PLANTER

This mobile Raised Bed Planter with wheels and two comfortable handles is designed to allow moving easily from indoor to outdoor, or from balcony to backyard at any time. Two wheels with brakes allow to stop moving. No cadmium or lead contained on the raw materials or coating on the garden bed, complies with the requirements of California Proposition 65. The bottom layer has a rack for storage of gardening tools, fertilizers or seeds. And a suitable height avoids squatting and bending, reducing stress on knees and back. All in all, it's an ideal planter that you can't miss it.



Item No. GM51081
Size: 93 X 60 X 98CM (LX W X H) Depth: 44CM
CTN QTY: 20'GP 320PCS/40' HQ: 770PCS

SPECIFICATION



Item No. GM51082
Size: 86 X 56 X 84CM (LX W X H) Depth: 29CM
CTN QTY: 20'GP 404PCS/40' HQ: 1018PCS



GM51081

FEATURES

- > 4 universal wheels to allow moving easily;
- > Suitable height to avoid squatting and bending;
- > 29/44CM depth allows plenty of soil to store;
- > No cadmium or lead contained on the raw materials or coating;
- > A storage shelf at the bottom adds more functions.




GM51082

MOBILE

PLANTER


So glad to add this Raised Bed Planter to our elevated planter series. It's an ideal planter for all gardeners. No longer do you have to strain the back when it comes to planting in your garden.

Made of Pre-Paint Corrugated Steel, they are linear protected and UV resistant. Easy to assemble, they are durable and can be setup outdoors. A powder coated mesh shelf at the base in included in the design. Perfect for storing fertilizer, soil bags,gardening tools etc.



Item No. GM51080
Size: 90 X 60 X 78CM (LX W X H) Depth: 29CM
CTN QTY: 20'GP 494PCS/40' HQ: 1244PCS

SPECIFICATION



Item No. GM51080-S
Size: 95 X 40 X 78CM (LX W X H) Depth: 29CM
CTN QTY: 20'GP 670PCS/40' HQ: 1690PCS



GM51080

FEATURES

- > Easy assembly and maintenance free;
- > 29CM depth allows plenty of soil to store;
- > Two drainage holes on each end of the planter box, preventing root rot;
- > A storage shelf at the bottom adds more functions.



GM51080-S



GM51079

Item No. GM51079 (Metal)

Size: 115 X 50 X 80CM (L X W X H)
CTN QTY: 20'GP 780PCS/40' HQ: 1870PCS



GM51078

Item No. GM51078 (Metal)

Size: 91 X 72 X 98CM (L X W X H)
CTN QTY: 20'GP 890PCS/40' HQ: 2250PCS



GM52042-3



GM52043-3



GM52052-4



GM52053-4

SHELVES

& STAGINGS

Item No. GM52042-3
Size: 73.5 X 41 X 75CM (L X W X H)
CTN QTY: 20'GP 1070PCS/40' HQ: 2690PCS

Item No. GM52043-3
Size: 73.5 X 41 X 113CM (LX W X H)
CTN QTY: 20'GP 1200PCS/40' HQ: 3010PCS

Item No. GM52052-4
Size: 97 X 41 X 75CM (LX W X H)
CTN QTY: 20'GP 1200PCS/40' HQ: 3010PCS

Item No. GM52053-4
Size: 97 X 41 X 113CM (LX W X H)
CTN QTY: 20'GP 1070PCS/40' HQ: 2690PCS

Item No. GM53012-G
Size: 120 X 70.5 X 97.5CM (L X W X H)
CTN QTY: 20'GP 2100PCS/40' HQ: 5100PCS

Aluminum Frame

2 colors available



Silver



Green (-G)



GM53012

SPECIFICATION

Item No.	Optional Length	W X H
GM51064	122/183/244CM (fit for GP9XX)	30 X 20.4CM
	120/181/243CM (fit for GM34XXX)	
GM51065	165/248/330CM (fit for GE series)	40 X 26.4CM
	197/297CM (fit for GT series)	



GM51064/GM51065



GM51012

Item No. GM51012
Size: 126 X 50 X 75CM (LX W X H)
CTN QTY: 20'GP 1780PCS/40' HQ: 4470PCS



GM51013

Item No. GM51013
Size: 126 X 50 X 113CM (L X W X H)
CTN QTY: 20'GP 1340PCS/40' HQ: 3360PCS



GM51061

Item No. GM51061
Size: 126 X 30.5 X 3CM (LX W X H)
CTN QTY: 20'GP 2200PCS/40' HQ: 5520PCS



GM51023

Item No. GM51023
Size: 62 X 50 X113CM (L X W X H)
CTN QTY: 20'GP 2200PCS/40' HQ: 5520PCS



GM51071-G

Item No. GM51071-G
Size: 55 X 56 X 92CM (LX W X H)
CTN QTY: 20'GP 1400PCS/40' HQ: 3510PCS



GM51073

Item No. GM51073
Size: 55 X 56 X 92CM (LX W X H)
CTN QTY: 20'GP 1360PCS/40' HQ: 3410PCS



CREATIVE RESEARCH & DEVELOPMENT

Focusing attention on market demand
and intensifying both application of new technology,
all these measures have resulted
in renovation & development.


POOL COVER

CLASSIC SERIES

3 X 6M

4 X 8M

5 X 10M




LOW LINE SERIES

3 X 6M

4 X 8M

5 X 10M




LEAN-TO SERIES

3.5 X 6M

3.5 X 8M

3.5 X 10M



NEW !



GC1408



Take a swim to diminish the worry and stress of the day.

CLASSIC SERIES

ENCLOSURE

Would you like to protect your swimming pool away from leaves and dirt while giving your garden an extra sense of elegance? Absolutely, the answer is yes. offers a perfect solution for you, a swimming pool enclosure.

Our new telescopic / retractable swimming pool enclosure, offer called a "pool cover", is constructed by exclusive ultra-heavy duty box section aluminum profiles (45*65mm) and is glazed with solid or hollow polycarbonate panels from 3mm-8mm thick. The glazing panels are with UV protection and provide insulation. The whole structure is simple yet sturdy and durable design. It can be installed in confined pool areas and still allow the enclosure to be retracted when the weather permits. A track extension is standard to allow the enclosure to be retracted completely off the pool. When the enclosure folds up, it takes up less room. Once closed, thanks to the greenhouse effect, the water temperature in the pool will rise by between 8°C and 12°C depending on the time of year. Thus, the pool enclosure means that not only are you keeping your pool safe all year, but you are able to enjoy swimming in your pool 365 days a year rain or shine.

Once a swimming pool is enclosed, it is not only more usable and cost effective to run, it will also be far more sustainable in terms of water and energy use. Pool cleaning and maintenance will also be reduced considerably.



GC1510


FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with size 45*65mm or more.
- > Clever design allowing simple and quick assembly, the whole installation can be done by 2-3 persons in one day or two.
- > Optional Solid Polycarbonate 3-4MM thick or Hollow Polycarbonate 8MM thick.
- > UV protection on the surface for the panels can withdraw 98% UV radiation from sun, means that swimming in the enclosure on a sunny day is both enjoyable and safe.
- > Telescopic swimming pool enclosures allow you to use your pool either completely under cover or half / fully open to the air and changing among the three options is a relatively quick and easy process.
- > Reduced pool heating/energy costs, water evaporation, chemical use and debris cleaning, while increasing water temperature and safety.
- > A sliding door with latch - easy access.
- > Lockable sections - fully protect the enclosure in the bad weather.
- > Manufactured to ISO 9001 quality standards, the durable structure can withstand strong wind, heavy rain and snow.
- > 15 years of factory warranty for the frame brings you years of swimming enjoyment and profits.



Aluminum Frame Glazing Panel

2 colors available




SPECIFICATION

AREA

Item No. GC1306

Size: 850 X 390 X 88CM (L X W X H)
Fit for Pool Size: 600 X 300CM (L X W)
Door Size: 150 X 100CM (H X W)
CTN QTY: 20'GP 9PCS/40' HQ: 19PCS


33.1M²



Item No. GC1408

Size: 1062 X 516 X 117CM (L X W X H)
Fit for Pool Size: 800 X 400CM (L X W)
Door Size: 180 X 100CM (H X W)
CTN QTY: 20'GP 9PCS/40' HQ: 19PCS


54.8M²




Item No. GC1510

Size: 1275 X 641 X 146CM (L X W X H)
Fit for Pool Size: 1000 X 500CM (L X W)
Door Size: 180 X 100CM (H X W)
CTN QTY: 40' HQ: 11PCS

81.7M²



Glazing panels can be 8MM hollow PC or 3/4MM solid PC



LOW LINE SERIES

ENCLOSURE

This new low line enclosure is designed as a different choice for your swimming pool.

Same as the classic series, this low line enclosure is constructed by exclusive ultra-heavy duty box section aluminum profiles (45*65mm) and is glazed with solid or hollow polycarbonate panels from 3mm-8mm thick. The glazing panels are with UV protection and provide insulation. The whole structure is simple yet sturdy and durable design. It can be installed in confined pool areas and still allow the enclosure to be retracted when the weather permits. A track extension is standard to allow the enclosure to be retracted completely off the pool. When the enclosure folds up, it takes up less room. Once closed, thanks to the greenhouse effect, the water temperature in the pool will rise by between 8°C and 12°C depending on the time of year. Thus, the pool enclosure means that not only are you keeping your pool safe all year, but you are able to enjoy swimming in your pool 365 days a year rain or shine.

Once a swimming pool is enclosed, it is not only more usable and cost effective to run, it will also be far more sustainable in terms of water and energy use. Pool cleaning and maintenance will also be reduced considerably. It will surely bring you years of enjoyment and profits.

Take a swim to diminish the worry and stress of the day.



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with size 45*65mm or more.
- > Clever design allowing simple and quick assembly, the whole installation can be done by 2-3 persons in one day or two.
- > Optional Solid Polycarbonate 3-4MM thick or Hollow Polycarbonate 8MM thick.
- > UV protection on the surface for the panels can withdraw 98% UV radiation from sun, means that swimming in the enclosure on a sunny day is both enjoyable and safe.
- > Telescopic swimming pool enclosures allow you to use your pool either completely under cover or half / fully open to the air and changing among the three options is a relatively quick and easy process.
- > Reduced pool heating/energy costs, water evaporation, chemical use and debris cleaning, while increasing water temperature and safety.
- > A sliding door with latch - easy access.
- > Lockable sections - fully protect the enclosure in the bad weather.
- > Manufactured to ISO 9001 quality standards, the durable structure can withstand strong wind, heavy rain and snow.
- > 15 years of factory warranty for the frame brings you years of swimming enjoyment and profits.



Aluminum Frame Glazing Panel

2 colors available



Hollow PC 8MM/
Solid PC 3-4MM




SPECIFICATION

AREA

Item No. GC2306

Size: 850 X 390 X 67CM (L X W X H)
Fit for Pool Size: 600 X 300CM (L X W)
Door Size: 150 X 100CM (H X W)
CTN QTY: 20'GP 9PCS/40' HQ: 19PCS


33.1M²



Item No. GC2408

Size: 1062 X 516 X 81CM (L X W X H)
Fit for Pool Size: 800 X 400CM (L X W)
Door Size: 180 X 100CM (H X W)
CTN QTY: 20'GP 9PCS/40' HQ: 19PCS


54.8M²



Item No. GC2510

Size: 1275 X 641 X 96CM (L X W X H)
Fit for Pool Size: 1000 X 500CM (L X W)
Door Size: 180 X 100CM (H X W)
CTN QTY: 40' HQ: 11PCS

81.7M²



Glazing panels can be 8MM hollow PC or 3/4MM solid PC

NEW !



Lean-to Series

ENCLOSURE

This Lean-to series enclosure can attach one side onto a high wall by fixing tracks to it and allowing the enclosure to move along the wall on one side and along the ground on the other side.

This configuration is perfect for pools located very close to a building and those which require direct access to the pool from the home. This enclosure's units can be stored at the end of the pool or against the house to free up some poolside space.

The enclosure is made from ultra-heavy duty aluminum framing (2.5mm thick) and is glazed with solid or hollow polycarbonate panels from 3mm-8mm thick. The glazing panels are with UV protection and provide insulation. The whole structure is simple yet sturdy and durable design. It works on two rails – one is mounted on the house and one on the ground. Thanks to those rails you can slide each section in both directions. This way you can enjoy your swimming pool in sunny days as well as when it rains.

Take a swim to diminish the worry and stress of the day.



FEATURES

- > Exclusive Ultra Heavy Duty Box Section Aluminum Profiles with size 45*65mm or more.
- > Clever design allowing simple and quick assembly, the whole installation can be done by 2-3 persons in one day or two.
- > Optional Solid Polycarbonate 3-4MM thick or Hollow Polycarbonate 8MM thick.
- > UV protection on the surface for the panels can withdraw 98% UV radiation from sun, means that swimming in the enclosure on a sunny day is both enjoyable and safe.
- > Telescopic swimming pool enclosures allow you to use your pool either completely under cover or half / fully open to the air and changing among the three options is a relatively quick and easy process.
- > Reduced pool heating/energy costs, water evaporation, chemical use and debris cleaning, while increasing water temperature and safety.
- > Lockable sections - fully protect the enclosure in the bad weather.
- > Manufactured to ISO 9001 quality standards, the durable structure can withstand strong wind, heavy rain and snow.
- > 15 years of factory warranty for the frame brings you years of swimming enjoyment and profits.



Aluminum Frame Glazing Panel

2 colors available



SPECIFICATION	AREA	
Item No. GC3306 Size: 380 X 638 X 361CM (L X W X H) Door Size: 180 X 180CM (H X W) CTN QTY: 20'GP 20PCS / 40' HQ: 50PCS	24.2M ²	
Item No. GC3308 Size: 393 X 850 X 373CM (L X W X H) Door Size: 180 X 180CM (H X W) CTN QTY: 20'GP 16PCS / 40' HQ: 45PCS	33.4M ²	
Item No. GC3310 Size: 406 X 1062 X 386CM (L X W X H) Door Size: 180 X 180CM (H X W) CTN QTY: 20'GP 13PCS / 40' HQ: 40PCS	43.1M ²	



Glazing panels can be 8MM hollow PC or 3/4MM solid PC



GALVANIZED STEEL

304 BOLTS & NUTS

VARIOUS STYLES


Additional options to your garden.

They are various styles to suit your needs.


GARDEN BEDS

RAISED GARDEN BED



Rectangle



Arch



GARDEN BED GREENHOUSE



FIREWOOD STORAGE

Rectangle



Arch





GM61010-9-90



GM61010-9-180



GM61010-9-90



GM61010-9-150



GM61010-9-120



RAISED BEDS

RECTANGLE SERIES

These garden beds are great shapes that suit any backyard. Their long shapes are great design for a raised veggie patch. The rustic silver/ivory/dark grey finish gives an organic feel to the product. This product is modular and can be extended, meaning it can be joined together with others in different shapes to separate plants that require different growing conditions.



With Base (Optional)



Different Heights Available
29CM/45CM/60CM/84CM

Modular Design
Freely Extended

Quick Assembly
Child-safe, smooth edges

GM61010-9-180

FEATURES

- > Easy ten-minute assembly;
- > No special tools required;
- > Three years' warranty;
- > Child-safe, smooth edges;
- > Silver, ivory, dark grey colors available.



3 colors available



SPECIFICATION

Item No. GM61010-6

Product No.	Size (W X L X H)
GM61010- 6	60 X 60 X 29/44/60/83CM
	60 X 90 X 29/44/60/83CM
	60 X 120 X 29/44/60/83CM
	60 X 150 X 29/44/60/83CM
	60 X 180 X 29/44/60/83CM




Item No. GM61010-9

Product No.	Size (W X L X H)
GM61010- 9	90 X 90 X 29/44/60/83CM
	90 X 120 X 29/44/60/83CM
	90 X 150 X 29/44/60/83CM
	90 X 180 X 29/44/60/83CM
	90 X 210 X 29/44/60/83CM

Item No. GM61010-12

Product No.	Size (W X L X H)
GM61010-12	120 X 120 X 29/44/60/83CM
	120 X 150 X 29/44/60/83CM
	120 X 180 X 29/44/60/83CM
	120 X 210 X 29/44/60/83CM
	120 X 240 X 29/44/60/83CM



Different heights available: 29CM/44CM/60CM/83CM



RAISED BEDS

ARCH SERIES

Arch corner garden beds, another functional shape that suits your greenhouse or any backyard. Manufactured with Pre-Paint Corrugated Steel, they are linear protected and UV resistant. The rustic silver/ivory/dark grey finish gives an organic feel to the product. This product is modular and can be extended.



With Base (Optional)



Modular Design
Freely Extended

Quick Assembly
Edges with protection

GM61001-12-120

FEATURES

- > Easy ten-minute assembly;
- > No special tools required;
- > Three years' warranty;
- > Child-safe, smooth edges;
- > Silver, ivory, dark grey colors available.


3 colors available



SPECIFICATION


Item No. GM61001-6

Product No.	Size (W X L X H)
GM61001-6	60 X 60 X 29/44/60/80CM
	60 X 90 X 29/44/60/80CM
	60 X 120 X 29/44/60/80CM
	60 X 150 X 29/44/60/80CM
	60 X 180 X 29/44/60/80CM




Item No. GM61001-9

Product No.	Size (W X L X H)
GM61001-9	90 X 90 X 29/44/60/80CM
	90 X 120 X 29/44/60/80CM
	90 X 150 X 29/44/60/80CM
	90 X 180 X 29/44/60/80CM
	90 X 210 X 29/44/60/80CM



Item No. GM61001-12

Product No.	Size (W X L X H)
GM61001-12	120 X 120 X 29/44/60/80CM
	120 X 150 X 29/44/60/80CM
	120 X 180 X 29/44/60/80CM
	120 X 210 X 29/44/60/80CM
	120 X 240 X 29/44/60/80CM



Length can be extended without limitation!



GM61002-6-180



GM61002-9-180

RAISED BEDS

ARCH SERIES

Round corner garden beds, another functional shape that suits your greenhouse or any backyard. Manufactured with Pre-Paint Corrugated Steel, they are linear protected and UV resistant. The rustic silver/ivory/dark grey finish gives an organic feel to the product. This product is modular and can be extended.



GM61002-9-180



Modular Design
Freely Extended

Quick Assembly
Edges with protection

GM61002-9

FEATURES

- > Easy ten-minute assembly;
- > No special tools required;
- > Three years' warranty;
- > Child-safe, smooth edges;
- > Silver, ivory, dark grey colors available.



3 colors available



SPECIFICATION

Item No. GM61002-6

Product No.	Size (W X L X H)
GM61002-6	60 X 60 X 29/44CM
	60 X 90 X 29/44CM
	60 X 120 X 29/44CM
	60 X 150 X 29/44CM
	60 X 180 X 29/44CM
	60 X 210 X 29/44CM
	60 X 240 X 29/44CM



Item No. GM61002-9

Product No.	Size (W X L X H)
GM61002-9	90 X 90 X 29/44/60CM
	90 X 120 X 29/44/60CM
	90 X 150 X 29/44/60CM
	90 X 180 X 29/44/60CM
	90 X 210 X 29/44/60CM
	90 X 240 X 29/44/60CM



Length can be extended without limitation!


HEART SHAPE



GM66010

Item No. GM66010


Product No.	Size (W X L X H)
GM66010	105 X 100 X 28/44/60CM
	160 X 150 X 28/44/60CM



COMBINATIONS

Item No. GM67010

Product No.	Size (W X L X H)
GM67010	LOW: 60 X 40 X 36CM
	MEDIUM: 60 X 40 X 52CM
	HIGH: 60 X 40 X 68CM






GM67010

M SHAPE

Item No. GM68010

Product No.	Size (W X L X H)
GM68010	183 X 64 X 28/44CM



3-IN-1

3 possible configurations to fit your raised garden bed plans




GM68010

COMBINATIONS

Item No. GM66301

Product No.	Size (W X L X H)
GM66301	80 X 80 X 29/44/60/83CM



GM66301



PLUG IN SERIES







GM64010

Item No. GM64010

Product No.	Size (W X L X H)
GM64010	65 X 200 X 20CM
	65 X 300 X 20CM
	Extention: 65 X 100 X 20CM
	102 X 200 X 20CM
	102 X 300 X 20CM
	Extention 102 X 100 X 20CM

3 colors available



4PCS
CONFIGURATIONS


6PCS
CONFIGURATIONS

RECTANGLE



Item No. GM65010


Product No.	Size (W X L X H)
GM65010	60 X 90/120/150/180/210 X 30/45/60/75CM
	90 X 90/120/150/180/210 X 30/45/60/75CM
	120 X 120/150/180/210 X 30/45/60/75CM
	150 X 150/180/210/240 X 30/45/60/75CM



POLYGON

Item No. GM65011

Product No.	Size (W X L X H)
GM65011	157 X 112 X 15/30/45/60/75CM




HEXAGON



Item No. GM65012

Product No.	Size (W X L X H)
GM65012	112 X112 X 15/30/45/60/75CM
	164 X164 X 15/30/45/60/75CM



FIREWOOD STORAGE

Introducing our new Firewood Shelter series. It's a modern and elegant way to store your firewood away from weather influences even in the outdoors. It's made of galvanized steel 0.45mm and stainless steel fixing. Dark grey, silver and ivory colors are available. Keep your house tidy, and keep your firewood dry, firewood shelter is your right choice!

FEATURES


- > Easy ten minutes' assembly;
- > No special tools required;
- > Three years' warranty for the bed and stands;
- > Dark Grey, silver and ivory colors available.



SPECIFICATION


Item No. GM61021

Size: 105 X 44 X 180CM (L X W X H)




Item No. GM61022

Size: 180 X 44 X 105CM (L X W X H)




Item No. GM61031

Size: 105 X 44 X 180CM (L X W X H)



Item No. GM61032

Size: 180 X 44 X 105CM (L X W X H)



3 colors available



Dark Grey



Ivory (-I)



Silver

RECTANGLE



GM61022

ARCH CORNER



GM61032

FIREWOOD STORAGE



GM61021



GM61031



ALUMINIUM

RAISED BEDS

This new aluminum raised bed is 100% made of extra heavy duty box type aluminum profiles. Simple plug-in system makes the whole self-assembly easy and fast. And thanks to the tongue and groove system, the panels are perfectly held with each other. It is modular and can be extended freely. Another outstanding feature is that it will never get rusted. 15 years' factory warranty will bring you years of planting enjoyment.



Life begins the day
you start a garden.



FEATURES

- > Simple plug-in system, quick self-assembly;
- > 100% premium aluminum quality. Durable & extra heavy duty;
- > 15 years' warranty;
- > Child-safe, smooth edges;
- > Black color is available.

Standard Color




Black (-B)



SPECIFICATION


Item No. GR001-6

Product No.	Size (W X L X H)
GR001-6	60 X 60 X 30/40/50/60/70CM
	60 X 90 X 30/40/50/60/70CM
	60 X 120 X 30/40/50/60/70CM
	60 X 150 X 30/40/50/60/70CM
	60 X 180 X 30/40/50/60/70CM




Item No. GR001-9

Product No.	Size (W X L X H)
GR001-9	90 X 90 X 30/40/50/60/70CM
	90 X 120 X 30/40/50/60/70CM
	90 X 150 X 30/40/50/60/70CM
	90 X 180 X 30/40/50/60/70CM
	90 X 210 X 30/40/50/60/70CM



Item No. GR001-12

Product No.	Size (W X L X H)
GR001-12	120 X 120 X 30/40/50/60/70CM
	120 X 150 X 30/40/50/60/70CM
	120 X 180 X 30/40/50/60/70CM
	120 X 210 X 30/40/50/60/70CM
	120 X 240 X 30/40/50/60/70CM



Different heights available: 30CM/40CM/50CM/60CM/70CM/80CM



GM61010 & GM42023



GM61010 & GN462

GARDEN BED & GREENHOUSE

This new compact raised garden bed greenhouse is a combination of Raised Garden Beds and Cold-frame Greenhouse which is constructed from strong Aluminum profiles, along with 4mm PC Panels on top and 0.42mm Galvanized Metal Panels underneath (or Steel Tube frame along with PVC/PE Cover underneath.) Compared to the traditional garden beds or cold frame greenhouse, this new combination is perfect solution for those flowers or plants raised in the beds, which need to be protected from wind or rain. All ways of protection keep your plants out of bad climates. Also this compact easy grow kit allows to be placed on your patio or balcony and offers a smart solution for home vegetable and herbs growing which will bring you many years of planting enjoyment!

3 colors available (Garden Bed)




Dark Grey Ivory (-I) Silver

2 colors available (Greenhouse)



Black (-B) Silver

SPECIFICATION



GM42023

GM61010

Item No. GM42023

Size: 116 X 86 X 34/57CM (L X W X H)
CTN QTY: 20'GP 350PCS/40' HQ: 850PCS

Item No. GM61010


Size: 120 X 90 X 44CM (L X W X H)
CTN QTY: 20'GP 1000PCS/40' HQ: 2500PCS

Item No. GN462

Size: 120 X 80 X 40/72CM (L X W X H)
CTN QTY: 20'GP 680PCS/40' HQ: 1730PCS

Item No. GM61010

Size: 120 X 90 X 44CM (L X W X H)
CTN QTY: 20'GP 1000PCS/40' HQ: 2500PCS




GARDEN BED & GREENHOUSE



GM61010 & GM23001



PE COVER
(Alternative)



FEATURES

- > Perfect combination of garden bed and steel tube greenhouse;
- > Easy assembly and maintenance free;
- > 3 covers for different seasons. Anti-insect cover for summer, and PE/PVC cover for winter;
- > 3 colors available for garden bed: grey, green, Ivory.

Item No. GM61010 & GM23001

Product No.	Size (W X L X H)
GM61010 + GM23001	90 X 120 X 149/165CM

GARDEN BED & GREENHOUSE

FEATURES


- > Perfect combination of garden bed and steel tube greenhouse;
- > Easy assembly and maintenance free;
- > 3 covers for different seasons. Anti-insect cover for summer, and PE/PVC cover for winter;
- > 3 colors available for garden bed: grey, green, Ivory.

Item No. GM61010 & GM21001

Product No.	Size (W X L X H)
GM61010 + GM21001	90 X 120 X 132CM




Anti-insect Cover
(Alternative)



PLANTER & GREENHOUSE



PE COVER
(Alternative)



FEATURES

- > Perfect combination of planter and steel tube greenhouse;
- > Easy assembly and maintenance free;
- > 3 covers for different seasons. Anti-insect cover for summer, and PE/PVC cover for winter;
- > Perfect for starting seeds and repotting plants.

Item No. GM52001

Product No.	Size (W X L X H)
GM52001	75 X 33 X 114CM

ACCESSORIES



Auto-opener (Single Spring)
Item No. GM80001



Auto-opener (Double Spring)
Item No. GM80002



Auto-Cylinder
Item No. GM80003



Manual Opener
Item No. GM80004



Roof Cresting
Item No.RC01(small) / RC02(big)



Cresting (Black)



Cresting (White)



Aluminium Base



Galvanised Steel Base

SHADING NET

shading system, is made of Aluminet, Aluminum Support Structure, and Galvanized steel powder coated brackets and bolts & nuts. Aluminet is a special knitted screen made from metalized fiber which gives it durability and longevity. It acts like a mirror as its unique aluminized nature reflects unwanted sunlight and harmful radiant heat from the greenhouse during summer and preserves heat inside the greenhouse during winter. At night the Aluminet fabric works as a thermal blanket, trapping the heat energy being released by the earth in the shaded area.

Features


Aluminet cover provides shade coverage to both the roof & side walls, protecting your plants as well as the polycarbonate sheet.Simple to install providing immediate shading. 55% shading factor which is the optimum level of shading you need for plant protection whilst providing enough light transmission to stimulate growth.



Shade Net




Shade Net



Aluminium Louvre
Size 1: 60 X 50CM
Size 1: 71 X 69CM



Casement Window
Size: 96.8 X 65CM




Irrigation System



Heater



Plant Hanger (Plastic)
10PCS/Bag



Plant Hanger (Aluminium)
10PCS/Bag

PHOTOS SHARING

FROM OUR CUSTOMERS

Thank our customers for sharing these beautiful photos with us. And there are a lot more than these.



OUR PACKAGE

& SHIPMENT

The last procedure, which is also the most important part, is packing. Highly attention is paid on the whole packing and loading.



Aluminium Profile



Frame Packing



Glass Packing



Tied up Packing Line



Components Packing Line



Frame Processing



Loading Container



Wooden Packing



Wooden Packing



Carton Box Packing



Finish Loading