



FASTace
PERFORMANCE



KMC

NGK

NIBBI

is China's first specialized motocross factory with team of 220 people. Our factory covers over 60,000 square meters and have a professional test track where each bike is tested for quality assurance. We also produce our own frames, plastic body pieces and power coating facility in house. Our team is dedicated to manufacture the best quality dirt bikes for the worldwide market. Quality and innovation are the hallmarks that define the spirit.

PARKER

ENGINE
Zongshen 60cc Engine

SIZE
10" / 10"

COLOR



02

PARKER SPECIFICATION

ENGINE

Zongshen 60cc

DESIGN TYPE	Single Cylinder/4 Stroke/ Air Cool/ Camshaft Downward with balance shaft /tilting
DISPLACEMENT	56.8 ml
BORE & STROKE	44 x 37.4
STARTER	Electric Start
TRANSMISSION	No Gear

CHASSIS

FRAME	High Strength Steel Perimeter Frame
FRONT SHOCK	XMotos T4 Series (S) Inverted Hydraulic, Non-Adjustable.
REAR SHOCK	XMotos T4 Series (S) Single Shock Absorber. Non-Adjustable.
FRONT WHEEL	10" Steel
REAR WHEEL	60/100-10 Knobby Tire
FRONT BRAKE	10" Steel
REAR BRAKE	60/100-10 Knobby Tire
FUEL TANK CAPACITY	Single 160mm Diameter Steel Disc
	Single 160mm Diameter Steel Disc
	2.0L

OTHER INFORMATION

PACKING SIZE	1080 x 380 x 550 MM
DRY WEIGHT	43 KGS
GROSS WEIGHT	53 KGS
20GP LOADING Qty.	124 PCS
40HQ LOADING Qty.	264 PCS

03



04



05

PARKER

STARK

ENGINE
50-125cc

SIZE
14" / 12"

COLOR



06

STARK SPECIFICATION

ENGINE 110cc

DESIGN TYPE	Single Cylinder, 4-stroke, air-cooling, with balance shaft
DISPLACEMENT	106.7 ML
BORE & STROKE	52.4x49.5
STARTER	kick start/electric start/electric & kick start
TRANSMISSION	4 gears/no gear/4 gears

CHASSIS

FRAME	High Strength Steel Perimeter Frame
FRONT SHOCK	XMotos T4 Series (S) Inverted Hydraulic, Non-Adjustable.
REAR SHOCK	XMotos T4 Series (S) Single Shock Absorber. Non-Adjustable.
FRONT WHEEL	14" Steel
REAR WHEEL	60/100-14 Knobby Tires
FRONT BRAKE	80/100-12 Knobby Tires
REAR BRAKE	Single 180mm Diameter Steel Disc
FUEL TANK CAPACITY	Single 180mm Diameter Steel Disc
	2.6 L

OTHER INFORMATION

PACKING SIZE	1400x380x640 MM
DRY WEIGHT	58.5 KGS
GROSS WEIGHT	68.5 KGS
20GP LOADING Qty.	72 PCS
40HQ LOADING Qty.	196 PCS

07



08



09

STARK

LOKI

ENGINE
110-150CC

SIZE
17" / 14"

COLOR



10

LOKI SPECIFICATION

ENGINE 125cc

DESIGN TYPE	Single Cylinder/4 Stroke/Air Cool/Horizontal
DISPLACEMENT	124 ml
BORE & STROKE	54 x 54
STARTER	kick start/electric & kick start
TRANSMISSION	4 gears

CHASSIS

FRAME	Tube Cradle Frame, High Strength Steel (Made In House)
FRONT SHOCK	XMotos T4 Series (S) Inverted Hydraulic, Non-Adjustable.
REAR SHOCK	XMotos T4 Series (S) Single Shock Absorber. Non-Adjustable.
FRONT WHEEL	17 in. Steel 70/100-17 Knobby Tire
REAR WHEEL	14 in. Steel 90/100-14 Knobby Tire
FRONT BRAKE	Single 200mm Diameter Steel Disc
REAR BRAKE	Single 200mm Diameter Steel Disc
FUEL TANK CAPACITY	5.4L


OTHER INFORMATION

PACKING SIZE	1600x380x745 MM
DRY WEIGHT	73.5 KGS
GROSS WEIGHT	88.5 KGS
20GP LOADING Qty.	60 PCS
40HQ LOADING Qty.	129 PCS

11



12



13

LOKI

JUNGLE

ENGINE
250cc A/C

SIZE
21" / 18"

COLOR



JUNGLE SPECIFICATION

ENGINE

250CC A/C

DESIGN TYPE	1-Cylinder, 4-Stroke, Camshaft Upwards, Tilting
DISPLACEMENT	223 ml
BORE & STROKE	65.5×62.2
STARTER	Electric & Kick Start
TRANSMISSION	5 gears

CHASSIS

FRAME	High Strength Steel Perimeter Frame
FRONT SHOCK	XMotos T6 Series Inverted Forks, Non-Adj
REAR SHOCK	XMotos T6 Rear Shock Absorber. Non-Adj
SUSPENSION LINKAGE	With Suspension Linkage
CHAIN	KMC 428
FRONT WHEEL	21" Steel Rim 80/100-21 Knobby Tire"
REAR WHEEL	18" Steel Rim 110/100-18 Knobby Tire"
FRONT BRAKE	"Single 240mm Diameter Steel Disc With Single Piston Caliper"
REAR BRAKE	"Single 220mm Diameter Steel Disc With Single Piston Caliper"
FUEL TANK CAPACITY	7.5L

OTHER INFORMATION

PACKING SIZE	1770x420x810 MM
DRY WEIGHT	101.5 KGS
GROSS WEIGHT	121.5 KGS
20GP LOADING Qty.	32 PCS
40HQ LOADING Qty.	96 PCS



JUNGLE

RACER PRO

ENGINE
 CB250cc A/C
 CB250cc W/C
 CBS250cc W/C
 NC250cc W/C

SIZE
 21" / 18"

COLOR



RACER PRO

SPECIFICATION

ENGINE

Zongshen NC250cc W/C

DESIGN TYPE	1-Cylinder, 4-Stroke, camshaft forward With Balance Shaft
DISPLACEMENT	249.6 ml
BORE & STROKE	77 X 53.6
STARTER	Electric & Kick Start
TRANSMISSION	6-Speed

CHASSIS


FRAME	High Strength Steel Perimeter Frame
SWING ARM	High Strength Steel Made In House (Choice Of Aluminum)
FRONT SHOCK	Taiwan KKE Upside Down, Dual Adjustable
REAR SHOCK	Xmos T7 rear shock absorber. Dual-Adj.
SUSPENSION LINKAGE	With Suspension Linkage
CHAIN	KMC 520H
FRONT WHEEL	"21""7116 Alloy Rim 80/100-21 YX Knobby Tire"
REAR WHEEL	"18""7116 Alloy Rim 110/100-18 YX Knobby Tire"
FRONT BRAKE	Single 240mm Diameter Steel Disc With Single Dual Piston Caliper
REAR BRAKE	Single 220mm Diameter Steel Disc With Single Piston Caliper
FUEL TANK CAPACITY	6.7L

OTHER INFORMATION

PACKING SIZE	1845 x 455 x915 MM
DRY WEIGHT	114.5 KGS
GROSS WEIGHT	139.5 KGS
20GP LOADING Qty.	30 PCS
40HQ LOADING Qty.	62 PCS



20



21

RACER PRO

FALCON

ENGINE
125cc-160cc

SIZE
21" / 21"

COLOR



FALCON SPECIFICATION

ENGINE	125cc	Yinxiang 160cc
DESIGN TYPE	1-Cylinder, 4-Stroke, Air Cool, Horizontal	1-Cylinder, 4-Stroke, Oir Cool, Horizontal
DISPLACEMENT	119.6 ml	160 ml
BORE & STROKE	52.4x55	60 x 57
STARTER	Kick Start	Kick Start
TRANSMISSION	4 Gear	4 Gear

CHASSIS

FRAME	Tube Cradle Frame, High Strength Steel (made in house)
SWING ARM	High Strength Steel made in house
FRONT SHOCK	XMotos T6 Series Inverted Forks, Non-Adj
REAR SHOCK	XMotos T6 rear shock absorber. Non-Adj
CHAIN	KMC 428
FRONT WHEEL	21"/21" Alloy Rims with 80/100-21 Yuanxing Tire
REAR WHEEL	21"/21" Alloy Rims with 80/100-21 Yuanxing Tire
FRONT BRAKE	Single 210mm diameter steel disc Brake with Oil Cup
REAR BRAKE	Single 200mm diameter steel disc Brake with Oil Cup
FUEL TANK CAPACITY	3.2 L

OTHER INFORMATION

PACKING SIZE	1720*430*780 MM
DRY WEIGHT	72 KGS
GROSS WEIGHT	97 KGS
20GP LOADING Qty.	48 PCS
40HQ LOADING Qty.	99 PCS



24



25

FALCON