

ELECTRIC BICYCLE



will be leading different concept



Brief Introduction :

CO., LTD. Is a professional manufacture of electric bicycle over 19 years. It is located in the shore of China. It is 9kms from international airport, 5kms from high-way station, 2 hours away from city. We mainly produce bicycle and electric bicycle, with modern management and advanced equipment, we are rapidly developing. Our factory is one of the first who have the rights of self import-export in China. We can produce more than 200,000 pcs per year and have been exported to more than 70 countries including Japan, Europe, America etc. We always pay much attention to the quality and new design, and our technology improves day by day.

We have successfully produced many superior products compared with other factories, and some of them with Chinese patent. With better quality and reasonable price, we have many customers in and abroad. At the same time, Chinese government gave us many glories about quality and credit. Now we are devoting to make top-class electric bicycle with reasonable price to our customers. And we warmly welcome all the friends to visit our factory!



Model 1809

MOTOR :	250W/500W BRUSHLESS REAR MOTOR	RATED LOADING:	120KG
BATTERY:	LITHIUM BATTERY ,48V 11AH	MAX.SPEED:	≅ 30KM/H
NET WEIGHT:	28 KG	FULL CHARGE DISTANCE:	≅ 45KM
CHARGING TIME:	4-6 HOURS	CLIMB HILL:	12°
DERAILLEUR:	SHIMANO 7 SPEED	DISPLAY:	LCD
BRAKE:	FR/RR DISC BRAKE	FRAME:	ALUMINIUM -ALLOY



Model 1520 26" (EN-15194)

MOTOR:	250W/500W BRUSHLESS,REAR MOTOR	FULL CHARGE DISTANCE:	≤50KM
NET WEIGHT:	25 KG	DERAILLEUR:	SHIMANO 7 SPEED OUTSIDE
BATTERY:	LITHIUM BATTERY, 36V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	DISPLAY:	LCD FIVE MODE, 6KM/H PUSH
RATED LOADING:	120KGS	BRAKE:	F/R V-BRAKE
MAX. SPEED:	≤30KM	FRAME:	ALUMINIUM-ALLOY



Model 1522 700*23C (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR
NET WEIGHT:	19KG
BATTERY:	BOTTLE LITHIUM BATTERY, 36V10AH
CHARGING TIME:	4-6 HOURS
RATED LOADING:	120KGS
MAX. SPEED:	≤30KM
FULL CHARGE DISTANCE:	≤50KM
DERAILLEUR:	SINGLE SPEED OUTSIDE
CLIMB HILL:	12°
DISPLAY:	LED THREE MODE, 6KM/H PUSH.
BRAKE	F/R U-BRAKE
FRAME	ALUMINIUM-ALLOY





Model 1709 28"

MOTOR: 250W BRUSHLESS, FRONT MOTOR
 NET WEIGHT: 27 KG
 BATTERY: LITHIUM BATTERY, 36V10AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 120KGS
 MAX. SPEED: ≤25KM

FULL CHARGE DISTANCE: ≤50KM
 DERAILLEUR: SHIMANO INNER 3 SPEED
 CLIMB HILL: 12°
 DISPLAY: LCD FIVE MODE
 BRAKE: F: V-BRAKE R: ROLLER-BRAKE
 FRAME: ALUMINIUM-ALLOY



Model 1710 700C

MOTOR: 250W MIDDLE MOTOR
 NET WEIGHT: 23KG
 BATTERY: LITHIUM BATTERY, 36V10AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 120KGS
 MAX. SPEED: ≤28KM

FULL CHARGE DISTANCE: ≤60KM
 DERAILLEUR: SHIMANO 8 SPEED OUTSIDE
 CLIMB HILL: 12°
 DISPLAY: LCD FIVE MODE
 BRAKE: F/R DISC -BRAKE
 FRAME: ALUMINIUM-ALLOY



Model 1521 27.5" (EN-15194)

MOTOR: 250W BRUSHLESS, REAR MOTOR
 NET WEIGHT: 26KG
 BATTERY: BOTTLE LITHIUM BATTERY, 36V10AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 130KGS
 MAX. SPEED: ≤25KM

FULL CHARGE DISTANCE: ≤50KM
 DERAILLEUR: SHIMANO 24 SPEED OUTSIDE
 CLIMB HILL: 12°
 DISPLAY: LCD FIVE MODE, 6KM/H PUSH
 BRAKE: F/R HYDRAULIC DISC -BRAKE
 FRAME: ALUMINIUM-ALLOY



Model 1708 20"*4.0

MOTOR: 500W BRUSHLESS, REAR MOTOR
 NET WEIGHT: 21KG
 BATTERY: LITHIUM BATTERY, 48V11AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 110KGS
 MAX. SPEED: ≤30KM

FULL CHARGE DISTANCE: ≤50KM
 DERAILLEUR: SHIMANO 7 SPEED OUTSIDE
 CLIMB HILL: 12°
 DISPLAY: LED THREE MODE
 BRAKE: F/R DISC-BRAKE
 FRAME: ALUMINIUM-ALLOY



Model 1708-1 20"*3.0

MOTOR: 250W BRUSHLESS REAR MOTOR
 BATTERY: LITHIUM BATTERY, 48V11AH
 NET WEIGHT: 25KG
 CHARGING TIME: 5-8 HOURS
 DERAILLEUR: SPEED 6 SHIMANO OUTSIDE
 BRAKE: F/R DISC BRAKE

RATED LOADING: 110KG
 MAX. SPEED: ≤30KM/H
 FULL CHARGE DISTANCE: ≤45KM
 CLIMB HILL: 12°
 DISPLAY: LED
 FRAME: ALUMINIUM -ALLOY

Model 1519 26"*4.0 (EN-15194)

MOTOR:	250W BRUSHLESS,REAR MOTOR
NET WEIGHT:	23KG
BATTERY:	BOTTLE LITHIUM BATTERY, 36V10AH
CHARGING TIME:	4-6 HOURS
RATED LOADING:	120KGS
MAX. SPEED:	≤25KM
FULL CHARGE DISTANCE:	≤50KM
DERAILLEUR:	SHIMANO 7 SPEED OUTSIDE
CLIMB HILL:	12°
DISPLAY:	LCD FIVE MODE ,6 KM/H PUSH
BRAKE:	F/R DISC -BRAKE
FRAME:	ALUMINIUM-ALLOY





Model 1512 20" (EN-15194)

MOTOR: 250W BRUSHLESS, REAR MOTOR
 NET WEIGHT: 21 KG
 BATTERY: LITHIUM BATTERY, 24V10AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 120KGS
 MAX. SPEED: ≤25KM

FULL CHARGE DISTANCE: ≤40KM
 DERAILLEUR: SHIMANO 6 SPEED OUTSIDE
 CLIMB HILL: 12°
 DISPLAY: LED THREE MODE, 6KM/H PUSH
 BRAKE: F/R V- BRAKE
 FRAME: ALUMINIUM-ALLOY



Model 1612 14"

MOTOR: 300W BRUSHLESS, REAR MOTOR
 NET WEIGHT: 20KG
 BATTERY: LITHIUM BATTERY, 48V12AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 130KGS
 MAX. SPEED: ≤35KM

FULL CHARGE DISTANCE: ≤60KM
 DERAILLEUR: SINGLE SPEED
 CLIMB HILL: 12°
 DISPLAY: LCD
 BRAKE: F/R DISC BRAKE
 FRAME: ALUMINIUM ALLOY



Model 1612-1

MOTOR: 300W BRUSHLESS REAR MOTOR
 BATTERY: LITHIUM BATTERY, 48V 11AH
 NET WEIGHT: 25 KG
 CHARGING TIME: 5-8 HOURS
 DERAILLEUR: SINGLE SPEED
 BRAKE: F/R DISC BRAKE

RATED LOADING: 75KG
 MAX. SPEED: ≤30KM/H
 FULL CHARGE DISTANCE: ≤45KM
 CLIMB HILL: 12°
 DISPLAY: LED
 FRAME: STEEL



Model 1803

MOTOR : 250W BRUSHLESS REAR MOTOR
 BATTERY: LITHIUM BATTERY ,36V 7.8AH
 NET WEIGHT: 18.5 KG
 CHARGING TIME: 2-5 HOURS
 DERAILLEUR: SPEED 6 SHIMANO OUTSIDE
 BRAKE: F/R V BRAKE

RATED LOADING: 100KG
 MAX.SPEED: ≤30KM/H
 FULL CHARGE DISTANCE: ≤40KM
 CLIMB HILL: 12°
 DISPLAY: LED
 FRAME: ALUMINIUM-ALLOY



Model 1802

MOTOR : 180W BRUSHLESS REAR MOTOR
 BATTERY: LITHIUM BATTERY ,24V 6.6AH
 NET WEIGHT: 13.2KG
 CHARGING TIME: 4-6 HOURS
 DERAILLEUR: NO
 BRAKE: R DISC BRAKE

RATED LOADING: 75KG
 MAX.SPEED: ≤25KM/H
 FULL CHARGE DISTANCE: ≤20KM
 CLIMB HILL: 12°
 DISPLAY: LED
 FRAME: STEEL



Model 1806

MOTOR: 250W BRUSHLESS REAR MOTOR
 BATTERY: LITHIUM BATTERY ,36V 6.6AH
 NET WEIGHT: 17 KG
 CHARGING TIME: 4-6 HOURS
 DERAILLEUR: NO
 BRAKE: R DISC BRAKE

RATED LOADING: 75KG
 MAX.SPEED: ≤25KM/H
 FULL CHARGE DISTANCE: ≤30KM
 CLIMB HILL: 12°
 DISPLAY: LED
 FRAME: STEEL



Model 1903

MOTOR : 250W BRUSHLESS REAR MOTOR
 BATTERY: LITHIUM BATTERY ,36V 8.8AH
 NET WEIGHT: 23 KG
 CHARGING TIME: 5-8 HOURS
 DERAILLEUR: SHIMANO 27 SPEED
 BRAKE: FR/RR HYDRAULIC DISC BRAKE

RATED LOADING: 90KG
 MAX.SPEED: ≤32KM/H
 FULL CHARGE DISTANCE: ≤60KM
 CLIMB HILL: 12°
 DISPLAY: LCD
 FRAME: ALUMINIUM ALLOY



Model 1908

MOTOR :	500W BRUSHLESS REAR MOTOR	RATED LOADING:	125KG
BATTERY:	LITHIUM BATTERY ,48V 11AH	MAX.SPEED:	≅ 35KM/H
NET WEIGHT:	30 KG	FULL CHARGE DISTANCE:	≅ 50KM
CHARGING TIME:	3-5 HOURS	CLIMB HILL:	12°
DERAILLEUR:	SHIMANO 6 SPEED OUTSIDE	DISPLAY:	LCD
BRAKE:	FR/RR DISC BRAKE	FRAME:	ALUMINIUM-ALLOY



Model 1528 26" (EN-15194)

MOTOR:	250W BRUSHLESS,REAR MOTOR	BRAKE:	F/ V- BRAKE R/ V- BRAKE
NET WEIGHT:	28KG	MAX. SPEED:	≤25KM
BATTERY:	LEAD-ACID 24V12AH	FULL CHARGE DISTANCE:	≤45KM
CHARGING TIME:	6-8 HOURS	CLIMB HILL:	12°
RATED LOADING:	120KG	FRAME:	ALUMINIUM-ALLOY
DERAILLEUR:	SHIMANO 6 SPEED		



Model 1602 20"

MOTOR: 250W BRUSHLESS, REAR MOTOR
 NET WEIGHT: 21KG
 BATTERY: LITHIUM BATTERY, 36V10AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 120KGS
 MAX. SPEED: ≤25KM

FULL CHARGE DISTANCE: ≤50KM
 DERAILLEUR: SHIMANO 6 SPEED OUTSIDE
 CLIMB HILL: 12°
 DISPLAY: LED THREE MODE
 BRAKE: F/R V-BRAKE
 FRAME: ALUMINIUM-ALLOY



Model 1523 26" (EN-15194)

MOTOR: 250W BRUSHLESS, REAR MOTOR
 NET WEIGHT: 25KG
 BATTERY: LITHIUM BATTERY, 36V10AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 120KGS
 MAX. SPEED: ≤25KM

FULL CHARGE DISTANCE: ≤45KM
 DERAILLEUR: SHIMANO 6 SPEED OUTSIDE
 CLIMB HILL: 12°
 DISPLAY: LED THREE MODE, 6KM/H PUSH
 BRAKE: F/R V-BRAKE
 FRAME: ALUMINIUM-ALLOY



Model 1501 26" (EN-15194)

MOTOR: 250W BRUSHLESS, REAR MOTOR
 NET WEIGHT: 21KG
 BATTERY: LITHIUM BATTERY, 36V10AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 120KGS
 MAX. SPEED: ≤25KM

FULL CHARGE DISTANCE: ≤50KM
 DERAILLEUR: SHIMANO 7 SPEED OUTSIDE
 CLIMB HILL: 12°
 DISPLAY: LED THREE MODE
 BRAKE: F/R V-BRAKE
 FRAME: ALUMINIUM-ALLOY



Model BE-12 26" (EN-15194)

MOTOR: 250W BRUSHLESS, FRONT MOTOR
 NET WEIGHT: 25KG
 BATTERY: LITHIUM BATTERY, 36V10AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 120KGS
 MAX. SPEED: ≤25KM

FULL CHARGE DISTANCE: ≤50KM
 DERAILLEUR: SHIMANO 7 SPEED OUTSIDE
 CLIMB HILL: 12°
 DISPLAY: LED THREE MODE
 BRAKE: F/R V-BRAKE
 FRAME: ALUMINIUM-ALLOY



Model 1811

MOTOR:	300W BRUSHLESS MIDDLE MOTOR	RATED LOADING:	120KG
BATTERY:	LITHIUM BATTERY ,36V 11AH	MAX.SPEED:	≅ 30KM/H
NET WEIGHT:	25KG	FULL CHARGE DISTANCE:	≅ 45KM
CHARGING TIME:	5-8 HOURS	CLIMB HILL:	12°
DERAILLEUR:	SHIMANO 9 SPEED OUTSIDE	DISPLAY:	LCD
BRAKE:	FR/RR DISC BRAKE	FRAME:	ALUMINIUM-ALLOY



Model 1517 26" (EN-15194)

MOTOR:	250W BRUSHLESS,REAR MOTOR	FULL CHARGE DISTANCE:	≤50KM
NET WEIGHT:	25KG	DERAILLEUR:	SHIMANO 6 SPEED OUTSIDE
BATTERY:	LITHIUM BATTERY, 36V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	DISPLAY:	LED THREE MODE,6KM/H PUSH
RATED LOADING:	120KGS	BRAKE	F/R V-BRAKE
MAX. SPEED:	≤25KM	FRAME	ALUMINIUM-ALLOY



Model 1532 26" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	FULL CHARGE DISTANCE:	≤50KM
NET WEIGHT:	25KG	DERAILLEUR:	SHIMANO 6 SPEED OUTSIDE
BATTERY:	LITHIUM BATTERY, 36V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	DISPLAY:	LED THREE MODE, 6KM/H PUSH.
RATED LOADING:	120KGS	BRAKE:	F/R V-BRAKE
MAX. SPEED:	≤25KM	FRAME:	ALUMINIUM-ALLOY



Model 1309 26" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	FULL CHARGE DISTANCE:	≤50KM
NET WEIGHT:	23KG	DERAILLEUR:	SHIMANO 7 SPEED OUTSIDE
BATTERY:	LITHIUM BATTERY, 36V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	DISPLAY:	LED THREE MODE
RATED LOADING:	120KGS	BRAKE:	F/R V-BRAKE
MAX. SPEED:	≤25KM	FRAME:	ALUMINIUM-ALLOY



Model 1527 26" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	FULL CHARGE DISTANCE:	≤50KM
NET WEIGHT:	25KG	DERAILLEUR:	SHIMANO 7 SPEED OUTSIDE
BATTERY:	LITHIUM BATTERY, 36V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	DISPLAY:	LED THREE MODE, 6KM/H PUSH
RATED LOADING:	120KGS	BRAKE:	F: DISC -BRAKE R: V-BRAKE
MAX. SPEED:	≤25KM	FRAME:	ALUMINIUM-ALLOY



Model 1310 28" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	FULL CHARGE DISTANCE:	≤50KM
NET WEIGHT:	25KG	DERAILLEUR:	SHIMANO 7 SPEED OUTSIDE
BATTERY:	LITHIUM BATTERY, 36V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	DISPLAY:	LED THREE MODE
RATED LOADING:	120KGS	BRAKE:	F/R V -BRAKE
MAX. SPEED:	≤25KM	FRAME:	ALUMINIUM-ALLOY



Model 316-1 26" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	FULL CHARGE DISTANCE:	≤40KM
NET WEIGHT:	30KG	DERAILLEUR:	SHIMANO 6 SPEED OUTSIDE
BATTERY:	LEAD-ACID 24V12AH	CLIMB HILL:	12°
CHARGING TIME:	6-8 HOURS	DISPLAY:	LED THREE MODE
RATED LOADING:	130KGS	BRAKE:	F/ V- BRAKE R/EXPANDING BRAKE
MAX. SPEED:	≤25KM	FRAME:	IRON



Model 1707 22"

MOTOR:	250W BRUSHLESS, REAR MOTOR	FULL CHARGE DISTANCE:	≤50KM
NET WEIGHT:	26KG	DERAILLEUR:	SINGLE GEAR
BATTERY:	LITHIUM BATTERY, 48V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	DISPLAY:	LED
RATED LOADING:	130KGS	BRAKE:	F/DRUM-BRAKE R/EXPANDING BRAKE
MAX. SPEED:	≤25KM	FRAME:	ALUMINIUM-ALLOY



Model 1539 16" (EN-15194)

MOTOR: 300W HIGH-SPEED MOTOR
 NET WEIGHT: 38 KG
 BATTERY: LEAD-ACID 36V12AH
 CHARGING TIME: 6-8 HOURS
 DERAILLEUR: NO
 BRAKE: F/DRUM- BRAKE R/EXPANDING- BRAKE

RATED LOADING: 130KG
 MAX. SPEED: ≤25KM
 FULL CHARGE DISTANCE: ≤40KM
 CLIMB HILL: 12°
 PEDAL ASSISTANT SYSTEM: 1:1
 FRAME: IRON



Model 308-3 20" (EN-15194)

MOTOR: 250W BRUSHLESS/ REAR MOTOR
 NET WEIGHT: 31 KG
 BATTERY: LEAD-ACID 24V12AH
 CHARGING TIME: 6-8 HOURS
 RATED LOADING: 120KG
 DERAILLEUR: NO

BRAKE: F/ V- BRAKE R/EXPANDING BRAKE
 MAX. SPEED: ≤25KM
 FULL CHARGE DISTANCE: ≤40KM
 CLIMB HILL: 12°
 FRAME: IRON



Model 1526 28 " (EN-15194)

MOTOR: 250W BRUSHLESS, REAR MOTOR
 NET WEIGHT: 25KG
 BATTERY: LITHIUM BATTERY, 36V10AH
 CHARGING TIME: 4-6 HOURS
 RATED LOADING: 120KGS
 MAX. SPEED: ≤25KM

FULL CHARGE DISTANCE: ≤50KM
 DERAILLEUR: SHIMANO 7 SPEED OUTSIDE
 CLIMB HILL: 12°
 DISPLAY: LCD FIVE MODE, 6KM/H PUSH
 BRAKE: F/R V-BRAKE
 FRAME: ALUMINIUM-ALLOY



Model 1810 26"

MOTOR :	250W BRUSHLESS REAR MOTOR	RATED LOADING:	120KG
BATTERY:	LITHIUM BATTERY ,36V 11AH	MAX.SPEED:	≅ 30KM/H
NET WEIGHT:	20 KG	FULL CHARGE DISTANCE:	≅ 40KM
CHARGING TIME:	5-8 HOURS	CLIMB HILL:	12°
DERAILLEUR:	SHIMANO 6 SPEED OUTSIDE	DISPLAY:	LED
BRAKE:	FR/RR DISC BRAKE	FRAME:	ALUMINIUM -ALLOY



Model 1508 26" (EN-15194)

MOTOR:	250W BRUSHLESS,REAR MOTOR	FULL CHARGE DISTANCE:	≤50KM
NET WEIGHT:	19KG	DERAILLEUR:	SHIMANO 7 SPEED OUTSIDE
BATTERY:	LITHIUM BATTERY,36V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	DISPLAY:	LED THREE MODE
RATED LOADING:	120KGS	BRAKE:	F/R DISC BRAKE
MAX. SPEED:	≤25KM	FRAME :	ALUMINIUM-ALLOY

Special for KFC



Model 1535 22" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	FULL CHARGE DISTANCE:	≤50KM
NET WEIGHT:	36KGS	DERAILLEUR:	NO SPEED
BATTERY:	LITHIUM BATTERY, 48V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	DISPLAY:	LED THREE MODE
RATED LOADING:	130KGS	BRAKE:	F/ DRUM-BRAKE R/EXPANDING-BRAKE
MAX. SPEED:	≤25KM	FRAME:	IRON



Model 310-3 26" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	FULL CHARGE DISTANCE:	≤45KM
NET WEIGHT:	29KG	MAX. SPEED:	≤25KM
BATTERY:	LITHIUM 48V10AH	CLIMB HILL:	12°
CHARGING TIME:	4-6 HOURS	BRAKE:	F/ V- BRAKE R/EXPANDING BRAKE
DERAILLEUR:	SINGLE SPEED	DISPLAY:	LED
RATED LOADING:	130KGS	FRAME:	IRON



Model 310-1 26" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	MAX. SPEED:	≤25KM
NET WEIGHT:	33KG	FULL CHARGE DISTANCE:	≤40KM
BATTERY:	LEAD-ACID 24V 12AH	CLIMB HILL:	12°
CHARGING TIME:	6-8 HOURS	BRAKE:	F/ V- BRAKE R/EXPANDING BRAKE
REAR DERAILLEUR:	SHIMANO 6 SPEED OUTSIDE	FRAME:	IRON
RATED LOADING:	120KGS		



Model 310-2 26" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	MAX. SPEED:	≤25KM
NET WEIGHT:	30KG	FULL CHARGE DISTANCE:	≤35KM
BATTERY:	LEAD-ACID 24V 7AH	CLIMB HILL:	12°
CHARGING TIME:	6-8 HOURS	BRAKE:	F/ V- BRAKE R/EXPANDING BRAKE
DERAILLEUR:	SHIMANO 6 SPEED OUTSIDE	FRAME:	IRON
RATED LOADING:	130KGS		



Model 311-2 24" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	MAX. SPEED:	≤25KM
NET WEIGHT:	32KG	FULL CHARGE DISTANCE:	≤40KM
BATTERY:	LEAD-ACID 24V 12AH	CLIMB HILL:	12°
CHARGING TIME:	6-8 HOURS	BRAKE:	F / V- BRAKE R/EXPANDING BRAKE
DERAILLEUR:	NO	FRAME:	IRON, FOLDING MODE
RATED LOADING:	130KGS		



Model 312 24" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	RATED LOADING:	130KGS
NET WEIGHT:	33KG	DERAILLEUR:	SHIMANO 6 SPEED OUTSIDE
BATTERY:	LEAD-ACID 24V 12AH	CLIMB HILL:	12°
CHARGING TIME:	6-8 HOURS	DISPLAY:	LED
MAX. SPEED:	≤25KM	BRAKE:	F / R -DISC BRAKE
FULL CHARGE DISTANCE:	≤40KM	FRAME:	IRON



Model 311-2 24" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	MAX. SPEED:	≤25KM
NET WEIGHT:	32KG	FULL CHARGE DISTANCE:	≤40KM
BATTERY:	LEAD-ACID 24V 12AH	CLIMB HILL:	12°
CHARGING TIME:	6-8 HOURS	BRAKE:	F / V- BRAKE R/EXPANDING BRAKE
DERAILLEUR:	NO	FRAME:	IRON, FOLDING MODE
RATED LOADING:	130KGS		



Model 312 24" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	RATED LOADING:	130KGS
NET WEIGHT:	33KG	DERAILLEUR:	SHIMANO 6 SPEED OUTSIDE
BATTERY:	LEAD-ACID 24V 12AH	CLIMB HILL:	12°
CHARGING TIME:	6-8 HOURS	DISPLAY:	LED
MAX. SPEED:	≤25KM	BRAKE:	F / R -DISC BRAKE
FULL CHARGE DISTANCE:	≤40KM	FRAME:	IRON



Model 1706 120-90-10"

MOTOR:	1200W BRUSHLESS, REAR MOTOR	FULL CHARGE DISTANCE:	≤70KM
NET WEIGHT:	115KG	DERAILLEUR:	NO
BATTERY:	LEAD-ACID 72V20AH	CLIMB HILL:	12°
CHARGING TIME:	6-8 HOURS	DISPLAY:	LCD
RATED LOADING:	200KGS	BRAKE:	FF/RR DISC BRAKE
MAX. SPEED:	≤60KM	FRAME :	IRON



Model 1510 18" (EN-15194)

MOTOR:	250W BRUSHLESS, REAR MOTOR	MAX. SPEED:	≤25KM
NET WEIGHT:	58KG	FULL CHARGE DISTANCE:	≤50KM
BATTERY:	LEAD-ACID 48V12AH	DISPLAY:	LCD
CHARGING TIME:	6-8 HOURS	BRAKE:	F/DRUM BRAKE R/EXPANDING BRAKE
RATED LOADING:	150KGS	FRAME:	IRON



Model 1901

MOTOR :	2000W BRUSHLESS PERMANENT MAGNET MOTOR	FULL CHARGE DISTANCE:	≅ 70KM
NET WEIGHT:	79KG	TYRES:	12" F: 120×70 R: 130×70 VACUUM TIRE
BATTERY:	LITHIUM BATTERY ,72V 41AH	BRAKE:	F/ R DISC BRAKE
CHARGING TIME:	6-8 HOURS	FORK:	F/ R HYDRAULIC
SEAT SIZE:	63CM	CONTROLLER:	18 PIPE CONTROLLER
MAX.SPEED:	≅ 80KM/H	SIZE:	1900×680×1200M



Model 1902

MOTOR :	2000W BRUSHLESS PERMANENT MAGNET MOTOR	FULL CHARGE DISTANCE:	≅ 100KM
NET WEIGHT:	84KG	TYRES:	12" 90×90 VACUUM TIRE
BATTERY:	LITHIUM BATTERY ,72V 60AH	BRAKE:	F/ R DISC BRAKE
CHARGING TIME:	6-8 HOURS	FORK:	F/ R HYDRAULIC
SEAT SIZE:	63CM	CONTROLLER:	18 PIPE CONTROLLER
MAX.SPEED:	≅ 80KM/H	SIZE:	2170×720×1200M



Model 1905 Three wheel

MOTOR :	300W BRUSHLESS REAR MOTOR	RATED LOADING:	150KG
BATTERY:	LITHIUM BATTERY ,48V 13.2AH	MAX.SPEED:	≅ 30KM/H
NET WEIGHT:	39 KG	FULL CHARGE DISTANCE:	≅ 45KM
CHARGING TIME:	5-8 HOURS	CLIMB HILL:	12°
DERAILLEUR:	SPEED 6 SHIMANO OUTSIDE	DISPLAY:	LED
BRAKE:	F/R DISC BRAKE	FRAME:	ALUMINIUM-ALLOY



Model 1906 Three wheel

MOTOR :	250W BRUSHLESS REAR MOTOR	RATED LOADING:	150KG
BATTERY:	LITHIUM BATTERY ,48V 8.8AH	MAX.SPEED:	≅ 30KM/H
NET WEIGHT:	35 KG	FULL CHARGE DISTANCE:	≅ 30KM
CHARGING TIME:	5-8 HOURS	CLIMB HILL:	12°
DERAILLEUR:	SPEED 7 SHIMANO OUTSIDE	DISPLAY:	LCD
BRAKE:	F/R DISC BRAKE	FRAME:	ALUMINIUM-ALLOY



MODEL 1813



MODEL 1814



MODEL 1817



MODEL 1816



MODEL 1815



MODEL 1808



MODEL 1818



MODEL 1819