



Mini Pagoda Tent Technical Data (Type: M-PAG3/210)



Item	Specification
Clear-span width	3m
Eave height	2.1m
Ridge height	3.88m
Wind loading	80km/hour 0.3kn/m ²

Item	Specification
Eave connection	Hot-dip Galvanized steel insert
Framework material	Hard pressed extruded aluminium 6061/T6 (13HW)
Cover material	PVC-coated polyester textile, flame retardant to DIN 4102 B1,M2,CFM. 750-900g/m ²



Type M-PAG3/210

Optional accessories	
PVC window sidewalls	Transparent PVC cover and sidewall
Anchoring	Weight plate
Rain Gutter	Lining and curtain

Framework main profile dimension and use		
<p>upright support Eave beam</p>	<p>Bevel beam</p>	<p>Center Pole</p>





Pagoda Tent Technical Data (Type: PAG3/250)



Item	Specification
Clear-span width	3m
Eave height	2.5m
Ridge height	4.3m
Wind loading	80km/hour 0.3kn/m ²

Item	Specification
Eave connection	Hot-dip Galvanized steel insert
Framework material	Hard pressed extruded aluminium 6061/T6 (13HW)
Cover material	PVC-coated polyester textile, flame retardant to DIN 4102 B1,M2,CFM. 750-900g/m ²



Type PAG3/250

Optional accessories	
PVC window sidewalls	Hard walling system
Anchoring	Glass walling system
Rain Gutter	Transparent PVC cover and sidewall
Lining and curtain	Flooring system
Glass door units	Weight plate

Framework main profile dimension and use		
<p>upright support Eave beam</p>	<p>Bevel beam</p>	<p>Center Pole</p>



PVC window sidewalls



Flooring system



Transparent PVC cover and sidewalls



Lining and curtain





Glass door units

Pagoda Tent Technical Data (Type: PAG4/250)



Item	Specification
Clear-span width	4m
Eave height	2.5m
Ridge height	4.8m
Wind loading	80km/hour 0.3kn/m ²

Item	Specification
Eave connection	Hot-dip Galvanized steel insert
Framework material	Hard pressed extruded aluminium 6061/T6 (13HW)
Cover material	PVC-coated polyester textile, flame retardant to DIN 4102 B1,M2,CFM. 750-900g/m ²



Type PAG4/250

Optional accessories	
PVC window sidewalls	Hard walling system
Anchoring	Glass walling system
Rain Gutter	Transparent PVC cover and sidewall
Lining and curtain	Flooring system
Glass door units	Weight plate

Framework main profile dimension and use		
<p>upright support Eave beam</p>	<p>Bevel beam</p>	<p>Center Pole</p>



PVC window sidewalls



Flooring system



Transparent PVC cover and sidewalls



Lining and curtain





Glass door units

Pagoda Tent Technical Data (Type: PAG5/250)



Item	Specification
Clear-span width	5m
Eave height	2.5m
Ridge height	5.43m
Wind loading	80km/hour 0.3kn/m ²

Item	Specification
Eave connection	Hot-dip Galvanized steel insert
Framework material	Hard pressed extruded aluminium 6061/T6 (13HW)
Cover material	PVC-coated polyester textile, flame retardant to DIN 4102 B1,M2,CFM. 750-900g/m ²



Type PAG5/250

Optional accessories	
PVC window sidewalls	Hard walling system
Anchoring	Glass walling system
Rain Gutter	Transparent PVC cover and sidewall
Lining and curtain	Flooring system
Glass door units	Weight plate

Framework main profile dimension and use		
<p>upright support Eave beam</p>	<p>Bevel beam</p>	<p>Center Pole</p>



PVC window sidewalls



Flooring system



Transparent PVC cover and sidewalls



Lining and curtain





Glass door units

Pagoda Tent Technical Data (Type: PAG10/260)




Item	Specification
Clear-span width	10m
Eave height	2.6m
Ridge height	6.38m
Wind loading	80km/hour 0.3kn/m ²

Item	Specification
Eave connection	Hot-dip Galvanized steel insert
Framework material	Hard pressed extruded aluminium 6061/T6 (13HW)
Cover material	PVC-coated polyester textile, flame retardant to DIN 4102 B1,M2,CFM. 750-900g/m ²



Type PAG10/260

Framework main profile dimension and use



upright support
Eave beam
Bevel beam



Center Pole

Optional accessories

PVC window sidewalls	Hard walling system
Anchoring	Glass walling system
Rain Gutter	Transparent PVC cover and sidewall
Lining and curtain	Flooring system
Glass door units	Weight plate



PVC window sidewalls



Flooring system



Transparent PVC cover and sidewalls



Lining and curtain




Glass door units

Pagoda Tent Technical Data (Type: PAG6/250)

High Quality Tent Trust-worthy Liri



Item	Specification
Clear-span width	6m
Eave height	2.5m
Ridge height	5.92m
Wind loading	80km/hour 0.3kn/m ²
Eave connection	Hot-dip Galvanized steel insert
Framework material	Hard pressed extruded aluminium 6061/T6 (15HW)
Cover material	PVC-coated polyester textile, flame retardant to DIN 4102 B1,M2,CFM. 750-900g/m ²



Framework main profile dimension and use		
<p>65mm 2.5mm 65mm upright support Eave beam</p>	<p>45mm 2.0mm 45mm Bevel beam</p>	<p>∅ 32x2mm Center Pole</p>

Optional accessories
PVC window sidewalls
Anchoring
Rain Gutter
Lining and curtain
Glass door units
Hard walling system
Glass walling system
Transparent PVC cover and sidewall
Flooring system
Weight plate



