

Complete Storage Solutions



LES NOUVEAUX EXPORTATEURS LIMITED
Office 3,10/F WITTY COMMERCIAL BUILDING,
1A-1L TUNG CHOI STREET,MONGKOK QUARTER
KOWLOON,HONG KONG

Office:+852 8191 1210

Whatsapp&mobile: +63 915 904 4401

www . lesnouveauxexportateurs . fr
info @ lesnouveauxexportateurs . fr

Complete Storage Solutions



CONTENTS

A variety of products and systems for warehouse, factories and workshops



Drawer Cabinets

01~10



ESD workbench

52~54



Mobile Cabinets

11~13



Tools Storage Rack

57~60




Combination Cabinets

14~18



Tilt Box

61~62



Storage Cabinets

19~30



Scrap Hopper

65



NC storage and Transport

31~40



Plastic Container

67~72



Intelligent Drawer Cabinet

41~42



Drawer Rack

73



Workbench

43~51




Heavy Duty Rack

75

About US

2005 year >



2009 year >

Expanded to 12 branches in China

2012 year >

62 patents certificate
ISO9001 : 2008 certificate
Was awarded the National "high-tech enterprise"

2013 year >

Production capacity exceeds 50000 units / year

2016 year >

Set up new factory



2017 year >>>

Intelligent storage cabinet are popular in the North American market
Expanding the international market

Drawer Cabinets

- As a professional cabinet for storing tools, With large storage capacity, heavy duty load and other advantages; The unique separation classification system has a strong visual effect.



Free Combination

Suitable for Different Working Space.

Drawer Cabinets:

- High quality Material, durable cabinet housing.
- Advanced central lock (with safety buckle) to ensure safe opening and management of drawers.
- Full width in-line handle, with label cover, at a glance.
- You can freely choose drawers of different heights to meet your needs.
- The interior of the drawer can be freely divided.
- Add high-strength casters and move freely.
- Add a top frame to prevent items from slipping and increase the use of space.

Mobile Cabinets:

- Heavy-duty mobile casters make our mobile cabinets easy to move, Safe and reasonable transporting tools and spare parts.

Optional Color:



Feature



Central Lock Structure

- Central lock with special lock for safes, one lock can lock all drawers, Mutual opening rate up to 1/1000.




Width Handle/Safety Drawer Latches

- Label holder with transparent PVC film, easy, clean and protected label. Lock-in / lock-out latches prevent the cabinet from tipping over by blocking all other drawers when one drawer is pulled out.



Drawer Rail

- Drawer with special slide rail design, bearing principle, heavy duty capacity, easy and smooth pull-push. Three kinds of slide rails: Single-rail (EA), double-rail (VA), three-rail (LA).



Cabinet Top Trays

- With upturned edges on four sides 20mm, including black ribbed oil-proof mats.




Handle

- Reinforced nylon handle, Easy to control at the cart direction, moves lightly and quickly.



Castor

- Two fixed castors and two swivel castors with locking brake, Easy to turn, easy to move, Stand the impact caused by moving. Size: 4x1.25" and 4x2".



Base

- Optional base and forklift base. Prevent rust and increase load carrying capacity. Adjust the height of the drawer cabinet. Lifted and moved easily with a forklift truck.



Top pegboard (optional)

- With siding and collapse function, used with hooks, Easy for tools storage.




Side Foldable board (optional)

- Foldable function, increase useful space.


- Drawers for storing various accessories, flexible space separating, easy to store, protect the tools, improve efficiency.

Specification



Drawer Model	Cabinet Size (WxD)	Drawer Inner Size (WxD)	Useful space
CSL	411x572 mm	306x459 mm	0.140 m ²
CFL	564x572 mm	459x459 mm	0.211 m ²
CFD	564x725 mm	459x612 mm	0.281 m ²
CMS	717x470 mm	612x357 mm	0.218 m ²
CML	717x572 mm	612x459 mm	0.281 m ²
CMD	717x725 mm	612x612 mm	0.375 m ²
CTL	870x572 mm	765x459 mm	0.351 m ²
CTD	870x725 mm	765x612 mm	0.468 m ²
CWL	1023x572 mm	918x459 mm	0.421 m ²
CWD	1023x725 mm	912x612 mm	0.558 m ²


- Drawer height in 25mm multiple configuration, available sizes from 75~400mm.
- The height and number of drawers can be matched freely, plus 100mm is the height of the tool cabinet.
- Three types of drawer rails: Single-rail (EA), Double-rail (VA), Three-rail (LA). One style or three styles can be mixed.



Drawer height H	75	100	125	150	200	250	300	350	400
Drawer Wall height B	52	77	77	127	127	127	127	127	127
Useful height	Single-rail (EA)	61	86	111	136	186	236	286	386
	Double-rail (VA)	54	79	104	129	179	229	279	379

Type of Drawers


Loading Capacity 80~100kg



Single-rail Drawer (EA)

- 85% opening. Height range : 75~400mm. Used for storing tools and small spare parts, Installed on the upper of the tool cabinet, Convenient pickup.

Loading Capacity 100~140kg



Double-rail Drawer (VA)

- 100% opening. Height range: 75~400mm. Used for storing heavy tools, heavy-duty drawers, large load-bearing and application range, Installed on the lower part of the tool cabinet, avoid of the tool cabinet tilt when opening.


Loading Capacity 30~40kg



Three-rail Drawer (LA)

- 100% opening. Height range : 75~300mm.

Steel dividers



- Store small and medium spare parts, separated flexible by drawer partitions and dividers.

Cabinet Size (WxD)	Drawer Model	Drawer height	
		H=75~125mm	H>150mm
411x572 mm	CSL	2x3	2x2
564x572 mm	CFL	3x3	2x2
564x725 mm	CFD	3x3	2x2
717x572 mm	CML	3x3	2x2
717x725 mm	CMD	3x3	2x2
870x572 mm	CTL	3x3	2x3
870x725 mm	CTD	3x3	2x3
1023x572 mm	CWL	3x3	2x3
1023x725 mm	CWD	3x3	2x3

Drawer Partitions



- Partitions and dividers can be easily moved and rearranged. Partitions span entire width or depth of a drawer, spacing in 17mm multiple. Fasten to drawer bottom at prepunched locations.


Model	Drawer Height (mm)	Partitions Height (mm)	Partitions Length (mm)
CT-001-2	75	50	456 / 609
CT-001-3	100~125	71	456 / 609
CT-001-4	150~400	121	456 / 609

Drawer Dividers




- Use with partitions to subdivide drawer space.

Model	Drawer Height (mm)	Divider Height (mm)	Divider Length (mm)
CT-002-2 (8U)	75	50	(8U)149 / (12U) 200
CT-002-3 (12U)	100~125	71	(13U) 217 / (14U) 234
CT-002-4 (13U)	150~400	121	(15U) 251 / (18U) 302



Red Plastic Bins and Dividers




- Ideal for storing smaller items. Bins can quickly be removed for easy handling, issuing, and counting. Suitable for drawer's height under 100mm.

Drawer Height	Model	Size (mm)	Material
75mm	ASA75	W75xD75xH45	ABS
	ASB75	W150xD75xH45	ABS
	ASC75	W150xD150xH45	ABS
100mm	ASA100	W75xD75xH70	ABS
	ASB100	W150xD75xH70	ABS
	ASC100	W150xD150xH70	ABS




Red Plastic Groove Trays and Dividers



- Store and separate elongated items. Can be divided into compartments by groove tray and plastic dividers. Flexible separation.

Groove Tray	Model	Size (mm)	Width	Material
Two channel	BS-2	W152xD152xH35	71	ABS
Three channel	BS-3	W152xD152xH35	46	ABS
Four channel	BS-4	W152xD152xH35	33	ABS

Divider	Model	Size (mm)	Material
For two channel	BSA-2	W71xH30	ABS
For three channel	BSA-3	W46xH30	ABS
For four channel	BSA-4	W33xH30	ABS



Locating Pins



- Made of $\Phi 6$ mm steel bars and galvanized, Effectively fixed vise, wrench, etc. in the drawer.

Model	Drawer Height (mm)	Diameter (mm)	Height (mm)
CT-ACB-1	75	$\Phi 6$	48
CT-ACB-2	100-400	$\Phi 6$	70

Plastic Holder



- Use for fixing discs and saw tooth tools by insert technology, Combined with foam pad for better effect.

Model	Diameter (mm)	Height (mm)	Remarks
CT-ACH-016	$\Phi 16$	26	Using insert technology, ABS material, stable and beautiful structure.
CT-ACH-026	$\Phi 26$	26	
CT-ACH-032	$\Phi 32$	26	


Ribbed Rubber Mat



Mat Thickness: 2 (mm)

- Slip-proof in the drawer, crop according to the used size.

Model	Size (WxD) (mm)		Model	Size (WxD) (mm)	
	Cabinet	Mat		Cabinet	Mat
CT-010-1	411x572	300x450	CT-010-6	717x725	600x600
CT-010-2	564x572	450x450	CT-010-7	870x572	750x450
CT-010-3	564x725	450x600	CT-010-8	870x725	750x600
CT-010-4	717x470	600x350	CT-010-9	1023x275	900x450
CT-010-5	717x572	600x450	CT-010-10	1023x725	900x600



Drawer Cabinets


- Cabinet top optional: top steel tray with mat, green multiplex desktop, beech wooden desktop.
- Cabinet top optional: square hole hanging plate, louver hanging plate.
- Drawer rail optional: Single-rail (EA), Double-rail (VA), Three-rail (LA).
- Drawer inside divider optional: steel dividers, red plastic bins, red plastic groove trays, locating pins, plastic holder etc.



Single-rail Drawer (EA):
Loading Capacity: 80 ~ 100kg,
85% opening.

Three-rail Drawer (VA):
Loading Capacity: 100 ~ 140kg,
100% opening.

Top optional plate



• Square hole hanging plate

• Louver hanging plate

Width: 411 / 564 / 717 / 870 / 1023mm
Depth: 20mm Height: 450mm

Base/forklift base

- Forklift base (Front and back covers are optional)



Width: 100mm
Depth: 572 / 725mm
Height: 50mm/100mm

Optional Colour



Optional Desktop



- Top steel tray with mat

Width: 411 / 564 / 717 / 870 / 1023mm
Depth: 572 / 725mm Height: 20mm



- Green multiplex desktop

Width: 411 / 564 / 717 / 870 / 1023mm
Depth: 572 / 725mm Height: 30mm




- Beech wooden desktop

Width: 411 / 564 / 717 / 870 / 1023mm
Depth: 572 / 725mm Height: 30mm

Drawer Cabinets


18U×27U/36U

Cabinet size: W411×D572 / 725 mm




5 drawers

- ODB40
Size: W411×D572×H1000mm
- ODC40
Size: W411×D725×H1000mm



6 drawers

- ODB46
Size: W411×D572×H1150mm
- ODC46
Size: W411×D725×H1150mm




7 drawers

- ODB52
Size: W411×D572×H1300mm
- ODC52
Size: W411×D725×H1300mm


27U×27U/36U

Cabinet size: W564×D572 / 725 mm




5 drawers

- ODE40
Size: W564×D572×H1000mm
- ODF40
Size: W564×D725×H1000mm



6 drawers

- ODE46
Size: W564×D572×H1150mm
- ODF46
Size: W564×D725×H1150mm




7 drawers

- ODE52
Size: W564×D572×H1300mm
- ODF52
Size: W564×D725×H1300mm




36U×21U/27U

Cabinet size: W717×D470 / 572 mm




5 drawers

- 0DG40
Size: W717×D470×H1000mm
- 0DH40
Size: W717×D572×H1000mm



6 drawers

- 0DG46
Size: W717×D470×H1150mm
- 0DH46
Size: W717×D572×H1150mm



8 drawers

- 0DG58
Size: W717×D470×H1450mm
- 0DH58
Size: W717×D572×H1450mm

36U×36U

Cabinet size: W717×D725 mm




5 drawers

- 0DI40-5A
Size: W717×D725×H1000mm




9 drawers

- 0DI40-9A
Size: W717×D725×H1000mm




6 drawers

- 0DI46
Size: W717×D725×H1150mm




7 drawers

- 0DI52
Size: W717×D725×H1300mm



8 drawers

- 0DI58-8A
Size: W717×D725×H1450mm




11 drawers

- 0DI58-11A
Size: W717×D725×H1450mm


45U×27U/36U

Cabinet size: W870×D572 / 725 mm




5 drawers

- 0DK40
Size: W870×D572×H1000mm
- 0DL40
Size: W870×D725×H1000mm



6 drawers

- 0DK46
Size: W870×D572×H1150mm
- 0DL46
Size: W870×D725×H1150mm




6 drawers

- 0DK53
Size: W870×D572×H1325mm
- 0DL53
Size: W870×D725×H1325mm


54U×27U/36U

Cabinet size: W1023×D572 / 725 mm




5 drawers

- 0DN40
Size: W1023×D572×H1000mm
- 0DO40
Size: W1023×D725×H1000mm



6 drawers

- 0DN46
Size: W1023×D572×H1150mm
- 0DO46
Size: W1023×D725×H1150mm



7 drawers

- 0DN53
Size: W1023×D572×H1325mm
- 0DO53
Size: W1023×D725×H1325mm



Mobile Cabinets

- Cabinet top optional : top steel tray with mat, green multiplex desktop, beech wooden desktop.
- Cabinet top optional : square hole hanging plate, louver hanging plate.
- Drawer rail optional: Single-rail (EA), Double-rail (VA), Three-rail (LA).
- Drawer inside divider optional: steel dividers, red plastic bins, red plastic groove trays, locating pins, plastic holder etc.



18U×27U Cabinet size: W411×D572 mm



4 drawers

• 0DB26M

Size: W411×D572×H800mm



5 drawers

• 0DB28M

Size: W411×D572×H850mm



7 drawers

• 0DB34M

Size: W411×D572×H1000mm

27U×27U/36U Cabinet size: W564×D572 / 725 mm



4 drawers

• 0DE26M

Size: W564×D572×H800mm

• 0DF26M

Size: W564×D725×H800mm



5 drawers

• 0DE28M

Size: W564×D572×H850mm

• 0DF28M

Size: W564×D725×H850mm



7 drawers

• 0DE34M


Size: W564×D572×H1000mm

• 0DF34M

Size: W564×D725×H1000mm

Mobile Cabinets

36U×21U/27U Cabinet size: W717×D572 / 725 mm



4 drawers

• 0DG26M

Size: W717×D572×H800mm

• 0DH26M

Size: W717×D725×H800mm



5 drawers

• 0DG28M

Size: W717×D572×H850mm

• 0DH28M

Size: W717×D725×H850mm



7 drawers

• 0DG34M

Size: W717×D572×H1000mm

• 0DH34M

Size: W717×D725×H1000mm

45U×27U/36U Cabinet size: W870×D572 / 725 mm



4 drawers

• 0DK26M

Size: W870×D572×H800mm

• 0DL26M

Size: W870×D725×H800mm



5 drawers

• 0DK28M

Size: W870×D572×H850mm

• 0DL28M

Size: W870×D725×H850mm



7 drawers

• 0DK34M

Size: W870×D572×H1000mm

• 0DL34M

Size: W870×D725×H1000mm

54U×27U/36U Cabinet size: W1023×D572 / 725 mm



4 drawers

• 0DN26M

Size: W1023×D572×H800mm

• 0DO26M

Size: W1023×D725×H800mm



5 drawers

• 0DN28M

Size: W1023×D572×H850mm

• 0DO28M

Size: W1023×D725×H850mm



7 drawers

• 0DN34M

Size: W1023×D572×H1000mm

• 0DO34M

Size: W1023×D725×H1000mm

Shutter Door Cabinets

Save space, easy to move. High quality spring control, stop on the right position. Aluminum alloy shutter door has good anti-corrosion performance, reducing wear and noise and improving use life.



Shutter door cabinets + beech wooden desktop + castors



Shutter door cabinets + top steel tray + square hole hanging plate

H850mm



1 layers of shelves inside

● 9DH34M

Size: W717xD600xH850mm

● 9DK34M

Size: W870xD600xH850mm

● 9DN34M

Size: W1023xD600xH850mm



1 layers of shelves inside

● 9DH34M-1

Size: W717xD600xH850+450 (plate)

● 9DK34M-1

Size: W870xD600xH850+450 (plate)

● 9DN34M-1

Size: W1023xD600xH850+450 (plate)

H1000 / 1800mm



2 layers of shelves inside

● 9DH34

Size: W717xD600xH1000mm

● 9DK34

Size: W870xD600xH1000mm

● 9DN34

Size: W1023xD600xH1000mm



4 layers of shelves inside

● 9DH81

Size: W717xD600xH1800mm

● 9DK81


Size: W870xD600xH1800mm

● 9DN81

Size: W1023xD600xH1800mm

Conjoined Drawer Cabinets

H850mm



18U+18U (W411+W411)

10 drawers

● 1DA34

Size: W810xD572xH850mm

● 1DB34

Size: W810xD725xH850mm



27U+27U (W564+W564)


10 drawers

● 1DE34

Size: W1116xD572xH850mm

● 1DF34

Size: W1116xD725xH850mm



18U+27U (W411+W564)


10 drawers

● 1DC34

Size: W963xD572xH850mm

● 1DD34

Size: W963xD725xH850mm



18Ux3 (W411x3)

15 drawers

● 1SE34

Size: W1209xD572xH850mm

● 1SC34

Size: W1209xD725xH850mm

Design on the basis of standard drawer cabinet, sharing the intermediate connection structure. Save space compared to stand-alone drawer cabinet combinations.



Cabinets + beech wooden desktop + castors



Cabinet + top steel tray + square hole hanging plate



Cabinet + top steel tray + square hole hanging plate + castors

Combination Cabinets

Combination with drawer and door cabinets, extending horizontal on the basis of drawer cabinet.



Cabinet + top steel tray



cabinet + beech wooden desktop + castors



cabinet + beech wooden desktop + square hole hanging plate + castors

H850mm



4 drawers

● 2DA34M

Size: W870xD572xH850

Left: W411 cabinet, Right: 2 layers

● 2DE34M

Size: W1023xD572xH850

Left: W564 cabinet, Right: 2 layers



4 drawers

● 2DA34M-1

Size: W870xD572xH850+450 (plate)

Left: W411 cabinet, Right: 2 layers

● 2DE34M-1

Size: W1023xD572xH850+450 (plate)

Left: W564 cabinet, Right: 2 layers

H1000mm



6 drawers

● 2DA40

Size: W870xD572xH1000

Left: W411 cabinet, Right: 2 layers

● 2DC40

Size: W1023xD572xH1000

Left: W564 cabinet, Right: 2 layers



6 drawers

● 2DA40-1

Size: W870xD572xH1000+450 (plate)

Left: W411 cabinet, Right: 2 layers

● 2DC40-1

Size: W1023xD572xH1000+450 (plate)

Left: W564 cabinet, Right: 2 layers

Combination Cabinets

H850mm



2 drawers

● 3DA34M

Size: W870xD572xH850

Upper: W870 cabinet, bottom: 1 layer

● 3DC34M

Size: W1023xD572xH850

Upper: W1023 cabinet, bottom: 1 layer



2 drawers

● 3DA34M-1

Size: W870xD572xH850+450 (plate)

Upper: W870 cabinet, bottom: 1 layer

● 3DC34M-1

Size: W1023xD572xH850+450 (plate)

Upper: W1023 cabinet, bottom: 1 layer

H1000mm



2 drawers

● 3DA40

Size: W870xD572xH1000

Upper: W870 cabinet, bottom: 2 layers

● 3DC40

Size: W1023xD572xH1000

Upper: W1023 cabinet, bottom: 2 layers



2 drawers

● 3DA40-1

Size: W870xD572xH1000+450 (plate)

Upper: W870 cabinet, bottom: 2 layers

● 3DC40-1

Size: W1023xD572xH1000+450 (plate)

Upper: W1023 cabinet, bottom: 2 layers

Combination with drawer cabinets and lockers, Downward on the basis of the tool cabinet.



Cabinet + top steel tray



Cabinet + beech wooden desktop + castors



cabinet + beech wooden desktop + square hole hanging plate + castors

Work Trolley

Work trolley with door, easy to move, dustproof, Compatible with the characteristics of locker, storing large tools. Special lock structure to ensure the safety of tools. Door with hanging plate, effective use of space. Wide range of applications, especially suitable for mechanical maintenance and tool storage.



Model	Size	Drawers Configuration	Remarks
7DA34	W717xD522xH1110mm	100VAx2, 150VAx1	3 drawers + storage space
7DA35	W717xD522xH1110mm	100VAx2, 150VAx1, 250VAx1	5 drawers

Upgrade on basis of tool cabinet, add top steel tray and casters, easy to move. Tool cabinet can be mounted on the upper or lower part, Stored in an open format, convenient to take.



Model	SDE34
Size	W570xD578xH850mm
Configuration	Top steel tray H20mm + Cabinet W564xD572xH300mm + Bottom steel tray



Model	6DE34
Size	W570xD578xH850mm
Configuration	Top steel tray H20mm + Cabinet W564xD572xH300mm + Upper steel tray

Work Trolley



Model	8DA29
Size	W564xD770xH880mm
Configuration	Top / bottom steel tray + drawer cabinet W564xD572xH400mm + door + lock





Model	8DB29
Size	W564xD770xH880mm
Configuration	3 layer steel tray + door + lock



Model	8DC29
Size	W564xD770xH880mm
Configuration	3 layer steel tray



Model	8DD29
Size	W564xD770xH880mm
Configuration	Top / bottom steel tray + drawer cabinet W564xD572xH400mm



Storage Cabinets

- Designed for factory tools storage, beautiful appearance, stable structure, safe use.
- Locker column adopts modular design, shelves height can be adjustable, suitable for different tools storage.
- Special design for the connection between the partition and the column, ensures the reliability and stability. 100kgs for each layer capacity, specially designed plate up to 250kgs.




Free Selection
Free Combination, More Choices



Heavy Duty Storage Cabinets

Feature :

- Modular design, adjustable shelves, suitable for different tools storage space.
- Heavy duty loading capacity over 100kgs for each shelf.
- Rotary lock on the door, also with handle function.



Model	Size (mm)	Configuration
05EB1D	W870xD500xH1800	4 adjustable shelves
05GB1D	W870xD600xH1800	4 adjustable shelves
05EB81	W1023xD500xH1800	4 adjustable shelves
05GB81	W1023xD600xH1800	4 adjustable shelves

Sliding shelf Storage Cabinets

Feature :


- Each layer of shelf can be slide out freely, double-rail.
- Modular design, adjustable shelves, suitable for different tools storage space.
- Heavy duty loading capacity over 140kgs for each shelf.
- Rotary lock on the door, also with handle function.

Model	Size (mm)	Configuration
05EB1D0083	W870xD500xH1800	4 sliding shelves
05GB1D0083	W870xD600xH1800	4 sliding shelves
05EB810083	W1023xD500xH1800	4 sliding shelves
05GB810083	W1023xD600xH1800	4 sliding shelves



Drawer Storage Cabinets

With heavy duty drawers, loading capacity 140KGS for each drawer, 100% open, Modular design, adjustable shelves, suitable for different tools storage space. Rotary lock on the door, also with handle function.



Model	Size (mm)	Configuration
35GB1D012D	W870xD600xH1800	3xH100 drawers
35GB81012D	W1023xD600xH1800	4 shelves (3 adjustable)

Model	Size (mm)	Configuration
35GB1D0197	W870xD600xH1800	2xH150 drawers
35GB810197	W1023xD600xH1800	3 shelves (2 adjustable)




Model	Size (mm)	Configuration
35GB1D0119	W870xD600xH1800	2xH100 drawers
35GB810119	W1023xD600xH1800	3 shelves (2 adjustable)

Model	Size (mm)	Configuration
35GB1D012F	W870xD600xH1800	3xH100 drawers
35GB81012F	W1023xD600xH1800	5 shelves (4 adjustable)

Drawer Storage Cabinets

Three - rail drawers, loading capacity 45KGS for each drawer, open size 400mm. Modular design, adjustable shelves, suitable for different tools storage space. Rotary lock on the door, also with handle function. Door opening angle approx 210°.



Model	Size (mm)	Configuration
05E0CB3005E	W930xD500xH1950	8 adjustable shelves
05E079F005E	W1100xD500xH1950	

Model	Size (mm)	Configuration
35E0CB3016E	W930xD500xH1950	4xH100 drawers 4xH150 drawers
35E079F016E	W1100xD500xH1950	6 shelves (5 adjustable)



Model	Size (mm)	Configuration
35E0CB3024A	W930xD500xH1950	16xH95 drawers
35E079F024A	W1100xD500xH1950	5 shelves (4 adjustable)

Model	Size (mm)	Configuration
35E0CB0180	W930xD500xH1950	4xH150 drawers
35E079F0180	W1100xD500xH1950	6 shelves (4 adjustable)

Bin Storage Cabinets



- Complete metal structure, safe and flexible, Designed for workshop storage, suitable for storage tools, spare parts, meters, drawings and other items.
- Modular design, adjustable shelves, suitable for different tools storage space.
- The door panel can be equipped with louver hanging plate for hanging bins, or with square hole plate for hooks to hang various tools.
- special design for the connection between the partition and the column, ensures the reliability and stability.



RAL-7035 RAL-7016 RAL-5012 RAL-5015 RAL-6011 RAL-3020

● Size W1023xD500 / 600xH1800(mm)



ZSEB81-A (D500) / ZSGB81-A (D600)

5 adjustable shelves(D240): 30×BX-02
2 adjustable shelves: 12×BX-04

1 louver hanging panel(H800): 24×BH-11
1 square hole hanging panel(H800): Hooks



ZSEB81-B (D500) / ZSGB81-B (D600)

3 adjustable shelves(D240): 18×BX-02
2 adjustable shelves(D340): 8×BX-03
2 adjustable shelves: 12×BX-04

1 louver hanging panel(H800): 24×BH-11
1 square hole hanging panel(H800): Hooks



ZSEB81-C (D500) / ZSGB81-C (D600)

5 adjustable shelves(D240): 30×BX-02
3 adjustable shelves(D340): 16×BX-03

1 louver hanging panel(H1600): 48×BH-11
1 square hole hanging panel(H1600): Hooks



ZSEB81-D (D500) / ZSGB81-D (D600)

3 adjustable shelves(D240): 18×BX-02
2 adjustable shelves(D340): 8×BX-03
1 adjustable shelves: 4×BX-04
4×H125(VA) drawers

1 louver hanging panel(H800): 24×BH-11
1 square hole hanging panel(H800): Hooks



ZSEB81-E (D500) / ZSGB81-E (D600)

1 inbuilt square hole hanging panel(H600)
1 adjustable shelves
2×H125(VA) drawers
1 adjustable shelves: 8×BX-04
1 louver hanging panel(H800): 24×BH-11
1 square hole hanging panel(H800): Hooks



BX-02 Combination bin BX-03 Combination bin



BX-04 Combination bin BH-11 Hanging bin

BX-02: L240×W150×H124mm

BX-03: L340×W200×H155mm

BX-04: L450×W200×H177mm


BH-11: L110×W105×H50mm

Bin Storage Cabinets

- Modular design, adjustable shelves
- Suitable for different tools, storage space and combination bins.
- Two types of strengthen load-bearing structure design.
- Loading capacity 100~200KG per shelf



RAL-7035 RAL-7016 RAL-5012 RAL-5015 RAL-6011 RAL-3020



BX-03 Combination bin

BX-03: L340×W200×H155mm



BX-05 Combination bin

BX-05: L450×W300×H177mm

Bin Storage Cabinets without door

Model	Size (mm)	Configuration
SSB5E90041	W900×D375×H1000	Loading capacity 100kgs for each layer, 4×BX-03 for each layer, Total 4 layers
SSB6090049	W900×D375×H1800	Loading capacity 100kgs for each layer, 4×BX-03 for each layer, Total 8 layers
SSD7790041	W1100×D475×H1000	Loading capacity 200kgs for each layer, 5×BX-03 or 3×BX-05 for each layer, Total 4 layers
SSD7990049	W1100×D475×H1800	Loading capacity 200kgs for each layer, 5×BX-03 or 3×BX-05 for each layer, Total 8 layers

Bin Storage Cabinets with double doors

Model	Size (mm)	Configuration
SSC5E90041	W900×D400×H1000	Loading capacity 100kgs for each layer, 4×BX-03 for each layer, Total 4 layers
SSC6090049	W900×D400×H1800	Loading capacity 100kgs for each layer, 4×BX-03 for each layer, Total 8 layers
SSC7790041	W1100×D500×H1000	Loading capacity 200kgs for each layer, 5×BX-03 or 3×BX-05 for each layer, Total 4 layers
SSC7990049	W1100×D500×H1800	Loading capacity 200kgs for each layer, 5×BX-03 or 3×BX-05 for each layer, Total 8 layers

Multi-function Bin Storage Cabinets

Complete metal storage cabinets, modular design, adjustable shelves, special design for the connection between the partition and the column, suitable for multi-function bins.






Without door	● Model	SSR0B6E		SSS0B6E		SST0B6E		SSU0B6E	
	● Size	W1023xD298xH1350		W1023xD398xH1350		W1023xD498xH1350		W1023xD598xH1350	
Double doors	● Model	SSA8B6E		SSC8B6E		SSE8B6E		SSG8B6E	
	● Size	W1023xD320xH1350		W1023xD420xH1350		W1023xD520xH1350		W1023xD620xH1350	
● Multi-function bin	9 layers	24xBHK-3109	24xBHK-4109	24xBHK-5109	24xBHK-6109	24xBHK-3109	24xBHK-4109	24xBHK-5109	24xBHK-6109
		12xBHK-3209	12xBHK-4209	12xBHK-5209	12xBHK-6209	12xBHK-3209	12xBHK-4209	12xBHK-5209	12xBHK-6209
		12xBHK-3214	12xBHK-4214	12xBHK-5214	12xBHK-6214	12xBHK-3214	12xBHK-4214	12xBHK-5214	12xBHK-6214



Without door	● Model	SSR0B82		SSS0B82		SST0B82		SSU0B82	
	● Size	W1023xD298xH1775		W1023xD398xH1775		W1023xD498xH1775		W1023xD598xH1775	
Double doors	● Model	SSA8B82		SSC8B82		SSE8B82		SSG8B82	
	● Size	W1023xD320xH1775		W1023xD420xH1775		W1023xD520xH1775		W1023xD620xH1775	
● Multi-function bin	11 layers	24xBHK-3109	24xBHK-4109	24xBHK-5109	24xBHK-6109	24xBHK-3109	24xBHK-4109	24xBHK-5109	24xBHK-6109
		20xBHK-3209	20xBHK-4209	20xBHK-5209	20xBHK-6209	20xBHK-3209	20xBHK-4209	20xBHK-5209	20xBHK-6209
		16xBHK-3214	16xBHK-4214	16xBHK-5214	16xBHK-6214	16xBHK-3214	16xBHK-4214	16xBHK-5214	16xBHK-6214

Multi-function Bin Storage Cabinets

Complete metal storage shelving, modular design, adjustable shelves, 140kgs for each layer capacity, suitable for multi-function bin.



● Model	4RE15-4209		4RH15-5001		4RK15-6214	
● Size	W1035xD400xH1525		W1035xD500xH1525		W1035xD600xH1525	
● Multi-function bin	11 layers	44xBHK-4209	10 layers	32xBHK-5109	8 layers	32xBHK-6214
				12xBHK-5209		12xBHK-5214



● Model	4RB15-3109		4RK15-6001	
● Size	W1035xD300xH1525		W1035xD600xH1525	
● Multi-function bin	11 layers	88xBHK-3109	10 layers	16xBHK-6109
				16xBHK-6209

- Modular design, convenient combination,
- Adjustable shelves per 25mm,
- Picking more easily,
- Steel handle to prevent bin falling.



BHK-3109	BHK-4109	BHK-5109	BHK-6109
L300xW117xH90	L400xW117xH90	L500xW117xH90	L600xW117xH90
BHK-3209	BHK-4209	BHK-5209	BHK-6209
L300xW234xH90	L400xW234xH90	L500xW234xH90	L600xW234xH90
BHK-3214	BHK-4214	BHK-5214	BHK-6214
L300xW234xH140	L400xW234xH140	L500xW234xH140	L600xW234xH140

Sliding Door Storage Cabinets

Sliding door storage cabinets offer in narrow optimal storage for all goods. Doors remain in the housing and stand in the sliding door storage cabinets.

High speed and silently on the rails.



Model	Size (mm)	Configuration
4SEAFB	W870xD500xH900	Steel sliding door
4SZB5F	W1023xD500xH900	1 adjustable shelf



Model	Size (mm)	Configuration
4SEB05	W870xD500xH1200	Steel sliding door
4SEB69	W1023xD500xH1200	2 adjustable shelves



Model	Size (mm)	Configuration
4SEB1D	W870xD500xH1800	Steel sliding door
4SEB81	W1023xD500xH1800	4 adjustable shelves



Model	Size (mm)	Configuration
4SEF05	W1430xD500xH1800	Steel sliding door
4SVB81	W1430xD627xH1800	1pc middle upright
		10 adjustable shelves

Viewing Glass Storage Cabinets

For greater transparency in the cabinet, available with viewing window doors, provide a clear view of the stored items and keep the inside of the cabinet neat and organised.



Model	Size (mm)	Configuration
6SEB1D0065	W870xD500xH1800	Glass double doors
6SEB810065	W1023xD500xH1800	4 adjustable shelves



Model	Size (mm)	Configuration
6SG81D0139	W870xD600xH1800	3xH100 drawers
6SG8810139	W1023xD600xH1800	2 shelves (1 adjustable)



Model	Size (mm)	Configuration
6SEB1D0075	W870xD500xH1800	Glass sliding door
6SEB810075	W1023xD500xH1800	4 adjustable shelves



Model	Size (mm)	Configuration
6SED75007E	W1800xD500xH1800	Glass sliding door
6SGD75007E	W1800xD600xH1800	1pc middle upright
		8 adjustable shelves

Functions:

- Store chemicals safely and reduce fire risks.
- Enhance fire safety through door-lock system and fireproof and explosion-proof vent.
- Comply with FM Approval Standard (Flammable and Combustible Liquids), OSHA 29 CER 1910.106 of American Occupational Safety and Health Administration, NFPA CODE30 of American National Fire Protection Association etc.

Warning label:

The label material is made of high quality reflective material to improve the safety of the cabinets in the weak light area.



Leakproof tank
50mm sump to prevent spill.

Yellow sign
Flammable Cabinets
Storing flammable liquids (low and median flash point liquid, flash point <math>< 37.8^{\circ}\text{C}</math>), such as gasoline, alcohol, kerosene, methanol, ethanol, etc. Reduce the risk of fire, to ensure the safety of life and property.

Red sign
Combustible Cabinets
Storing paintings, oil and other flammable liquids (high flash point liquid, flash point $\geq 37.8^{\circ}\text{C}$), such as diesel, engine oil, lubricating oil, tung oil, etc. Suitable for coating, printing, furniture, automobile and other industries.

Blue sign
Acid/Corrosive Safety Cabinets
Coated with blue epoxy powder coating for superior protection against chemical spills and splashes. storing corrosive liquids, such as acetic acid, carbonic acid, phosphoric acid, silicic acid etc. Suitable for school, research institutes.



Adjustable shelves:
Adjustable among every 6cm floor which can make full use of space.



Fireproofing ventilation hole:
At both sides of the cabinet, one on the top and the other on the bottom.



Three-point linkage lock:
Make lock safer, Flush paddle handle offers easy operation and save space.



Anti-static grounding wire:
Prevent static sparks from causing fire.



Y
R
B

Model	WA810040 Y / R / B
Size	W430xD430xH560mm
Volume	4 gallon / 15L
Adjustable shelves	1 layer



Y
R
B

Model	WA810120 Y / R / B
Size	W590xD460xH890mm
Volume	12 gallon / 45L
Adjustable shelves	1 layer



Y

Model	WA810220 Y
Size	W600xD460xH1650mm
Volume	22 gallon / 83L
Adjustable shelves	3 layer



Y
R
B

Model	WA810300 Y / R / B
Size	W1090xD460xH1120mm
Volume	30 gallon / 114L
Adjustable shelves	1 layer



Y
R
B

Model	WA810450 Y / R / B
Size	W1090xD460xH1650mm
Volume	45 gallon / 170L
Adjustable shelves	2 layer



Y
R
B

Model	WA810860 Y / R / B
Size	W860xD860xH1650mm
Volume	60 gallon / 227L
Adjustable shelves	2 layer



Y
R
B

Model	WA810860 Y / R / B
Size	W1090xD860xH1650mm
Volume	90 gallon / 340L
Adjustable shelves	2 layer



Model	SA-11112 Y
Size	W1500xD860xH1650mm
Volume	55 gallon oil drum x1
Remarks	Bottom roller device



Model	SA-11112 Y
Size	W1500xD860xH1650mm
Volume	55 gallon oil drum x2
Remarks	Bottom roller device

NC storage and Transport

- Including NC tool storage, tool holders, cutter, tool carts, door tool cabinets, combined door tool cabinets, tool holder shelf, combined tool holders etc.
Available in a variety of sizes, with common tool holder, applying different tool storage.

Newest
Design




Modular combination
More Options



NC storage and Transport

NC Tool Coat:



NC Tool Holder:

- Tool holders are widely used in NC tool storage.
- Used with the NC tool cart, NC tool shelf or NC tool cabinet to facilitate the transportation and storage.
- Applicable to ISO series, HSK series, CAPTO series NC tools.



ISO series



HSK series

Model	Size (mm)	Foot	Tool Coat	Units
ISO30	W600xD140xH125	✓	ISO30	6
ISO40	W600xD140xH125	✓	ISO40	5
ISO50	W600xD140xH125	✓	ISO50	4
ISO60	W600xD140xH125	✓	ISO60	3
HSK40	W600xD140xH98	×	HSK40	6
HSK63	W600xD140xH98	×	HSK63	5
HSK80	W600xD140xH98	×	HSK80	4
HSK100	W600xD140xH98	×	HSK100	3

NC Tool Top Tray:

- Mounted on top of tool cabinets, mobile cabinets, NC trolley etc.
- NC tool coat replacement is more easier.



Model	ACTP-B-ISO30	ACTP-B-ISO40	ACTP-B-ISO50	ACTP-B-ISO60	ACTP-B-HSK40	ACTP-B-HSK63	ACTP-B-HSK80	ACTP-B-HSK100
Size	W612xD600xH130mm							
Tool Coat	ISO30	ISO40	ISO50	ISO60	HSK40	HSK63	HSK80	HSK100
Units	25	25	16	9	35	25	25	16

NC Tool Holder and Accessory

Modular combination, One NC tool holder with multiple tool coat, free select as need, saving cost;

Newest Design



Model	Size (mm)	Tool Coat Clamp	Units
BT30	W600xD140xH125	Small	7
BT40	W600xD140xH125	Medium	5
BT50	W600xD140xH125	Big	4
HSK32	W600xD140xH125	Small	7
HSK40	W600xD140xH125	Small	7
HSK50	W600xD140xH125	Medium	5
HSK63	W600xD140xH125	Medium	5
HSK80	W600xD140xH125	Big	4
HSK100	W600xD140xH125	Big	4
C3	W600xD140xH125	Small	7
C4	W600xD140xH125	Small	7
C5	W600xD140xH125	Medium	5
C6	W600xD140xH125	Medium	5
C8	W600xD140xH125	Big	4
KM63	W600xD140xH125	Medium	5



Small Tool Coat Clamp

Medium Tool Coat Clamp

Big Tool Coat Clamp



Small Tool Coat

Medium Tool Coat

Big Tool Coat



BT-30



BT-40



BT-50



HSK-32



HSK-40



HSK-50



HSK-63



HSK-80



HSK-100



C-3



C-4



C-5



C-6




C-8



KM-63

NC Tool Storage Trolley

- Herringbone hole on shelf, snap-fit structure, adjustable angle range : 0°, 15°, 30°.
- Complete thread structure connection, easy to install.
- Equipped with two directed and two-brake polyurethane casters, move lightness and convenience.
- Equipped with folders, storage tray etc., effective use of space.



Model	OTM10
Size	W1060xD600xH880mm
Configuration	5 tool holder units
Selectable ISO series, C series, HSK series NC Tool Coat	



Model	OTN10
Size	W1100xD600xH880mm
Configuration	6 tool holder units
Selectable ISO series, C series, HSK series NC Tool Coat	



Model	OT010
Size	W717xD572xH880mm
Configuration	NC tool top tray
Selectable ISO series, C series, HSK series NC Tool Coat	



Model	OTP10
Size	W717xD725xH880mm
Configuration	NC tool top tray and tool drawer
Selectable ISO series, C series, HSK series NC Tool Coat	

NC Tool Locker


NC Tool Locker without Door:

- Herringbone hole on shelf, snap-fit structure, adjustable angle range :0°, 15°, 30°.
- Complete thread structure connection, easy to install,
- Effective use of space.



Model	Size (mm)	Configuration
3TC10	W700xD520xH1500	4 tool holder units
3TD10	W700xD520xH1800	6 tool holder units

Selectable ISO series, C series, HSK series NC Tool Coat



NC Tool Locker with Single Door:

- Herringbone hole on shelf, snap-fit structure, adjustable angle range :0°, 15°, 30°.
- Complete thread structure connection, easy to install,
- Effective use of space.



Model	Size (mm)	Configuration	Remarks
1TC10	W700xD520xH1500	4 tool holder units	Selectable ISO series, C series, HSK series NC Tool Coat
1TD20	W700xD520xH1800	6 tool holder units	Selectable ISO series, C series, HSK series NC Tool Coat
1TJ20	W1023xD600xH1500	4 tool holder units	Selectable ISO series, C series, HSK series NC Tool Coat 2xH150, 1xH200 Double-rail Drawer (VA)
1TK20	W1023xD600xH1800	6 tool holder units	Selectable ISO series, C series, HSK series NC Tool Coat 2xH150, Double-rail Drawer (VA)



NC Tool Locker

NC Tool Locker with Double Doors:

- Herringbone hole on shelf, snap-fit structure, adjustable angle range :0°, 15°, 30°.
- Complete thread structure connection, easy to install,
- Effective use of space.



Model	Size (mm)	Configuration
2TO20	W1130xD520xH1500	4 tool holder units
2TP20	W1130xD520xH1800	6 tool holder units

Remarks		
H1500	Left: 2 adjustable shelves (per 25mm)	Right: Selectable ISO series, C series, HSK series NC Tool Coat
H1800	Left: 3 adjustable shelves (per 25mm)	Right: Selectable ISO series, C series, HSK series NC Tool Coat



NC Tool Locker with Shutter Door


Save space, Smooth push and pull, High quality spring control, stop on the right position.
Aluminum alloy shutter door has good anti-corrosion performance, reducing wear and noise and improving use life.



Model	Size (mm)	Configuration	Remarks
1TA40	W665xD600xH1500	6 tool holder units	Selectable ISO series, C series, HSK series NC Tool Coat
1TB40	W665xD600xH1800	12 tool holder units	

NC Tool Locker with Drawer

Drawer NC tool holder, can be pulled out for easy storage.
Double door, dustproof, safety lock.



Model	Size (mm)	Configuration
6TA10A	W717×D600×H1000	2×H75 drawer 2×H100 NC tool drawer

Model	Size (mm)	Configuration
6TA10B	W717×D600×H1000	1×H100 drawer 2×H100 NC tool drawer

NC Tool Locker with sliding door:



Model	Size (mm)	Configuration
6TA10C	W1023×D600×H1800	4×H150 NC tool drawer

Model	Size (mm)	Configuration
6TA10D	W1431×D600×H1000	1×H100 drawer 2×H100 NC tool drawer

Heavy duty sliding cabinet

- Sliding cabinet is mainly used for storing various long type tools, excellent protection special tools.
- Vertical structure with up and down direction, sliding drawer can be opened 100%, loading capacity over 140kg.
- Special slide rails are used on the bottom of each sliding drawer, more convenient with the handle.
- Sliding hanging plate can also be used with hooks to effectively use space.
- Accessories for vertical pull-outs.



Handle: Easy to moves lightly and quickly.




Special slide rail design:
100% opening,
Loading capacity over 140kgs.



Sliding hanging plate can also be used with hooks to effectively use space.

Model	Size (mm)	Configuration
6TE10	W760×D572×H1600	3 layer sliding drawer
6TF10	W760×D572×H1950	3 layer sliding drawer





Free Combination
Suitable for Different Working Space.

- The new Powerway industrial cabinet product line offers the quality and versatility of modular drawer storage. Flexible, scalable, and optimized tool storage.
- Combines the functions of various work stations, such as drawer cabinets, door cabinet, shelf cabinet etc. More functions according to the different needs.




- Use the upper and lower layering structure to match the height and space.
- Railings and stair support and increased station load capacity and stability.
- All parts are fixed by bolts.
- Modular configuration, can be re-freely combined, and upgrade extension.



■ Tool cabinet for storing small tools, such as small drill.



■ New design of NC tool storage, Suitable for all kinds of tool holders, beautiful and convenient.



■ Specially store large drills.



■ Specially store screw rod, easy to access, strong visual effect.



■ Specially store cutter.



■ Specially store machine tools.

Intelligent Drawer Cabinet

- It is suitable for intelligent management of cutting tools, measuring tools, tools and small spare parts.
- It is the best choice for intelligent tool management in large workshop or small workshop.
- The cabinet can be placed independently when it is placed on the workshop site, or can be used side by side with multiple cabinets to make full use of the space.



Removable Intelligent Drawer Cabinet

- Model 0DG40
- Size W1435xD520xH1680mm
Selectable Castor, Easy to move.

- Configuration
 - Indicator light for each drawer. the inner size:W170xD300xH120mm, loading capacity 20kg.
 - The MCU control lock system, can support up to 80 unit drawer cabinets.
 - The host computer uses a 17-inch industrial computer touch screen, keyboard, mouse.
 - 10 layers and 6 columns of drawers storage space.
 - 60 categories tools can be stored at the same time.
 - Indicator light lighting when open cabinet, indicate the specific drawer position.
 - Tools quantity will be record by computer, Inventory can be inquire at any time.

Functional advantages:

- Intelligent touch screen, bar code scanning, wireless WIFI, intelligent recognition,
- Authority control,
- Automatic Location Search,
- Managed inventory,
- Safe Inventory Control,
- The database is M YSQL mode.



Intelligent Drawer Cabinet

Advantages compare traditional storage cabinets:

Category	Traditional	Intelligent
Inquire time	5 min.	30 s
error rate	13%	0
Deletion rate	18%	0
Stock inquiry	5 min.	1 min.
Inventory	Large Inventory	Reduced by 25%
Consumption	Uncontrollable	Controllable
Sluggish monitoring	Uncontrollable	Controllable
Cost sharing	Inaccurate	Accuracy
Material management	Complicated	Methodical




Software System Screen:

Storage management:
Position each material that needs to be storage.

Inbound management:
Material storage and model have been determined.

Material Management:
Import bill of materials and models, after the first import, the subsequent access management is directly selected from the list.

Stock details:
Stock quantity report indicates research, and it can also count as one kind of material.



Outbound management:
Material outbound and model have been determined.

Lock cabinet management:
Used during initialization and when adding ancillary cabinet.

User details:
User rights and login password management.

Operation details:
All operational actions were recorded.

First time use process:

- Establish administrator rights and passwords (level 2).
- Create a bill of materials, make the material code into the system (can be imported from ERP).
- Named material bind to the drawer separately.
- Can use the inbound and outbound management quantity.

Normal use process:

- Login.
- Select outbound management.
- Search for materials.
- Click the Outbound button and enter the quantity.
- After confirmation, the drawer will open, and after removing (putting in) the relative amount of material, close the drawer.
- Click on the stock (receipt), finish.

Workbench

- Modular design, threaded and snap-on connection, supplied for self-assembly. The structure is sturdy, average loading is 1000kg, workbench height can be adjusted by adjustable foot, at range of 30mm.
- The desktop has anti-impact, wear-resistant, heavy load-bearing and other functions, can be equipped with LED lights, slide rails, bottom beam, bench vices, etc. to meet a variety of functions.
- Suitable for mold fitter, inspection, maintenance, assembly and other various use requirements.




Workbench Classification:

- Loading Capacity: Standard workbench for 500kgs, heavy duty workbench for 1000kgs.
- Work Surfaces Material: green multiplex workbench, stainless steel workbench, beech wooden workbench, ESD workbench etc.
- Workbench System: basic workbench, workbench with cabinet, workbench with top panel, combined workbench, etc.
- Movable workbench: Standing workbench, movable workbench with castor, adjustable height workbench.



Vise:
Heavy duty workbench with optional vise, fixture equipment.

Workbench



Work Surfaces for Selection:




Green multiplex work surface

Made of high-fiber board, more impact-resistant. Strong plastic is edging, practical, avoid damage or fall off.



Beech wood work surface

Imported beech wood, highly impact resistant and can be equipped with accessories such as vise.




Stainless steel Work Surface

High strength, beautiful, durable, acid and alkali resistant, Stainless steel surface thick H=30/40/50mm Popular in different workshop, factory, auto industrial etc.



Galvanized sheet work surface

High strength, acid resistance, suitable for anticorrosive workplace.




Iron work surface

The surface is 8mm cold-rolled steel plate, high strength, wear-resistant, durable, long service life.



Oak Wood Work Surface

Imported oak, surface oak veneer, inner base material is solid multi-layer board, surface smooth and smooth, no deformation.



Fire-proof Work Surfaces

Noble, abrasion resistant, fire-proof, rolled steel sheet smooth and safe. Wide use in light electronics working place.




ESD work Surface

Anti-static surface and volume resistivity can reach 10-10 /cm², suitable for most electronics industries.

Standard workbench

- Standard workbench frame structure, legs by bending 40x60, 2mm thick high-quality cold-rolled steel plate, loading capacity is 500kg, which is sturdy and durable and widely used.
- Work surface thick 30mm, the surface material optional, high flatness, strong impact resistance, popular in different workstations.
- A variety of different height drawer combinations to meet different use requirements.
- Workbench legs can equipped with adjustment nut, use for adjust the level of the workbench.
- Modular design, threaded and snap-on Connection, supplied for self-assembly.



Model	Size (mm)
1WF24-020B0	W1200xD750xH780
1WF30-020B0	W1500xD750xH780
1WF36-020B0	W1800xD750xH780

Configuration: crossbeam



Model	Size (mm)
1WF24-02370	W1200xD750xH780
1WF30-02370	W1500xD750xH780
1WF36-02370	W1800xD750xH780

Configuration: crossbeam




Model	Size (mm)
1WF24-02B70	W1200xD750xH780
1WF30-02B70	W1500xD750xH780
1WF36-02B70	W1800xD750xH780

Configuration: baseboard.



Model	Size (mm)
1WF24-028B0	W1200xD750xH780
1WF30-028B0	W1500xD750xH780
1WF36-028B0	W1800xD750xH780

Configuration: baseboard.



Model	Size (mm)
1WF24-02F70	W1200xD750xH780
1WF30-02F70	W1500xD750xH780
1WF36-02F70	W1800xD750xH780

Configuration: baseboard,
Cabinet W411 / 564xD572xH300



Model	Size (mm)
1WF24-027B0	W1200xD750xH780
1WF30-027B0	W1500xD750xH780
1WF36-027B0	W1800xD750xH780

Cabinet W411 / 564xD572xH400

Standard workbench




Model	Size (mm)
1WF24-02170	W1200xD750xH780
1WF30-02170	W1500xD750xH780
1WF36-02170	W1800xD750xH780

Configuration: crossbeam



Model	Size (mm)
1WF24-02A30	W1200xD750xH780
1WF30-02A30	W1500xD750xH780
1WF36-02A30	W1800xD750xH780

Configuration: crossbeam



Model	Size (mm)
1WF24-03E80	W1200xD750xH780
1WF30-03E80	W1500xD750xH780
1WF36-03E80	W1800xD750xH780

Cabinet W411 / 564xD572xH700



Model	Size (mm)
1WF24-02280	W1200xD750xH780
1WF30-02280	W1500xD750xH780
1WF36-02280	W1800xD750xH780

Configuration: crossbeam



Model	Size (mm)
1WF24-03320	W1200xD750xH780
1WF30-03320	W1500xD750xH780
1WF36-03320	W1800xD750xH780

Cabinet W411 / 564xD572xH400



Model	Size (mm)
1WF24-02F60	W1200xD750xH780
1WF30-02F60	W1500xD750xH780
1WF36-02F60	W1800xD750xH780

Cabinet W411 / 564xD572xH700



Model	Size (mm)
1WF24-02A40	W1200xD750xH780
1WF30-02A40	W1500xD750xH780
1WF36-02A40	W1800xD750xH780

Configuration: crossbeam
Back Plate Upright H600,
Square hole hanging plate H300,
Louvered hanging plate H300.



Model	Size (mm)
1WF24-032E0	W1200xD750xH780
1WF30-032E0	W1500xD750xH780
1WF36-032E0	W1800xD750xH780

Cabinet W411 / 564xD572xH400
Back Plate Upright H1000, LED Light frame,
Square hole hanging plate H450,
Louvered hanging plate H450.



Model	Size (mm)
1WF24-05060	W1200xD750xH780
1WF30-05060	W1500xD750xH780
1WF36-025060	W1800xD750xH780

Cabinet W411 / 564xD572xH700
Back Plate Upright H1000, LED Light frame,
Square hole hanging plate H450,
Louvered hanging plate H450.

Heavy Duty Workbench

- Heavy duty workbench frame structure. Loading capacity up to 1000kg. legs by bending 45×100, 2mm thick high-quality cold-rolled steel plate.
- Work surface thick 30, 40, 50 mm, the surface material optional, high flatness, strong impact resistance.
- Different height drawer combinations to meet different use requirements.
- Reserve holes for different modular accessories according to work requirements.
- Modular design, threaded and snap-on connection, supplied for self-assembly.
- Suitable for machining, packaging, assembly, maintenance, etc.



Model	Size (mm)
2WF24-01490	W1200×D750×H800
2WF30-01490	W1500×D750×H800
2WF36-01490	W1800×D750×H800

Standard Heavy Duty Workbench



Model	Size (mm)
2WF24-01550	W1200×D750×H800
2WF30-01550	W1500×D750×H800
2WF36-01550	W1800×D750×H800

Cabinet W411 / 564×D572×H300



Model	Size (mm)
2WF24-01950	W1200×D750×H800
2WF30-01950	W1500×D750×H800
2WF36-01950	W1800×D750×H800

Cabinet W411 / 564×D572×H400



Model	Size (mm)
2WF31-03F50	W1600×D750×H800
2WF42-03F50	W2100×D750×H800

Drawer H100×3



Model	Size (mm)
2WF30-02850	W1500×D750×H800
2WF36-02850	W1800×D750×H800
2WF42-02850	W2100×D750×H800

Baseboard, Cabinet W411 / 564×D572×H400



Model	Size (mm)
2WF30-02390	W1500×D750×H800
2WF36-02390	W1800×D750×H800
2WF42-02390	W2100×D750×H800

Cabinet W411 / 564×D572×H700

Heavy Duty Workbench



Model	Size (mm)
2WF30-02890	W1500×D750×H800
2WF36-02890	W1800×D750×H800
2WF42-02890	W2100×D750×H800

Cabinet W411 / 564×D572×H700



Model	Size (mm)
2WF30-02690	W1500×D750×H800
2WF36-02690	W1800×D750×H800
2WF42-02690	W2100×D750×H800

Cabinet W411 / 564×D572×H700



Model	Size (mm)
2WF30-03290	W1500×D750×H800
2WF36-03290	W1800×D750×H800
2WF42-03290	W2100×D750×H800

Cabinet W411 / 564×D572×H700



Model	Size (mm)
2WF30-05690	W1500×D750×H800
2WF36-05690	W1800×D750×H800
2WF42-05690	W2100×D750×H800

Cabinet W411 / 564×D572×H700



Model	Size (mm)
2WF30-04A90	W1500×D750×H800
2WF36-04A90	W1800×D750×H800
2WF42-04A90	W2100×D750×H800

Cabinet W411 / 564×D572×H700



Model	Size (mm)
2WF30-05810	W1500×D750×H800
2WF36-05810	W1800×D750×H800
2WF42-05810	W2100×D750×H800

Cabinet W411 / 564×D572×H550

Heavy Duty Workbench



Model	Size (mm)
ZWF30-01B20	W1500xD750xH800
ZWF36-01B20	W1800xD750xH800
ZWF42-01B20	W2100xD750xH800

Cabinet W411 / 564xD572xH300

Back Plate Upright H600,
Square hole hanging plate H300,
Louvered hanging plate H300.



Model	Size (mm)
ZWF30-056E0	W1500xD750xH800
ZWF36-056E0	W1800xD750xH800
ZWF42-056E0	W2100xD750xH800

Cabinet W411 / 564xD572xH700

Back Plate Upright H1000, LED Light frame,
Square hole hanging plate H300,
Louvered hanging plate H300.



Model	Size (mm)
ZWF30-02720	W1500xD750xH800
ZWF36-02720	W1800xD750xH800
ZWF42-02720	W2100xD750xH800

Cabinet W411 / 564xD572xH700

Back Plate Upright H1000, LED Light frame,
Square hole hanging plate H450,
Louvered hanging plate H450.



Model	Size (mm)
ZWF30-03640	W1500xD750xH800
ZWF36-03640	W1800xD750xH800
ZWF42-03640	W2100xD750xH800

Cabinet W411 / 564xD572xH700

Back Plate Upright H1000, LED Light frame,
Square hole hanging plate H450,
Louvered hanging plate H450.



Model	Size (mm)
ZWF30-059E0	W1500xD750xH800
ZWF36-059E0	W1800xD750xH800
ZWF42-059E0	W2100xD750xH800

Cabinet W411 / 564xD572xH700

Back Plate Upright H1000, LED Light frame,
Square hole hanging plate H300,
Louvered hanging plate H300.



Model	Size (mm)
ZWF30-045C0	W1500xD750xH800
ZWF36-045C0	W1800xD750xH800
ZWF42-045C0	W2100xD750xH800

Cabinet W411 / 564xD572xH550

Back Plate Upright H1000, LED Light frame,
Square hole hanging plate H450,
Louvered hanging plate H450.

Heavy Duty Workbench



● 7WF30-0151 Size: W1500xD750xH800mm
Beech wood work surface H40mm



● 7WF40-0151 Size: W2000xD750xH800mm
Beech wood work surface H40mm



● 7WF30-0351 Size: W1500xD750xH800mm
Beech wood work surface H40mm



● 7WF40-0551 Size: W2000xD750xH800mm
Beech wood work surface H40mm



● 7WF30-0551 Size: W1500xD750xH800mm
Beech wood work surface H40mm



● 7WF46-0451 Size: W2400xD750xH800mm
Beech wood work surface H40mm



● 7WF40-0951 Size: W2000xD750xH800mm
Beech wood work surface H40mm



● 7WF60-0251 Size: W3000xD750xH800mm
Beech wood work surface H40mm

Heavy Duty Workbench



● 8WF30A
Size: W1500xD750xH800mm
Stainless steel coatings



● 8WF50A
Size: W2500xD750xH800mm
Stainless steel coatings



● 8WF50B
Size: W2400xD750xH800mm
Stainless steel coatings



● 8WF60A
Size: W3000xD750xH800mm
Stainless steel coatings



● 8WF50C
Size: W2400xD750xH800mm
Stainless steel coatings



● 8WF60B
Size: W3000xD750xH800mm
Stainless steel coatings

ESD workbench

- Ergonomic design principle, comfortable and beautiful, and improve production efficiency.
- Modular design, accessories are freely combined and interchangeable, Standardized design, customize is available.
- Steel structure design, made of high-quality cold-rolled steel plate, durable and durable.
- After pickled and phosphate, electrostatic spraying with high-quality anti-static powder technical processing.



ESD wrist strap box



Optional accessory:



■ LED light frame
Provide lighting.



■ Y style LED light frame
Provide double-sided lighting.



■ Pneumatic connector
Selectable Power Socket / Button, Pneumatic connector, Power Protector etc.




■ Bench top cabinet
Storage cabinet, The position can be adjusted.



■ Square hole plate
Selectable hooks.




■ Louvered hanging plate
Selectable bins.



■ Bins panel
Selectable bins.




■ Adjustable plate
Enhanced plate, Loading capacity 80kg.



■ Adjustable plate
Loading capacity 30kg.



■ File holder
Place the A3, A4 documents and drawings.



■ Hinge file holder
Place the A3/A4 documents and drawings.



■ Screen Holder
Hanging Screen.



■ Bin Container
Storage bins.



■ Keyboard holder
Draw structure, placed at the bottom of the workbench top.



■ Computer holder
Loading capacity 30kg, width range between 180~225mm.



■ Wire groove
Closed electric wire, Network wire etc.



● 9WF30A	Size: W1530xD750xH750mm
Configuration	4 castor, adjustable screw.



● 9WF30B	Size: W1530xD750xH750mm
Configuration	Keyboard holder, Hanging cabinet W564xD572xH300mm, 2x100mm drawer, Power board.



● 9WF36A	Size: W1830xD750xH750mm
Configuration	LED light frame, 2xback plate, Adjustable shelf, power board, Hanging cabinet W564xD572xH300mm, 2x100mm drawer, Mobile cabinet W564xD572xH680mm.



● 9WF36B	Size: W1830xD750xH750mm
Configuration	LED light frame, 2xsquare hole plate, Adjustable shelf, power board, Hanging cabinet W564xD572xH300mm, 2x100mm drawer.



● 9WF36C	Size: W1830xD750xH750mm
Configuration	Top board holder, Back plate + square hole plate, Side screen holder, Power board, Hanging cabinet W564xD572xH300mm, 2x100mm drawer, Keyboard holder.



● 9WF36D	Size: W1830xD750xH750mm
Configuration	LED light frame, Louvered plate + square hole plate, Power board, Drawer cabinet W564xD572xH700mm, 3x200mm drawers.




● 9WF40A	Size: W2130xD750xH750mm
Configuration	LED light frame, Top sliding rail hook, Louvered plate + 2xsquare hole plate, Adjustable shelves, Hanging cabinet W564xD572xH300mm, 2x100mm drawer, Mobile cabinet W564xD572xH680mm, 3x150mm drawer.



● 9WF36E	Size: W1830xD750xH750mm
Configuration	Both side workbench with Y style LED frame, Louvered plate + square hole plate, Adjustable shelf, Power board, Hanging cabinet W564xD572xH300mm, 2x100mm drawers.

Adjustable Workbench

- Update on the basis of heavy duty workbench, pedal device control and removable the workbench,
- Static load capacity up to 1 ton, Suitable for workshop and warehouse laboratory etc.



Pedal device control

● 4WF24A	Configuration: W1200 and W1500 workbench, H30mm Green multiplex top or Beech wood top
Size: W1200xD750xH780	W1800 workbench, H50mm Green multiplex top or Beech wood top
● 4WF30A	Baseboard
Size: W1500xD750xH780	Optional: 1. Cabinet W411 / W564xD572xH300 (drawer 100x2)
● 4WF36A	2. Cabinet W411 / W564xD572xH550 (drawer 100x3, 150x1)
Size: W1800xD750xH800	

Circular Workbench



Workbench Top Rotatable



Locating pin

Model	6WH00
Size	Φ850xH780
Top	H30mm Green multiplex top Loading Capacity: 300Kg. Location per 30°

Removable Workbench



- Loading capacity: 300Kg,
- Green multiplex top or Beech wood top,
- Two fixed castors and two swivel castors with locking brake.

Model	4DA33	4DE33
Size	W870xD572xH885mm	W1023xD572xH825mm
Cabinet	Cabinet (4 drawer) W411xD572xH650mm	Cabinet (4 drawer) W564xD572xH650mm


Hexagonal workstation

- Equilateral six-sided rotary design, combined with the standard tool cabinet, optional with a vice.
- Specially designed for factory assembly, production, maintenance and operation. Stable structure, Anti-corrosion, anti-impact,
- More optional material work surface, loading capacity up to 1000 kg,
- Special suitable for the limited space and multi-person cooperation work. Widely used in electronics, machinery, hardware, instruments and other industries.



● Model	5WZ36
● Size (mm)	Φ2400xH800mm
● Configuration	H50mm Beech wood top Cabinet W564xD572xH750 (6 units)

Workbench Top and Cabinet:




Green multiplex top

Made of high-fiber board, which makes the desktop more impact-resistant. Strong plastic is edging, practical, not easy to damage, not easy to fall off.




Beech wood top

Imported beech wood, highly impact resistant and can be equipped with accessories such as vise.



Stainless steel coatings

High strength, beautiful, durable, acid and alkali resistant, Popular in different workshop, factory, auto industrial etc.



Iron top

The surface is 8mm cold-rolled steel plate, high strength, wear-resistant, durable, long service life.



Model	0DE28A
Size (mm)	W564xD572xH750



Model	0DE28B
Size (mm)	W564xD572xH750



Model	0DE28C
Size (mm)	W564xD572xH750



Model	3DE28
Size (mm)	W564xD572xH750



Tools Storage Rack

- Hooks was used with hole plate, changed arbitrarily, positioning is quick, and the fixed management of various tools is satisfied. Bins was used with the louver plate, small materials and parts can be stored in the color management category.
- Suitable for the storage and classification of small materials, tools, parts and other items, efficiently useful space.

Movable & Double sided:



Handle for easy movement.




Castors with brakes.

Model	AHM2222	AHM2342
Size	W960xD610xH1110mm	W960xD610xH1560mm
Configure	Square hole hanging plate 2 PS Louver hanging plate 2 PS	Square hole hanging plate 4 PS Louver hanging plate 2 PS
Remarks	Hanging plate can choose quantity and location	


3 layer hanging plates & Single sided:



Model	AHR1330	AHR1303	AHR1312
Size	W960xD375xH1450mm	W960xD375xH1450mm	W960xD375xH1450mm
Configure	Square hole hanging plate 3 PS	Louver hanging plate 3 PS	Square hole hanging plate 2 PS Louver hanging plate 4 PS
Remarks	Hanging plate can choose quantity and location, Combinatorial rack: 1 Start Unit + N Extension Unit		



Square hole hanging plate: kinds of hooks



Louver hanging plate: bins


Tools Storage Rack

3 layer hanging plates & Double sided:




Model	AHR1360	AHR1306	AHR1312
Size	W960xD610xH1450mm	W960xD610xH1450mm	W960xD610xH1450mm
Configure	Square hole hanging plate 6 PS	Louver hanging plate 6 PS	Square hole hanging plate 4 PS Louver hanging plate 8 PS
Remarks	Hanging plate can choose quantity and location, Combinatorial rack: 1 Start Unit + N Extension Unit		



4 layer hanging plates & Single sided / Double sided:



Model	AHR1413	AHR2408	AHR1422
Size	W960xD375xH1900mm	W960xD610xH1900mm	W960xD375xH1900mm
Configure	Square hole hanging plate 1 PS Louver hanging plate 3 PS	Louver hanging plate 8 PS	Square hole hanging plate 4 PS Louver hanging plate 4 PS
Remarks	Hanging plate can choose quantity and location, Combinatorial rack: 1 Start Unit + N Extension Unit		



Optional shelf: Position can be adjusted up and down



Bottom tray

Mobile Bins Rack

- Two side louver plate for more bins storage.
- 4xØ125mm castor, Two fixed castors and two swivel castors with locking brake.
- One-side wide handle for easy movement.



Model	BTC-01
Size	W1052xD600xH1410mm

Model	BTC-02
Size	W1053xD600xH1700mm

Optional hanging Bins :



BH-11	BH-12	BH-13	BH-14	BH-15
L110xW105xH50mm	L140xW105xH75mm	L190LxW105xH75mm	L230xW140xH125mm	L270xW140xH125mm



















Pegboard System

- Pegboard system size : 1430x1920mm.
- Square hole hanging plate : 900x450mm, Total 9 pieces.
- The Base: Steel square pipe 40x40mm. Removable structure.




Model	BTC-03
Size	W980xD400xH1430mm
Square hole hanging plate	W900xH450mm / PS 3 PS / Unit

Hooks and Holders

Inclined hook end  <table border="1"> <tr><th>Model</th><th>L(mm)</th><th>Wire</th></tr> <tr><td>FG-1501</td><td>50</td><td>Ø4</td></tr> <tr><td>FG-1502</td><td>100</td><td>Ø4</td></tr> <tr><td>FG-1503</td><td>100</td><td>Ø6</td></tr> <tr><td>FG-1504</td><td>150</td><td>Ø6</td></tr> <tr><td>FG-1505</td><td>200</td><td>Ø6</td></tr> </table>	Model	L(mm)	Wire	FG-1501	50	Ø4	FG-1502	100	Ø4	FG-1503	100	Ø6	FG-1504	150	Ø6	FG-1505	200	Ø6	Inclined hook  <table border="1"> <tr><th>Model</th><th>L(mm)</th><th>Wire</th></tr> <tr><td>FG-1901</td><td>25</td><td>Ø4</td></tr> <tr><td>FG-1902</td><td>100</td><td>Ø4</td></tr> </table>	Model	L(mm)	Wire	FG-1901	25	Ø4	FG-1902	100	Ø4	Screw driver holder  <table border="1"> <tr><th>Model</th><th>L(mm)</th><th>Units</th></tr> <tr><td>FG1201</td><td>390</td><td>12</td></tr> </table>	Model	L(mm)	Units	FG1201	390	12																																			
Model	L(mm)	Wire																																																																				
FG-1501	50	Ø4																																																																				
FG-1502	100	Ø4																																																																				
FG-1503	100	Ø6																																																																				
FG-1504	150	Ø6																																																																				
FG-1505	200	Ø6																																																																				
Model	L(mm)	Wire																																																																				
FG-1901	25	Ø4																																																																				
FG-1902	100	Ø4																																																																				
Model	L(mm)	Units																																																																				
FG1201	390	12																																																																				
Double inclined hook end  <table border="1"> <tr><th>Model</th><th>L(mm)</th><th>Wire</th><th>Spacing</th></tr> <tr><td>FG1508</td><td>100</td><td>Ø6</td><td>35</td></tr> <tr><td>FG1509</td><td>150</td><td>Ø6</td><td>35</td></tr> <tr><td>FG1510</td><td>200</td><td>Ø6</td><td>35</td></tr> </table>	Model	L(mm)	Wire	Spacing	FG1508	100	Ø6	35	FG1509	150	Ø6	35	FG1510	200	Ø6	35	U plier hook  <table border="1"> <tr><th>Model</th><th>L(mm)</th><th>W(mm)</th></tr> <tr><td>FG0701</td><td>70</td><td>35</td></tr> <tr><td>FG0702</td><td>25</td><td>35</td></tr> <tr><td>FG0703</td><td>23</td><td>35</td></tr> </table>	Model	L(mm)	W(mm)	FG0701	70	35	FG0702	25	35	FG0703	23	35	Pipe holder  <table border="1"> <tr><th>Model</th><th>Wire</th></tr> <tr><td>FG0901</td><td>Ø60</td></tr> <tr><td>FG0902</td><td>Ø100</td></tr> </table>	Model	Wire	FG0901	Ø60	FG0902	Ø100																																		
Model	L(mm)	Wire	Spacing																																																																			
FG1508	100	Ø6	35																																																																			
FG1509	150	Ø6	35																																																																			
FG1510	200	Ø6	35																																																																			
Model	L(mm)	W(mm)																																																																				
FG0701	70	35																																																																				
FG0702	25	35																																																																				
FG0703	23	35																																																																				
Model	Wire																																																																					
FG0901	Ø60																																																																					
FG0902	Ø100																																																																					
Six pin hooks  <table border="1"> <tr><th>Model</th><th>L(mm)</th><th>Wire</th><th>A</th><th>B</th></tr> <tr><td>FG0501</td><td>240</td><td>Ø6</td><td>44</td><td>130</td></tr> </table>	Model	L(mm)	Wire	A	B	FG0501	240	Ø6	44	130	3 pin hook  <table border="1"> <tr><th>Model</th><th>L(mm)</th></tr> <tr><td>FG0901</td><td>150</td></tr> </table>	Model	L(mm)	FG0901	150	Spanner holder  <table border="1"> <tr><th>Model</th><th>L(mm)</th></tr> <tr><td>FG1101</td><td>195</td></tr> </table>	Model	L(mm)	FG1101	195																																																		
Model	L(mm)	Wire	A	B																																																																		
FG0501	240	Ø6	44	130																																																																		
Model	L(mm)																																																																					
FG0901	150																																																																					
Model	L(mm)																																																																					
FG1101	195																																																																					
Vertical hook end  <table border="1"> <tr><th>Model</th><th>L(mm)</th><th>Wire</th></tr> <tr><td>FG-0201</td><td>25</td><td>Ø4</td></tr> <tr><td>FG-0202</td><td>50</td><td>Ø4</td></tr> <tr><td>FG-0203</td><td>75</td><td>Ø4</td></tr> </table>	Model	L(mm)	Wire	FG-0201	25	Ø4	FG-0202	50	Ø4	FG-0203	75	Ø4	Double vertical hook end  <table border="1"> <tr><th>Model</th><th>L(mm)</th><th>Wire</th><th>Ø(mm)</th></tr> <tr><td>FG0204</td><td>25</td><td>Ø4</td><td>35</td></tr> <tr><td>FG0205</td><td>50</td><td>Ø4</td><td>35</td></tr> <tr><td>FG0206</td><td>75</td><td>Ø4</td><td>35</td></tr> </table>	Model	L(mm)	Wire	Ø(mm)	FG0204	25	Ø4	35	FG0205	50	Ø4	35	FG0206	75	Ø4	35	Sleeve parts holder  <table border="1"> <tr><th>Model</th><th>L(mm)</th></tr> <tr><td>FG1701</td><td>195</td></tr> </table>	Model	L(mm)	FG1701	195																																				
Model	L(mm)	Wire																																																																				
FG-0201	25	Ø4																																																																				
FG-0202	50	Ø4																																																																				
FG-0203	75	Ø4																																																																				
Model	L(mm)	Wire	Ø(mm)																																																																			
FG0204	25	Ø4	35																																																																			
FG0205	50	Ø4	35																																																																			
FG0206	75	Ø4	35																																																																			
Model	L(mm)																																																																					
FG1701	195																																																																					
O Machine tool holder  <table border="1"> <tr><th>Model</th><th>Ø(mm)</th></tr> <tr><td>FG1601</td><td>40</td></tr> <tr><td>FG1602</td><td>60</td></tr> <tr><td>FG1603</td><td>80</td></tr> </table>	Model	Ø(mm)	FG1601	40	FG1602	60	FG1603	80	Hexagon spanner holder  <table border="1"> <tr><th>Model</th><th>Ø(mm)</th></tr> <tr><td>FG-2101</td><td>-</td></tr> </table>	Model	Ø(mm)	FG-2101	-	Hacksaw holder  <table border="1"> <tr><th>Model</th><th>L(mm)</th></tr> <tr><td>FG1201</td><td>195</td></tr> </table>	Model	L(mm)	FG1201	195																																																				
Model	Ø(mm)																																																																					
FG1601	40																																																																					
FG1602	60																																																																					
FG1603	80																																																																					
Model	Ø(mm)																																																																					
FG-2101	-																																																																					
Model	L(mm)																																																																					
FG1201	195																																																																					
Drill holder  <table border="1"> <tr><th>Model</th><th>L(mm)</th><th>Units</th><th>Hole</th></tr> <tr><td>FG-0101</td><td>390</td><td>26</td><td>-</td></tr> <tr><td>FG-0102</td><td>390</td><td>17</td><td>Ø6</td></tr> <tr><td>FG-0103</td><td>390</td><td>17</td><td>Ø10</td></tr> <tr><td>FG-0104</td><td>390</td><td>17</td><td>Ø12</td></tr> <tr><td>FG-0105</td><td>390</td><td>17</td><td>Ø16</td></tr> <tr><td>FG-0106</td><td>390</td><td>17</td><td>Ø25</td></tr> </table>	Model	L(mm)	Units	Hole	FG-0101	390	26	-	FG-0102	390	17	Ø6	FG-0103	390	17	Ø10	FG-0104	390	17	Ø12	FG-0105	390	17	Ø16	FG-0106	390	17	Ø25	Plastic spring holder  <table border="1"> <tr><th>Model</th><th>L(mm)</th></tr> <tr><td>FG0401</td><td>440</td></tr> </table>	Model	L(mm)	FG0401	440	Bin holder  <table border="1"> <tr><th>Model</th><th>W</th><th>D</th><th>H</th></tr> <tr><td>FG-2511</td><td>75</td><td>40</td><td>54.5</td></tr> <tr><td>FG-2512</td><td>75</td><td>40</td><td>79.5</td></tr> <tr><td>FG-2514</td><td>75</td><td>52</td><td>129.5</td></tr> <tr><td>FG-2515</td><td>110</td><td>52</td><td>129.5</td></tr> <tr><td>FG-2501</td><td>75</td><td>52</td><td>94.5</td></tr> <tr><td>FG-2502</td><td>110</td><td>52</td><td>129.5</td></tr> <tr><td>FG-2503</td><td>110</td><td>75</td><td>159.5</td></tr> <tr><td>FG-2504</td><td>110</td><td>75</td><td>184.5</td></tr> </table>	Model	W	D	H	FG-2511	75	40	54.5	FG-2512	75	40	79.5	FG-2514	75	52	129.5	FG-2515	110	52	129.5	FG-2501	75	52	94.5	FG-2502	110	52	129.5	FG-2503	110	75	159.5	FG-2504	110	75	184.5
Model	L(mm)	Units	Hole																																																																			
FG-0101	390	26	-																																																																			
FG-0102	390	17	Ø6																																																																			
FG-0103	390	17	Ø10																																																																			
FG-0104	390	17	Ø12																																																																			
FG-0105	390	17	Ø16																																																																			
FG-0106	390	17	Ø25																																																																			
Model	L(mm)																																																																					
FG0401	440																																																																					
Model	W	D	H																																																																			
FG-2511	75	40	54.5																																																																			
FG-2512	75	40	79.5																																																																			
FG-2514	75	52	129.5																																																																			
FG-2515	110	52	129.5																																																																			
FG-2501	75	52	94.5																																																																			
FG-2502	110	52	129.5																																																																			
FG-2503	110	75	159.5																																																																			
FG-2504	110	75	184.5																																																																			

Tilt Box

- Tilt box is a new design product by Powerway, which is made of high-density polyethylene (HDPE).
- The front of the box is inverted (opening angle 55°), smoothly pulled out and closed.
- Clear view, with exhibition storage function, With label groove, effectively classify and manage the storage items.
- Hanging hole design, can be used singly or wall mounted and fixed.
- Special size design, free combination, which can be combined into box group storage cabinet, storage cart.



Tilt Box:



Size	W82xD65xH71mm	W101xD97xH108mm	W128xD128xH133mm	W177xD147xH161mm
------	---------------	-----------------	------------------	------------------

Tilt Box Permutation:



Model	T6
Size	W600xD91xH113mm



Model	T5
Size	W600xD133xH164mm



Model	T4
Size	W600xD168xH207mm



Model	T3
Size	W600xD197xH240mm

Tilt Box

Desktop Style:



Collocation
T5x2

Model	CT5-2
Size	W600xD200xH328mm



Collocation
T4x2

Model	CT4-2
Size	W600xD160xH414mm

Tilt Box Shelf:



Collocation
T6x2
T5x2
T4x2
Single sided storage

Model	CTK-1
Size	W600xD210xH968mm

Tilt Box Storage cabinet:



Collocation
T6x4
T5x8
T4x4
T3x2
Single sided storage

Model	CTH-1
Size	W1260xD320xH1536mm

Tilt Box Cart:



Collocation
T6x4
T5x4
T4x6
Double handle
Double sided storage

Model	CTW-1
Size	W777xD600xH1310mm



Collocation
T6x4
T5x6
T4x2
T3x2
Double handle
Double sided storage

Model	CTW-2
Size	W777xD600xH1310mm

Platform trolley

- One of the logistics equipments commonly used in factories and warehouses to coordinate and reasonably move, store or control materials.

Steel platform trolley:



- Loading capacity 100~150 KGS each layer.
- Leak-proof shelf, edge high 40mm.
- Two fixed castors and two swivel castors with locking brake, diameter 125mm.
- Solid rubber tire, roller bearing.

Model	DBB-001 (2 layer)	DBB-002 (3 layer)
Size	W600xD400xH810mm	W780xD460xH810mm
Plate	W600xD400	W780xD460
	H810/H150	H810/H480/H150

Heavy-duty trolley:



- Loading capacity 500 KGS.
- Suitable for workshop use in the factory.

Model	DBB-003	DBB-004
Size	W1050xD700xH930mm	W1250xD800xH930mm
Surface	W1050xD700	W1250xD800
	Upper:H930, bottom:H320	Upper:H930, bottom:H320

Multilayer trolley:



- Loading capacity 300 KGS.
- Suitable for workshop use in the factory.

Model	DBC-001	DBC-002
Size	W900xD600xH880mm	W1000xD700xH880mm
Remarks	4 layer	4 layer
	Two side cover plate	Two side cover plate

Noiseless Platform Trolley

Inactive Handle:

Model	PW150	PW200	PW250	PW300	PW400
Loading capacity (kg)	150	200	250	300	400
Platform size (mm)	L730xW490	L825xW500	L825xW500	L910xW600	L1355xW650
Platform height (mm)	170	180	215	220	205
Handle Height (mm)	890	860	890	890	890
Castor Diameter (mm)	100	100	130	130	130
Net weight (kg)	10	11	12	14.5	22

Active Handle:

Model	PW150-DX	PW200-DX	PW250-DX	PW300-DX
Loading capacity (kg)	150	200	250	300
Platform size (mm)	L730xW490	L825xW500	L825xW500	L910xW600
Platform height (mm)	170	180	215	220
Handle Height (mm)	890	860	890	890
Castor Diameter (mm)	100	100	130	130
Net weight (kg)	11	12	13	15

2 Layers Trolley:

Model	PW150-T2	PW200-T2	PW250-T2	PW300-T2
Loading capacity (kg)	150	200	250	300
Platform size (mm)	L730xW490	L825xW500	L825xW500	L910xW600
Platform height (Upper/bottom)	670/170	680/180	725/215	730/220
Platform interval (mm)	470	465	465	465
Handle Height (mm)	860	860	915	920
Castor Diameter (mm)	100	100	130	130
Net weight (kg)	12	16	19.5	22

2 Layers wire mesh Trolley:

Model	PW150-T2-HL2	PW200-T2-HL2	PW250-T2-HL2-D	PW300-T2-HL2-D
Loading capacity (kg)	150	200	250	300
Platform size (mm)	L730xW490	L825xW500	L825xW500	L910xW600
Platform height (Upper/bottom)	670/170	680/180	725/215	730/220
Platform interval (mm)	470	465	465	465
Handle Height (mm)	860	860	915	920
Wire mesh Height (mm)	100	100	100	100
Castor Diameter (mm)	100	100	130	130
Net weight (kg)	15	19	23	25

Wire Mesh Trolley:

Model	PLA300-AM1
Loading capacity (kg)	300
Platform size (mm)	L910xW600
Platform height (mm)	220
Wire mesh Height (mm)	500
Handle Height (mm)	890
Castor Diameter (mm)	130
Net weight (kg)	23.8



Basic Trolley:

Model	PLA150-DL
Loading capacity (kg)	150
Platform size (mm)	L730xW490
Castor Diameter (mm)	100
Net weight (kg)	5.8



4" Noiseless castor



4" Steel castor

Scrap Hopper

- Used to collect iron scrap produced from the machine tools, centralized management, recycling and environmental protection.

Standard Specifications:

- 4 heavy duty castor, easy move.
- Bearing structure, flexibility during loading and unloading.
- Loading capacity 350KG.



Leak valve in the bottom remove to waste liquid.



Model	BTC-001	BTC-002
Size (mm)	W1000xD600xH870	W1200xD700xH970
Loading capacity	350kg	350kg
Volume	0.23m ³	0.38m ³
Remarks	Single handle	Double handles

- Red
- Blue
- green
- Light grey
- Dark grey

Self-unloading Scrap Hopper:

- Used with forklift, convenient dump industry metal scrap by controlling the forklift operating system.
- Manual hydraulic device, automatically reset after dumping, with stacking function.



Model	Size (mm)	Loading	Model	Size (mm)	Loading
ZH-01	W1000xD800xH750	1000kg	ZH-08	W1200xD1000xH900	1000kg
ZH-02	W1000xD1000xH750	1000kg	ZH-09	W1200xD1000xH980	1000kg
ZH-03	W1000xD800xH910	1000kg	ZH-10	W1550xD1000xH950	1000kg
ZH-04	W1000xD1000xH910	1000kg	ZH-11	W1550xD1450xH950	1000kg
ZH-05	W1200xD800xH750	1000kg	ZH-12	W1550xD1450xH1130	1000kg
ZH-06	W1200xD1000xH750	1000kg	ZH-13	W1550xD1800xH1130	1000kg
ZH-07	W1200xD800xH900	1000kg			

Scrap Hopper

Container Scrap Hopper:

- Used with forklift, convenient dump industry metal scrap by controlling the forklift operating system.
- Manual hydraulic device, automatically reset after dumping.
- Bottom dumping structure ensures clean dumping and stacking function.
- Optional with castors for easy move.



Model	Size (mm)	Loading	Model	Size (mm)	Loading	Model	Size (mm)	Loading
ZH-50	W1200xD800xH860	1000kg	ZH-100	W1200xD1000xH1160	1000kg	ZH-200	W1800xD1000xH1460	1000kg
ZH-75	W1200xD800xH1160	1000kg	ZH-150	W1800xD1000xH1160	1000kg			

Iron container:

- Stackable and ideal for the storage of heavy case of components are carried out in paint and galvanized sheet.
- Available in various sizes and colors, some models are integrated in the shelves to optimize industrial space.



Model	TPT3145
External Size	W300xD200xH150mm
Internal Size	W280xD183xH130mm
Stackable	Full load of 5 layers

Model	TPT3200
External Size	W300xD200xH200mm
Internal Size	W280xD180xH180mm
Stackable	Full load of 5 layers



Model	TPT4200
External Size	W400xD300xH200mm
Internal Size	W380xD280xH180mm
Stackable	Full load of 5 layers

Model	TPT4300
External Size	W400xD300xH300mm
Internal Size	W380xD280xH280mm
Stackable	Full load of 5 layers

Model	TPT6200
External Size	W600xD400xH200mm
Internal Size	W580xD380xH180mm
Stackable	Full load of 5 layers

Stackable Bins

- Flexible application, Can be up and down, left and right combination.
- Co-polypropylene material, light weight, long use life, working temperature range $-30^{\circ} \sim 70^{\circ}$.
- Combine different kinds of use space as needed, convenient for cleaning, neat and beautiful.
- Managed with color, widely used in electronics, machinery, and pharmaceutical industries.



Left and right button connection, fixed.

Dust-proof label cover, bins column.



Standard Specifications:



Model	BX-01	BX-02	BX-03
External Size	L160xW100xH75mm	L240xW150xH124mm	L340xW200xH155mm
Internal Size	L140xW80xH70mm	L220xW125xH120mm	L320xW160xH150mm
Loading Capacity	3kg	10kg	15kg
Packing	50 PC/CTN	36 PC/CTN	18 PC/CTN
Optional color	Blue Red Yellow	Blue Red Yellow	Blue Red Yellow



Model	BX-04	BX-05	BX-06
External Size	L450xW200xH177mm	L450xW300xH177mm	L600xW400xH220mm
Internal Size	L410xW170xH168mm	L410xW270xH168mm	L550xW360xH210mm
Loading Capacity	20kg	25kg	50kg
Packing	12 PC/CTN	8 PC/CTN	8 PC/CTN
Optional color	Blue Red Yellow	Blue Red Yellow	Blue Red Yellow

Hanging Bins

- Can be used alone, or hanging on the lower plate, flexible application.
- Anti-static function, anti-static surface and volume resistivity up to $106 \sim 108 / \text{cm}$.
- Co-polypropylene material, light weight, long use life, working temperature range $-30^{\circ} \sim 70^{\circ}$.
- Combine different kinds of use space as needed, convenient for cleaning, neat and beautiful.
- Managed with color, widely used in electronics, machinery, and pharmaceutical industries.



Dust-proof label cover.

Applicable with lower hanging plate.




Standard Specifications:



Model	BH-11	BH-12	BH-13
External Size	L110xW105xH50mm	L140xW105xH75mm	L190xW105xH75mm
Internal Size	L95xW90xH45mm	L120xW90xH65mm	L170xW90xH65mm
Loading Capacity	2kg	2kg	3kg
Packing	60 PC/CTN	48 PC/CTN	24 PC/CTN
Optional color	Blue Red Yellow	Blue Red Yellow	Blue Red Yellow



Model	BH-14	BH-15
External Size	L220xW140xH125mm	L270xW140xH125mm
Internal Size	L200xW120xH118mm	L250xW120xH118mm
Loading Capacity	10kg	12kg
Packing	12 PC/CTN	12 PC/CTN
Optional color	Blue Red Yellow	Blue Red Yellow




Multi-Function Bins

- Stacked neatly, safely and space-saving, heavy duty.
- Oil resistant, acid resistant, alkaline resistant solution, anti-fall.
- Adapt to temperature -20°C ~ 90°C.
- Pure and High quality PP material, suitable for conveying belt system and material shelf.



Partitions (Selectable)



Partitions A:
Suit W117xH90

Partitions B:
Suit W234xH90

Partitions C:
Suit W234xH140

Handle A:
Suit W117

Handle B:
Suit W234



Model	BHK-3109	BHK-4109	BHK-5109	BHK-6109
External Size	L300xW117xH90mm	L400xW117xH90mm	L500xW117xH90mm	L600xW117xH90mm
Internal Size	L260xW94xH80mm	L360xW94xH80mm	L460xW94xH80mm	L560xW94xH80mm
Loading / Volume	2kg / 2L	3kg / 2.7L	4kg / 3.5L	5kg / 4.2L



Model	BHK-3209	BHK-4209	BHK-5209	BHK-6209
External Size	L300xW234xH90mm	L400xW234xH90mm	L500xW234xH90mm	L600xW234xH90mm
Internal Size	L256xW211xH80mm	L356xW211xH80mm	L456xW211xH80mm	L556xW211xH80mm
Loading / Volume	5kg / 4.4L	6kg / 6.0L	8kg / 7.8L	10kg / 9.4L



Model	BHK-3214	BHK-4214	BHK-5214	BHK-6214
External Size	L300xW234xH140mm	L400xW234xH140mm	L500xW234xH140mm	L600xW234xH140mm
Internal Size	L253xW210xH129mm	L353xW210xH129mm	L453xW210xH129mm	L553xW210xH129mm
Loading / Volume	7kg / 7.1L	10kg / 9.9L	13kg / 12.6L	15kg / 15.4L

Nesting Container

- Nest style, convenient storage and shipping.
- Nest design help save 50% space.
- 6 layers stack when fully loading.
- Adapt to temperature -20°~75°.



Hinged flap cover for improved sealing, dust and moisture.



Two side handle.



Corners thickened arc structure design to improve the container strength.



Locking hole design, equipped with a strap or a special lock to prevent the goods.



label and barcode can be put on each side.



The lid with non-slip texture.



Model	PWC-01	PWC-02	PWC-03
External Size	W600xD400xH315mm	W600xD400xH315mm	W600xD400xH250mm
Internal Size	W550xD360xH278mm	W550xD360xH290mm	W550xD360xH213mm
Loading / Volume	25kg / 50.09L	25kg / 52.25L	25kg / 39.31L



Model	PWC-04	PWC-05
External Size	W600xD400xH250mm	W550xD380xH325mm
Internal Size	W550xD360xH225mm	W500xD345xH325mm
Loading / Volume	25kg / 41.53L	25kg / 50.70L



Save 50% of volume.

Stacking Container

- Smooth bottom, flat design, Optional cover.
- Environmental and durable.
- Non-toxic, pollution-free, corrosion-resistant, waterproof, anti-static, shockproof.
- Reinforced base for trouble-free and safe storage.
- Double-walled corner frame prevents twisting with high loads.
- Compatible with all euro size containers.



Two side handle.




Corners thickened arc structure design to improve the container strength.



label and barcode can be put on each side.



Bottom with non-slip texture, Suitable for logistics operations.



Optional cover.



Model	EG3148	EG4148	EG4248
External Size	W300×D200×H148mm	W400×D300×H148mm	W400×D300×H280mm
Internal Size	W250×D150×H129mm	W350×D250×H129mm	W350×D250×H261mm
Loading / Volume	20kg / 4.85L	20kg / 11.3L	30kg / 22L



Model	EG6248	EG6148
External Size	W600×D400×H280mm	W600×D400×H148mm
Internal Size	W550×D350×H261mm	W550×D350×H129mm
Loading / Volume	40kg / 50.05L	30kg / 24.8L

Flap Cover Container

- PP material, dustproof with detachable cover.
- 6 layers stack when fully loading.
- Adapt to temperature -20°~75°.
- ISO system material packaging modulus design 600×400mm.



Hinged flap cover for improved sealing, dust and moisture.



Locking hole design, equipped with a strap or a special lock to prevent the goods.



Container connect with cover by steel hinge structure.



The cover is detachable, and the cabinet can be stacked use.



label and barcode can be put on each side.



Bottom with non-slip texture, Suitable for logistics operations.



Model	EG3148G	EG4148G	EG4248G
External Size	W300×D200×H148mm	W400×D300×H148mm	W400×D300×H280mm
Internal Size	W250×D150×H129mm	W350×D250×H129mm	W350×D250×H261mm
Loading / Volume	20kg / 4.85L	20kg / 11.3L	30kg / 22L



Model	EG6248G	EG6148G
External Size	W600×D400×H280mm	W600×D400×H148mm
Internal Size	W550×D350×H261mm	W550×D350×H129mm
Loading / Volume	40kg / 50.05L	30kg / 24.8L

Drawer Rack



- Screws and snap structure, convenient to disassemble and assemble.
- Layered roller guide rails, easy to pull after heavy duty load.
- Single rail drawer, 60% open, loading capacity 1000kg.
- Drawer height can be adjusted in every 50mm.
- Interlocking structure, only one drawer can be opened at a time, keep rack system stable when fully loading.
- Self-locking structure, double protection, safer.
- Steel structure, galvanized sheet drawer surface, wearable and beautiful.




Rack system: 1 Start Unit + N Extension Unit

Standard Specifications:

Size	Main rack		Main rack		Main rack		Main rack		Main rack		Main rack	
	3RA18	3RF18	3RB18	3RG18	3RC18	3RH18	3RD18	3RI18	3RA20	3RF20	3RB20	3RG20
Width (W)	1070		1270		1470		1670		1070		1270	
Depth (D)	800	1000	800	1000	800	1000	800	1000	800	1000	800	1000
Height (H)	1810		1810		1810		1810		2010		2010	
Drawer Size	W818xD795 / 995				W1018xD795				W1018xD795			
Configuration	1 pc adjustable plate + 3 layers drawer plate											

Carton Flow Rack

- Screws and snap structure, convenient to disassemble and assemble.
- The fluent plate can be adjusted up and down every 50mm.
- Surface electrostatic spraying.
- Can be used with the container, meet the first in, first out (FIFO) requirements for goods.
- Applicable to assembly lines, dumping, tally, etc.



Fluent plate



Fluent system



Rack system: 1 Start Unit + N Extension Unit

Standard Specifications:

Model	2RB11	2RB12	2RB13	2RB21	2RB22	2RB23
Rack (WxD)	W900xD900	W900xD1300	W900xD1700	W1300xD900	W1300xD1300	W1300xD1700
Fluent plate (WxD)	W900xD1300	W900xD1700	W900xD2100	W1300xD1300	W1300xD1700	W1300xD2100
Model	2RB31	2RB32	2RB33	2RB41	2RB42	2RB43
Rack (WxD)	W1600xD900	W1600xD1300	W1600xD1700	W2000xD900	W2000xD1300	W2000xD1700
Fluent plate (WxD)	W1600xD1300	W1600xD1700	W1600xD2100	W2000xD1300	W2000xD1700	W2000xD2100
Rack (H)	H1600					

Inclined Plane Rack

- Improvement of the human-machine interface, easy to pick and improve efficiency.
- Suitable for the flow of goods is relatively small workshop, such as automotive packaging, manufacturing workshops etc.




Model	Size (mm)	Model	Size (mm)	Model	Size (mm)
SRA101	W870xD600xH2160	SRA201	W870xD1200xH2160	SRA301	W870xD1200xH2160
SRA102	W995xD600xH2160	SRA202	W995xD1200xH2160	SRA302	W995xD1200xH2160
SRA103	W1283xD600xH2160	SRA203	W1283xD1200xH2160	SRA303	W1283xD1200xH2160

Heavy Duty Rack



- Pallet racking, suitable for storage pallet and heavy cargo, provides forklift and other mechanical operations.
- Bolted assembly. Upright frame is assembled with bolts, Beams lock into design.
- One set of start unit, extend unit racking to increase storage space row by row.



Standard Specifications:

Model	C2H-X35Y	C2H-X45Y	C2H-X55Y	C2H-X65Y	C2H-X75Y
WxD (mm)	W2000xD800	W2300xD800	W2500xD800	W2700xD800	W3000xD800
H (Layer)	H2500 (2Layer)	H2500 (2Layer)	H2500 (2Layer)	H2500 (2Layer)	H2500 (2Layer)
	H3000 (3Layer)	H3000 (3Layer)	H3000 (3Layer)	H3000 (3Layer)	H3000 (3Layer)
	H3500 (3Layer)	H3500 (3Layer)	H3500 (3Layer)	H3500 (3Layer)	H3500 (3Layer)
	H4000 (3Layer)	H4000 (3Layer)	H4000 (3Layer)	H4000 (3Layer)	H4000 (3Layer)
Loading Capacity	1400kg / Layer	2000kg / Layer	2300kg / Layer	2400kg / Layer	2100kg / Layer

Medium Duty Rack



- Steel rack, adjustable height in each 50m, loading capacity 300-500kg for each layer.
- Upright frame and beam connect structure, without bolts, easy to assembly and disassembly.
- Used with material bins, containers, cartons, etc.



Rack system: 1 Start Unit + N Extension Unit


- One set of start unit, extend unit racking to increase storage space row by row. Rack can be discharged in single or double rows.
- Widely used in warehouses, workshops, logistics distribution centers, etc.

Standard Specifications:

Model	1RE25	1RE55	1RE85
Size (mm)	W1200xD500xH1800	W1500xD500xH2000	W1800xD500xH2000
Layer	3 Layer	4 Layer	4 Layer
Model	1RE26	1RE56	1RE86
Size (mm)	W1200xD600xH1800	W1500xD600xH2000	W1800xD600xH2000
Layer	3 Layer	4 Layer	4 Layer

Tilt Box

- Tilt box is a new design product by Powerway, which is made of high-density polyethylene (HDPE).
- The front of the box is inverted (opening angle 55°), smoothly pulled out and closed.
- Clear view, with exhibition storage function, With label groove, effectively classify and manage the storage items.
- Hanging hole design, can be used singly or wall mounted and fixed.
- Special size design, free combination, which can be combined into box group storage cabinet, storage cart.



Tilt Box:



Size	W82xD65xH71mm	W101xD97xH108mm	W128xD128xH133mm	W177xD147xH161mm
------	---------------	-----------------	------------------	------------------

Tilt Box Permutation:



Model	T6
Size	W600xD91xH113mm

Model	T5
Size	W600xD133xH164mm



Model	T4
Size	W600xD168xH207mm

Model	T3
Size	W600xD197xH240mm

Tilt Box

Desktop Style:



Collocation
T5x2

Model	CT5-2
Size	W600xD200xH328mm



Collocation
T4x2

Model	CT4-2
Size	W600xD160xH414mm

Tilt Box Shelf:



Collocation
T6x4
T5x2
T4x2
Single sided storage

Model	CTK-1
Size	W600xD210xH968mm

Tilt Box Storage cabinet:



Collocation
T6x4
T5x8
T4x4
T3x2
Single sided storage

Model	CTH-1
Size	W1260xD320xH1536mm

Tilt Box Cart:



Collocation
T6x4
T5x4
T4x6



Double handle
Double sided storage

Model	CTW-1
Size	W777xD600xH1310mm



Collocation
T6x4
T5x6
T4x2
T3x2



Double handle
Double sided storage

Model	CTW-2
Size	W777xD600xH1310mm